ENVIRONMENTAL MONITORING AND BASELINE DATA

Compiled under the
SMITHSONIAN INSTITUTION
ENVIRONMENTAL SCIENCES PROGRAM

Temperate Studies
Volume III

Rhode River, Maryland

Edited by David L. Correll

ENVIRONMENTAL MONITORING AND BASELINE DATA

Compiled under the SMITHSONIAN INSTITUTION ENVIRONMENTAL SCIENCES PROGRAM

Temperate Studies
Volume III

Rhode River, Maryland

Edited by David L. Correll



Surface and Bottom Water Stations (maps 2 and 4)

Dissolved Oxygen (mg O₂/liter)

Turbidity (Jackson Units)

Alkalinity (mg Ca CO₃/liter)

<u>Dissolved Oxygen</u> - Samples were fixed in the field and titrated in the laboratory using the azide modification of the Winkler method (American Public Health Association, 1971. "Standard Methods for the Examination of Water and Waste Water". 13th Ed. APHA, New York).

<u>Turbidity</u> - Measured in the field with a Hach, Model 2100A, turbidimeter operated from a 12 volt lead storage battery by means of a solid state power inverter.


Alkalinity - Measured by acid titration to a phenolphtalein end point for carbonate and a biomcresol green-methyl red end point for bicarbonate (American Public Health Association, 1971. 13th Ed. APHA, New York).


Principal Investigator: David L. Correll, Radiation Biology Laboratory, Smithsonian Institution.


Research Funding: Program for Research Applied to National Needs of the National Science Foundation and the Smithsonian Institution's Environmental Sciences Program.

Surface Water Stations (map 2)
Dissolved Oxygen (mg O2/liter)
Turbidity (Jackson Units)
Alkalinity (mg CaCO3/liter)

Day of 1974	Dissolved Oxygen	Turbidity	Alkalinity Total	Alkalinity Phenolphthalein
		Surface Water St	ation 1	
10		5.0	4.0	0
23		4.0	4.5	0
38	- "	6.0	2.5	0
51	-	4.0	3.5	. 0
66	-	5.0	3.0	0
77	-	-	2.8	0
		Surface Water St	ation 2	
10	-	5.0	3.5	0
23	-	4.0	4.0	0
38	-	5.0	4.5	0
51	- -	4.0	2.5	0
66	-	3.0	4.0	0
77	-	-	2.3	0
		Surface Water St	ation 3	
10	-	19	9.0	0
23	-	6.0	8.5	0
38	-	3.8	7.0	0
51	-	4.0	7.5	0
66	-	3.0	7.5	0
77	-	-	< 1	0








Surface Stations (Cont'd)


Dissolved Oxygen (mg 0_2 /liter)


Turbidity (Jackson Units)

Alkalinity (mg $CaCO_3$ /liter)

Day of 1974	Dissolved Oxygen	Turbidity	Alkalinity Total	Alkalinity Phenolphthalein		
	9	Surface Water St	ation 4			
10	-	9.0	8.0	0		
23		7.0	12.0	0		
38	-	7.0	9.5	0		
51	-	4.0	7.5	0		
66	-	4.0	11.5	0		
77	-	-	9.0	0		
Surface Water Station SL						
10	-	22	3.0	0		
23	-	4.0	3.0	0		
38	-	3.5	2.5	0		
51	-	3.0	4.0	0		
66	-	5.0	2.0	0		
77	-	-	2.0	0		
	9	urface Water St	ation F			
10	-	85	8.0	0		
23	-	3.5	5.0	0		
38	-	6.5	4.0	0		
51	-	3.0	5.5	0		
66	-	7.0	6.5	0		
77	-	-	2.5	0		







Groundwater - spring
Turbidity (Jackson Units)
Alkalinity (mg CaCO₃/liter)

Day of 1974	Turbidity	Alkalinity Total	Alkalinity Phenolphthalein
23	11	5.0	0
38	6.5	-	0
51	7.0	4.5	0
66	2.0	-	0

Suspended Particles in Volume-Integrated Watershed Runoff Samples

Total Particulates (mg/liter)

Mineral Particulates (mg/liter)

Organic Particulates (mg/liter)

Mineral Particulate Discharge Rate
 (Kg/watershed/time interval)

Organic Particulate Discharge Rate (Kg/watershed/time interval)

<u>Techniques</u> - The water was filtered through 47 mm diam., 0.45 pore size, pretreated membrane filters. Gravimetric methods were used for concentrations of total solids (Banse, K; Falls, C. P.; Hobson, L. A. (1963). Deep Sea Research 10; 639-642). Oxidizable organic matter was determined by loss of weight upon oxidation with 30% hydrogen peroxide (Pierce, J. W.; Nelson, D. D.; and Colquhoun, D. J. (1972). In <u>Shelf Sediment Transport</u>, Ed. by Swift, Duane, and Pilkey. Dowden, Hutchinson, and Ross; Straoudsburg, Pa. pp. 281-306). Mineralogy was determined as described under soils analysis section of this report.

<u>Principal Investigator</u>: Jack W. Pierce, Department of Paleobiology, National Museum of Natural History, Smithsonian Institution.

Research Funding: Smithsonian Research Foundation and the Program for Research Applied to National Needs of the National Science Foundation.

Data for North Branch of Muddy Creek Weir (Station 1)

		Suspended Particulate Matter		
Days of 1974	Water Discharge (liters X 10 ⁷ /interval)	Total Solids (mg/l)	Mineral (mg/l)	Organic (mg/l)
3-10	1.77 ^a	22.5 ^C	19.7 ^c	2.8 ^c
10-17	0.71 ^a	22.5	19.7	2.8
17-24	1.3	24.8	13.4	1.4
24-31	1.6	36.1	32.2	3.9
31-38	1.1.	16.4	11.7	4.7
38-45	1.2	26.8	25.6	1.2
52-59	0.79	28.7	27.9	0.8
59-66	0.76	27.8	22.9	4.9
66-73	0.74	43.7	38.6	5.1
73-84	3.98	24.9	67.0	7.9
84-91	4.65	16.5	14.3	2.2
91-98	2.98	20.6	16.5	4.1
98-105	4.44	39.1	33.5	5.6
105-112	1.65	29.7	25.3	4.4
112-119	1.32	17.4	14.3	3.1
119-126	1.08	24.2	14.3	9.9
126-133	1.18	26.4	14.8	11.6
133-140	1.13	17.0	12.7	4.3
140-148	0.51	40.3	32.9	7.4
148-154	1.96	98.0	86.2	11.8
154-161	1.11	44.8	40.5	4.3

^aData calculated partially from flow meter data.

 $^{^{\}text{C}}\textsc{Concentrations}$ estimated by interpolation.

1007

Data for North Branch of Muddy Creek Weir (Station 1)

_			Suspended Particulate Matter		
Days of 1974	Water Discharge (liters X 10'/interval)	Total Solids (mg/l)	Mineral (mg/l)	Organic (ma/l)	
161-168	0.46	165.8	148.7	17.1	
168-175	0.37	64.2	51.2	13.0	
175-182	0.45	62.8	48.2	13.6	
182-189	0.17	40.4	20.6	19.8	
189-196	0.004	34.4	16.7	17.7	
196-203	0.002 ^d	34.4 ^c	16.7 ^c	17.7 ^C	
203-210	0.000005 ^d	34.4 ^C	16.7 ^c	17.7 ^C	
210-217	0.0007 ^d	34.4 ^c	16.7 ^c	17.7 ^C	
217-224	0.002 ^d	34.4 ^c	16.7 ^c	17.7 ^C	
224-231	0.0002 ^d	34.4 ^c	16.7 ^c	17.7 ^C	
231-238	0.0002 ^d	34.4 ^c	16.7 ^C	17.7 ^C	
238-245	0.000002 ^C	65.1 ^c	48.9 ^C	16.2 ^C	
245-252	0.1	65.1	48.9	16.2	
252-259	0.16	65.1 ^c	48.9 ^C	16.2 ^C	
259-266	0.004 ^d	678.5 ^C	563.2 ^C	115.3 ^c	
266-273	0.91	678.5	563.2	115.3	
273-287		Stream D)ry		
287-294	0.27	44.8	38.5	6.3	
294-302	0.06 ^d	44.8 ^c	38.5 ^C	6.3 ^c	
302-308	0.03	44.8 ^c	38.5 ^c	6.3 ^C	
308-315	0.06	44.8 ^C	38.5 ^C	6.3 ^C	


 $^{^{\}rm d}{\rm Intermittent}$ flow during this time period.


 $^{^{\}mathrm{C}}\mathrm{Concentrations}$ estimated by interpolation.

Data for North Branch of Muddy Creek Weir (Station 1)

		Suspended Particulate Matter		
Days of 1974	Water Discharge (liters X 10'/interval)	Total Solids (mg/l)	Mineral (mg/l)	Organic (mg/1)
315-322	0.1	26.8 ^c	22.1 ^c	4.7 ^C
322-329	0.1	26.8 ^c	22.1 ^c	4.7 ^C
329-336	0.32	26.8 ^c	22.1 ^c	4.7 ^C
336-343	0.89	26.8	22.1	4.7
343-350	0.73	36.8	32.8	6.0
350-357	1.38	23.9	20.0	3.9
357-364	0.49	2.7	2.1	0.6
364-365	0.06	2.7 ^c	2,.1 ^c	0.6 ^c

 $^{^{\}rm C}{\rm Concentrations}$ estimated by interpolation.





Data for Blue Jay Branch of Muddy Creek Weir (Station 2)

		Suspended Particulate Matter		
Days of 1974	Water Discharge (liters X 10 ⁷ /interval)	Total Solids (mg/l)	Mineral (mg/l)	Organic (mg/1)
3-10	1.7 ^b	18.9 ^c	16.2 ^C	2.7 ^C
10-17	0.58 ^b	18.9 ^C	16.2 ^C	2.7 ^c
17-24	0.89 ^a	18.9	16.2	2.7
24-31	1.5 ^a	21.1	17.8	3.3
31-38	1 .	15.6	11.3	4.3
38-45	1	24.2	20.5	3.7
45-52	0.89	24.2 ^C	20.5 ^c	3.7 ^C
52-66	0.7	27.4	24:6	2.8
66-73	0.6	25.2	22.2	3.0
73-84	3.6 ^a	111.2	98.4	12.8
84-91	4.6	29.5	26.0	3.5
91-98	2.4	8.2	7.1	1.1
98-105	4	11	7.7	2.3
105-112	1.3	14	11.9	2.1
112-119	1	4.2	3	1.2
119-126	1.2	17.8	11.2	6.6
126-133	0.98	9.4	6.5	2.9
133-140	0.55	6.4	4.9	1.5
140-148	0.33	31.2	28	3.2

^aData calculated partial y from flow meter data.


 $^{^{\}mathrm{b}}$ Flow was estimated by correlation of flow at weir 1.


 $^{^{\}mathrm{C}}\mathrm{Concentrations}$ estimated by interpolation.

Data for Blue Jay Branch of Muddy Creek Weir (Station 2)

Days of	Water Discharge	Total	Suspended Particulate Matter Total Mineral Organic		
1974	(liters X 10 /interval	Solids (mg/l)	(mg/1)	Organic (mg/l)	
148-154	1.9	48.9	48.8	10.1	
154-161	0.85	44.6	42.9	1.7	
161-168	0.19	46.2	35.1	11.1	
168-175	0.26	21.6	13.4	8.2	
175-182	0.38	19.4	13.3	6.1	
182-189	0.05	30.9	24	6.9	
189-252		Stream	Dry		
252-259	0.0002	30.9 ^C	24 ^C	6,9 ⁰	
259-266		Stream	Dry		
266-273	0.01	14.2	9.4	4.8	
273-287		Stream	Dry		
287-294	0.11	18.7	15.7	3.0	
294-302	0.01	18.7 ^C	15.7 ^C	3.0 ^c	
302-308	0.01	18.7 ^c	15.7 ^c	3.0 ^c	
308-315	0.02	18.7 ^c	15.7 ^C	3.0 ^C	
315-322	0.06	18.7 [¢]	15.7 ^c	3.0°	
322-329	0.05	18.7 ^c	15.7 ^C	3.0 ^C	
329-336	0.38	38.3 ^C	26.9 ^C	1.4 ^c	
336-343	0.83	28.3	26.9	1.4	
343-350	0.71	11.5	10.5	0.6	
350-357	1.18	24.8	18.3	6.5	
357-364	0.52	2.6	2.0	0.6	
364-365	0.05	2.6 ^c	2.0 ^c	0.6 ^C	

 $^{^{\}mathrm{C}}$ Concentrations estimated by interpolation.





Data for Williamson Branch of Muddy Creek Weir (Station 3)

		Suspended Particulate Matter		
Days of 1974	Water Discharge (liters X 10 ⁷ /interval)	Total Solids (mg/l)	Mineral (mg/l)	Organic (mg/1)
3-10	0.64 ^a	8.4 ^c	7.5 ^C	0.9 ^c
10-17	2.29 ^a	8.4	7.5	0.9
17-24	1.29 ^a	20	17.4	2.6
24-31	1.85 ^a	24.1	23.4	0.7
31-38	1.38 ^a	10.7	8.9	1.8
38-45	1.41	21.7	17.1	4.6
45-52	1.1	20.4 ^c	17 ^C	3.4 ^c
52-59	1.07	19.2	. 17	2.2
59-66	0.99	24.2	21.6	2.6
66-73	0.96	26.6	23.8	2.8
73-84	4.38 ^b	118.2	106.7	11.5
84-91	5.12 ^b	62 ^C	55.6 ^c	6.4 ^c
91-98	3.28 ^b	5.9	4.5	1.4
98-105	4.88 ^b	78.4	69.1	9.3
105-112	1.82 ^b	13.4	12.2	1.2
112-119	1.45 ^D	7.2	4.1	3.1
119-126	1.06 ^a	17.1	10.6	6.5
126-133	1.35	36.6	32.8	3.8
133-140	0.57	10.2	5.7	4.5
140-148	0.4	43.1	34.2	8.9
148-154	2.1	117.3	105.9	11.4

 $^{^{\}rm a}{\rm Data}$ calculated partially from flow meter data

 $^{^{}m b}$ Flow was estimated by correlation of flow at weir 1.


 $^{^{\}mathsf{C}}\mathsf{Concentrations}$ estimated by interpolation.


1016

Data for Williamson Branch of Muddy Creek Weir (Station 3)

		Suspended Particulate Matter		
Days of 1974	Water Discharge (liters X 10'/interval)	Total Solids (mg/l)	Mineral (mg/l)	Organic (mg/1)
154-161	0.63	68.8	61.2	7.6
161-168	0.17	48.9	41.2	7.7
168-175	0.28	81.0	66.9	14.1
175-182	0.46	28.9	20.3	8.6
182-189	0.05	28.9 ^c	20.3 ^c	8.6 ^c
189-259		Stream Di	ry	
259-266	0.001	28.9 ^C	20.3 ^c	8.6 ^C
266-273	0.02	28.9 ^C	20.3 ^c	8.6 ^c
273-287		Stream Di	ry	
287-294	0.01	24.3 ^C	22.1 ^c	2.2 ^c
294-329		Stream Dr	ry	
329-336	0.42	24.3 ^C	22.1 ^c	2.2 ^c
336-343	0.48	24.3	22.1	2.2
343-350	0.49	166.4	152.5	13.9
350-357	0.73	14.5	12.1	2.4
357-364	0.28	2.4	2.0	0.4
364-365	0.03	2.4 ^C	2.0 ^C	0.4 ^C

 $^{^{\}mathrm{C}}$ Concentrations estimated by interpolation.





Data for Steinlein Branch of Muddy Creek Weir (Station SL)

		Suspended Particulate Matter		
Days of 1974	Water Discharge (liters X 10 ⁷ /interval	Total Solids (mg/l)	Mineral (mg/l)	Organic (mg/1)
3-10	1.1	25.5 ^c	23 ^c	2.5 ^c
10-17	1.7 ^a	25.5	23	2.5
17-24	1 ^a	21.2	20.2	1
24-31	1.1	24.5	23.4	1.1
31-38	0.67	8.5	6.9	1.6
38-45	0.78	34.2	29	5.2
45-52	0.68	30.2 ^c	27.7 ^C	3.5 ^C
52-59	0.54	28.2	26.4	1.8
59-66	0.99	34.9	29.8	5.1
66-73	0.96	36.7	32.9	3.8
73-84	3.1	54	51.1	2.9
84-91	3.6	21	18.3	2.7
91-98	1.9	25	20	5
98-105	3.1	26.4	22.6	3.8
105-112	1.2	29.7	27	2.7
112-119	1	22	15.8	6.2
119-126	0.84	31.6	23.9	7.7
126-133	1.1	43.5	36.5	7
133-140	0.6	19.6	14.2	5.4
140-148	0.53	54.5	47.8	6.7
148-154	1.6	103	94	9

^aData calculated partially from flow meter data.

 $^{^{\}mathtt{C}}\mathtt{Concentrations}$ estimated by interpolation.

Data for Steinlein Branch of Muddy Creek Weir (Station SL)

		Suspended Particulate Matter		
Days of 1974	Water Discharge (liters X 10 ⁷ /interval)	Total Solids (mg/l)	Mineral (mg/l)	Organic (mg/1)
154-161	0.68	55.5	46.9	8.6
161-168	0.24	62.6	56.7	5.9
168-175	0.93	226.1	174.8	51.3
175-182	0.58 ^a	48.6	32.7	15.9
182-189	0.12	48.6 ^c	32.7 ^c	15.9 ^c
189-196	0.01	48.6 ^C	32.7 ^C	15.9 ^C
196-238	<u>-</u>	Stream Dr	ry	
238-246	0.004	48.6 ^C	32.7 ^c	15.9 ^C
246-252	0.27	48.6 ^C	32.7 ^c	15.9 ^C
252-259	0.22	48.6 ^c	32.7 ^c	15.9 ^C
259-266		Stream Dr	^y	
266-273	0.04	48.6 ^C	32.7 ^c	15.9 ^C
273-287		Stream Dr	^y	
287-294	0.01	48.6 ^C	32.7 ^c	15.9 ^c
294-302		Stream Dr	^y	
302-308		Stream Dr	^у	
308-315	0.01	47.5 ^C	44.2 ^C	3.3 ^c
315-322	0.04	47.5 ^C	44.2 ^C	3.3 ^C
322-329	0.03	47.5 ^C	44.2 ^C	3.3 ^C
329-336	0.35	47.5 ^C	44.2 ^C	3.3 ^c
336-343	0.65	47.5	44.2	3.3
_				


 $^{^{\}mathrm{a}}\mathrm{Data}$ calculated partially from flow meter data.


 $^{^{\}text{C}}\textsc{Concentrations}$ estimated by interpolation.

Data for Steinlein Branch of Muddy Creek Weir (Station SL)

equipment part of the millioning and the second		Suspended Particulate Matter		
Days of 1974	Water Discharge (liters X 10 ⁷ /interval)	Total Solids (mg/l)	Mineral (mg/l)	Organic (mg/l)
343-350	0.73	40.8	37.1	3.7
350-357	0.87	39.8	34.6	5.2
357-364	0.26	3.0	2.7	0.3
364-365	0.03	3.0 ^c	2.7 ^c	0.1 ^c

 $^{^{\}mbox{\scriptsize C}}$ Concentrations estimated by interpolation.





1024

Data for Fox Creek Weir (Station F)

	Water Discharge (liters X 10 ⁶ /interval)	Suspended Particulate Matter		
Days of 1974		Total Solids (mg/l)	Mineral (mg/l)	Organic (mg/1)
3-10	0.598 ^a	63.1 ^c	54.1 ^C	9.0 ^c
10-17	1.42 ^{a,b}	63.1	54.1	9.0
17-24	0.45 ^a	71.3	63.2	8.1
24-31	1.58	30.9	29.7	1.2
31-38	1.05	15.2	9.2	6.0
38-45	1.05	27.9	20.9	7.0
45-52	1.17	25.3 ^C	21.1 ^c	4.2 ^c
52-59	1.35	22.8	21.4	1.4
59-66	0.795	29.4	26.6	2.8
66-73	0.712	35.2	32.8	2.4
73-84	3.57 ^b	47.4	42.5	4.9
84-91	3.22 ^b	9.0	6.8	2.2
91-98	3.13 ^b	27.6	23.3	4.3
98-105	2.72 ^b	57.2	50.1	7.1
105-112	1.51	15.5	14.4	1.1
112-119	1.13	32.4	21.7	10.7
119-126	0.951	18.2	15.9	2.3
126-133	1.04	7.6	6.0	1.6
133-140	0.626	13.3	10.9	2.4
140-148	0.46	32.8	27.3	5.5

^aData calculated partially from flow meter data.

 $^{^{\}mathrm{b}}$ Flow was estimated by correlation of flow at weir 1.

 $^{^{\}mathrm{C}}$ Concentrations estimated by interpolation.

Data for Fox Creek Weir (Station F)

	Water Discharge (liters X 10 ⁶ /interval)	Suspended Particulate Matter		
Days of 1974		Total Solids (mg/l)	Mineral (mg/l)	Organic (mg/1)
148-154	1.32	137.4	123.8	13.6
154-161	0.71	37.2	32.2	4.9
161-168	0.348	35.6	33.1	2.5
168-175	0.374	43.4	35.1	8.3
175-182	0.54	60.7	49.5	11.2
182-189	0.18	9.0	6.4	2.6
189-196	0.075	9.0 ^c	6.4 ^C	2.6 ^c
196-203	0.32	9.0 ^c	6.4 ^C	2.6 ^C
203-210	0.019	9.0 ^c	6.4 ^C	2.6 ^C
210-218	0.007	9.0 ^c	6.4 ^C	2.6 ^C
218-224	0.007	9.0 ^c	6.4 ^C	2.6 ^C
224-232	0.0002	9.0 ^c	6.4 ^c	2.6 ^c
232-238	0.036	9.0 ^c	6.4 ^c	2.6 ^C
238-246	0.06	261.0 ^C	208.3 ^c	52.7 ^c
246-252	0.179	261.0	208.3	52.7
252-259	0.245	261.0 ^c	208.3 ^c	52.7 ^c
259-266	0.008	1116.5 ^C	1050.6 ^C	65.9 ^C
266-273	0.91	1116.5	1050.6	65.9
273-280	0.06	116.5	1050.6 ^c	65.9 ^c
280-287		Stream D	ry	
287-294	0.156	162.7 ^c	144.4 ^C	18.3 ^C


 $^{^{\}mathrm{C}}$ Concentrations estimated by interpolation.

1026

Data for Fox Creek Weir (Station F)

		Suspended Particulate Matter		
Days of 1974	Water Discharge (liters X 10 ⁶ /interval)	Total Solids (mg/l)	Mineral (mg/l)	Organic (mg/1)
294-302	0.35	162.7 ^C	144.4 ^C	18.3 ^c
302-308	0.024	162.7 ^C	144.4 ^C	18.3 ^c
308-315	0.057	162.7 ^C	144.4 ^C	18.3 ^c
315-322	0.081	162.7 ^C	144.4 ^C	18.3 ^c
322-329	0.066	162.7 ^C	144.4 ^C	18.3 ^c
329-336	0.286	162.7 ^c	144.4 ^C	18.3 ^c
336-343	0.68	162.7	144.4	18.3
343-350	0.481	124.7	108.5	16.2
350-357	1.039	20.6	17.7	2.9
357-364	0.319	4.3	4.0	0.3
364-365	0.037	4.3 ^c	4.0 ^C	0.3 ^c

 $^{^{\}mathrm{C}}\mathrm{Concentrations}$ estimated by interpolation.



CUNENT SUSPENDED PARTICULATE MATTER (MG/L)

Volume Integrated Total Discharge Data (amount discharge/watershed/time interval)

Days of Year 1974	Weir #	Suspended Par Mineral	ticulate (Kg) Organic
3-10	1	350c	50 ^c
	2	280 ^c	46 ^C
	3	48 ^c	5.8 ^c
	SL	250 ^c	28 ^c
	F	32 ^c	5.4 ^c
10-17	1	140	20
	2	9 4 C	. 16 ^c
	3	170	21
	SL	390	42
	F ·	77	13
17-24	1	170	18
	2	140	24
	3	220	34
	SL.	200	10
	F	28	3.6
24-31	1	520	62
	2	270	50
	3	430	13
	SL	260	12
	F	47	1.9

 $^{^{\}mathsf{C}}\mathsf{Concentration}$ estimated by interpolation.

Volume Integrated Total Discharge Data (amount discharge/watershed/time interval)

Days of Year 1974	Weir #	Suspended Par Mineral	ticulate (Kg) Organic
31-38	1	130	52
	2	110	43
	3	120	25
	SL	46	11
	F	9.7	6.3
38-45	1	310	14
	2	200	37
	3	240	65
	SL	230	41
	F	22	7.4
45-52	1	280	13
	2	180	33
	3	190 ^c	37
	SL	190 ^c	24 ^C
	F	25 ^c	4.9 ^C
52-59	1	220	6.3
1	2	130	15
	3	180	24
	SL	140	9.7
	F	29	1.9

 $^{^{\}mathrm{C}}\mathrm{Concentration}$ estimated by interpolation.

Volume Integrated Total Discharge Data (amount discharge/watershed/time interval)

Days of Year	Weir #	Suspended Pa Mineral	rticulate (Kg) Organic
59-66	1	170	37
	2	170	20
	3	210	26
	SL	300	50
	F	21	2.2
66-73	1	290	38
	2	130	18
	3	230	27
	SL	320	36
	F	23	1.7
73-84	1	2700	310
	2	3500	460
	3	4700	500
	SL	1600	90
	F	150	17
84-91	1	660	100
	2	1200	160
	3	2800 ^c	330 ^c
	SL	660	97
	F	22	7.1

 $^{^{\}mathrm{C}}\mathrm{Concentration}$ estimated by interpolation.

August 19 Present a

; AV-ãô

34 31

The State of the State of the State of

Volume Integrated Total Discharge Data (amount discharge/watershed/time interval)

Days of Year 1974	Weir #	Suspended Par Mineral	ticulate (Kg) Organic
119-126	1	150	110
	2	130	79
	3	110	69
	SL	200	65
	F	15	2.2
126-133	1	170	140
	2	64	28
	3	440	51
	SL	400	77
	F	6.2	1.7
133-140	1	140	49
	2	27	8.2
	3	32	26
	SL	85	32
	F	6.8	1.5
140-148	1	170	38
	2	92	11
	3	140	36
	SL	250	36
	F	13	2.5

Volume Integrated Total Discharge Data (amount discharge/watershed/time interval)

Days of Year 1974	Weir #	Suspended P Mineral	articulate (Kg) Organic
148-154	1	1700	230
	2	930	190
	3	2200	240
	SL	1500	140
	F	160	18
154-161	1	450	48
	2	360	14
	3	390	48
	SL.	320	58
	F	23	3.5
161-168	1	680	79
	2	67	21
	3	70	13
	SL	140	14
	F	12	0.87
168-175	1	190	48
	2	35	21
	3	190	39
	SL	1600	480
	F	13	3.1

Volume Integrated Total Discharge Data (amount discharge/watershed/time interval)

Days of Year 1974	Weir #	Suspended Part Mineral	ticulate (Kg) Organic
175-182	1	220	61
	2	51	23
	3	93	40
•	SL	190	92
	F	27	6.0
182-189	1	35	34
	2	120	34
	3	10 ^C	4.3 ^C
	SL	39c	19 ^C
	F	1.2	0.47
189-196	1	0.67	0.71
	2	0	0
	3	0	0
	SL	2.0 ^c	1.0 ^c
	F	0.48 ^c	0.20 ^c
196-203	1	0.33 ^c	0.35 ^c
	2	0	0
	3	0	0
	SL	0	0
	F	2.0 ^c	0.83 ^c

 $^{\mathrm{C}}\mathrm{Concentration}$ estimated by interpolation.

Volume Integrated Total Discharge Data (amount discharge/watershed/time interval)

Days of Year 1974	Weir #	Suspended Par Mineral	ticulate (Kg) Organic
203-210	1	0.00084 ^c	0.00088 ^c
	2	0	0
	3	0	0
	SL	0	0
	F	0.12 ^c	0.05 ^c
210-217	1	0.12 ^c	0.12 ^c
	2	0	0
	3	0	0
	SL	0	0
	F	0.04 ^C	0.02 ^C
217-224	1	0.33 ^c	0.35 ^c
	2	0	0
	3	0	0
	SL	0	0
	F	0.04 ^C	0.02 ^c
224-231	1	0.033 ^c	0.035 ^C
	2	0	0
	3	0	0
	SL	0	0
	F	0.00096 ^c	0.00039 ^c

 $^{^{\}rm C}{\rm Concentrations}$ estimated by interpolation.

Volume Integrated Total Discharge Data (amount discharge/watershed/time interval)

Days of Year 1974	Weir #	Suspended Pa Mineral	rticulate (Kg) Organic
231-238	1	0.033 ^C	0.035 ^C
	2	0	0
	3	0	0
	SL	0	0
	F	0.23 ^c	0.094 ^C
238-245	1	0.00088 ^c	0.00029 ^C
-	2	0	0
	3	0	. 0
	SL	1.2 ^c	0.57 ^c
	F	12 ^c	3.1 ^c
245-252	1	49	16
	2	0	0
	3	0	0
	SL	88 ^c	43 ^C
	F	37 ^C	9.4 ^C
252-259	1	78 ^c	26 ^C
	2	0.048 ^c	0.014 ^C
	3	0	0
	SL	72 ^c	35 ^C
	F	51 ^C	13 ^C

 $^{^{\}mathrm{C}}$ Concentrations estimated by interpolation.

Volume Integrated Total Discharge Data (amount discharge/watershed/time interval)

Days of Year 1974	Weir #	Suspended Part Mineral	organic
259-266	1	23 ^c	4.6 ^C
	2	0	0
	3	0.20 ^c	0.086 ^C
•	SL	0	0
	F	1.6 ^c	0.41 ^c
266-273	1	5100	1000
	2	0.94	. 0.48
	3	4.1 ^c	1.7 ^c
	SL	12 ^c	6.0 ^C
	F	960	60
273-280	1	0	0
	2	0	0
	3	0	0
	SL	0	0
	F	12 ^c	3.2 ^c
280-287	1	0	0
	2	0	0
	3	0	0
	SL	0	0
	F	0	0

 $^{{}^{\}text{C}}\text{Concentrations}$ estimated by interpolation.

Volume Integrated Total Discharge Data (amount discharge/watershed/time interval)

Days of Year 1974	Weir #	Suspended Part Mineral	iculate (Kg) Organic
287-294	1	100	17
	2	17	3.3
	3	2.2 ^c	0.22 ^c
•	SL	3.6 ^c	1.7 ^c
	F	23 ^c	2.9 ^c
294-302	1	23 ^c	2.8 ^c
	2	1.6 ^c	0.30 ^c
	3	0	0
	SL	0	0
	F	51 ^C	6.4 ^C
302-308	1	12 ^C	1.9 ^c
	2	1.6 ^C	0.30 ^C
	3	0	0
	SL	0	0
	F	3.5 ^C	0.44 ^C
308-315	1	23 ^C	3.8 ^c
	2	3.1 ^c	0.60 ^C
	3	0	0
	SL	6.2 ^c	0.46 ^C
	F	8.2 ^c	1.0 ^c

 $^{\mbox{\scriptsize C}}\mbox{\scriptsize Concentrations}$ estimated by interpolation.

Volume Integrated Total Discharge Data (amount dishcarge/watershed/time interval)

Days of Year 1974	Weir #	Suspended Par Mineral	ticulate (Kg) Organic
315-322	1	22 ^c	4.7 ^C
	2	9.4 ^c	1.8 ^C
	3	0	0
	SL	18 ^c	1.3 ^C
	F	12 ^C	1.5 ^C
322-329	1	22 ^c	4.7 ^C
	2	7.9 ^C	1.5 ^C
	3	0	. 0
	SL	13 ^c	0.99 ^C
	F	9.5 ^C	1.2 ^c
329-336	1	71 ^c	15 ^C
	2	100 ^c	5.3 ^C
	3	93 ^c	9.2 ^C
	SL	150 ^C	12 ^C
	F	41 ^C	5.2 ^C
336-343	1	200	42
	2	220	12
	3	110	1.1
	SL	290	21
	F	98	12


 $^{^{\}mathtt{C}}\mathsf{Concentrations}$ estimated by interpolation.


1041


Volume Integrated Total Discharge Data (amount discharge/watershed/time interval)


Days of Year 1974	Weir #	Suspended Part Mineral	ticulate (Kg) Organic
343-350	1	240	44
	2	75	4.3
	3	750	68
•	SL	270	27
	F	52	7.8
35 0- 357	1	280	54
	2	220	77
	3	88	18
	SL	300	45
	F	18	3.0
357-364	1	10	2.9
	2	10	3.1
	3	5.6	1.1
	SL	7.0	0.78
	F	1.3	0.096
364-365	1	1.3 ^c	0.36 ^c
	2	1.0 ^c	0.3 ^c
	3	0.60 ^c	0.12 ^c
	SL	0.81 ^c	0.090
	F	0.15 ^C	0.011 ^c


 $^{^{\}mathrm{C}}\mathrm{Concentrations}$ estimated by interpolation.


























Area Yield of Particulates in Watershed Runoff Per Hectare

Per Time Interval for Five Land Use Categories

Mineral Particulates (Kg/hectare/time interval)

Organic Particulates (Kg/hectare/time interval)

Technique - Particulate discharge data and land use data from Higman (1973 ESP Report) were used to calculate area yield rates as described in Correll, Pierce, and Faust (1975), pp. 131-143. <u>In</u>: Non-Point Sources of Water Pollution, Virginia Water Resources Research Center, Blacksburg, Virginia. <u>Principal Investigator</u>: Jack W. Pierce, Sedimentology Department, National Museum of Natural History, Smithsonian Institution.

Research Funding: Program for Research Applied to National Needs of the National Science Foundation and Smithsonian Research Foundation.

Area Yield Data from Volume Intergrated Watershed Sampling Suspended Organic Particulate (Kg/hectare/time interval)

Days of 1974	Cultivated crons	Wet areas (open water + marshes + swamps	'Natural' areas (forest + old fields)	Grasslands (pasture + other)	Residential + other (bare, paved roads, dumps)
3-10	0.26	25	0.24	0.30	-4.2
10-17	0.38	7.1	0.60	0.12	-6.8
17-24	-0.091	7.4	0.18	-0.36	0.61
24-31	0.070	21	0.026	0.89	-2.0
31-38	-0.10	21	0.25	0.90	-3.8
38-45	0.18	6.5	0.41	-2.0	2.8
45-52	0.040	14	0.30	-1.3	1.0
52-59	-0.012	3.8	0.11	-0.65 ·	1.4
59-66	0.82	-15	0.012	-0.30	1.6
66-73	0.58	-13	-0.023	0.12	1.5
73-84	-2.0	160	1.1	-9.2	36
84-91	-0.023	-14	0.36	-6.8	31
91-98	1.6	-41	0.21	3.5	-7. 5
98-105	0.73	~160	-0.057	3.3	27
105-112	0.61	-1.4	-0.13	1.7	-0.87
112-119	0.79	- 19	44	58	-4.0
119-126	0.84	-0.89	-0.068	0.013	4.3
126-133	1.6	~ 58	-0.43	3.6	0.89
133-140	0.62	-25	-0.12	1.2	0.58
140-148	0.57	-22	-0.021	0.46	1.6
148-154	1.2	4.4	0.53	-0.72	9.0

1054

Area Yield Data from Volume Integrated Watershed Sampling Suspended Organic Particulate (Kg/hectare/time interval)

Days of 1974	Cultivated crops	Wet areas (open water + marshes + swamps)	'Natural' areas (forest + old fields)	Grasslands (pasture + other)	Residential + other (bare, paved roads, dumps)
154-161	0.94	-32	-0.010	0.16	2.7
161-168	0.39	-14	-22	2.9	-2.4
168-175	8.6	-150	-0.018	-12	21
175-182	1.5	-31	0.10	-0.12	0.70
182-189	0.24	· 15	0.021	-0.23	-0.22
189-196	0.016	-0.24	0.0065	0.029	-0.15
196-203	-0.019	1.1	0.040	0.091	-0.68
203-210	-0.0012	0.072	0.0024	0.0043.	-0.039
210-217	-0.000066	-0.016	0.00036	0.0082	-0.021
217-224	0.0010	-0.095	-0.00066	0.021	-0.033
224-231	0.00014	-0.012	-0.00013	0.0019	-0.0022
231-238	-0.0022	0.13	0.0045	0.010	-0.076
238-245	-0.067	4.4	0.16	0.26	-2.5
245-252	0.62	-4.4	0.39	0.51	-6.4
252-259	0.43	-0.26	0.52	1.6	-10
259-266	0.0089	-1.0	-0.000014	0.28	-0.55
266-273	3.0	-27	-1.6	61	-100
273-280	-0.078	4.6	0.16	0.27	-2.5
280-287	0	0	0	0	0
287-294	0.0099	0.94	0.081	0.97	-3.0
294-302	-0.14	8.4	0.30	0.75	-5.3

Area Yield Data from Volume Integrated Watershed Sampling Suspended Organic Particulate (Kg/hectare/time interval)

Days of 1974	Cultivated crops	Wet areas (open water + marshes + swamps)	'Natural' areas (forest + old fields)	Grasslands (pasture + other)	Residential + other (bare, paved roads, dumps)
302-308	-0.0049	0.29	0.015	0.13	-0.44
308-315	-0.0055	0.68	0.038	0.25	-0.99
315-322	-0.0047	1.9	0.061	0.27	-1.3
322-329	-0.0020	. 1.3	0.046	0.26	-1.1
329-336	0.082	0.98	0.21	0.62	-3.4
336-343	0.18	8.4	0.48	2.2	-11
343-350	0.25	-31	0.16	1.4	0.066
350-357	0.42	40	0.23	-1.6	0.017
357-364	0.00027	1.5	0.0045	-0.0030	-0.20
364-365	0.00054	0.11	0.00018	0.0035	-0.0055

Area Yield Data from Volume Integrated Watershed Sampling
Suspended Mineral Particulate (Kg/hectare/time interval)

Days of 1974	Cultivated crops	Wet areas (open water + marshes + swamps)	'Natural' areas (forest + old fields)	Grasslands (pasture + other)	Residential + other (bare, paved roads, dumps)
3-10	3.3	100	1.2	2.0	23
10-17	4.7	-21	3.5	-2.3	-31
17-24	2.1	-18	1.1	-2.2	3.7
24-31	2.6	-80	0.91	8.8	-1.9
31-38	0.028	. 22	0.32	0.33	2.8
38-45	2.8	-28	0.45	0.86	5.9
45-52	2.2	-6.8	0.64	2.3	-2.8
52-59	1.4	-15	0.89	3.0	-6.4
59-66	3.8	-26	0.86	-6.5	13
66-73	4.8	-11	0.31	0.64	7.2
73-84	-1.1	590	7.8	-88	370
84-91	-2.2	-240	1.3	-61	300
91-98	5.6	-62	2.1	13	-48
98-105	3.4	-1400	-0.82	26	210
105-112	5.4	-140	-0.25	6.5	1.6
112-119	2.7	-68	0.47	6.0	-15
119-126	2.7	-0.92	0.56	-2.9	3.1
126-133	6.1	-260	-0.51	-8.2	52
133-140	1.7	-50	-0.20	4.5	-5.2
140-148	4.0	-74	0.18	-2.2	8.7
148-154	17.6	-680	3.1	1.3	102

Area Yield Data from Volume Integrated Watershed Sampling Suspended Mineral Particulate (Kg/hectare/time interval)

Davs of 1974	Cultivated crops	Wet areas (open water + marshes + swamps)	'Natural' areas (forest + old fields)	Grasslands (pasture + other)	Residential + other (bare, paved roads, dumps)
154-161	3.6	-0.88	0.45	-2.4	20
161-168	4.4	-22	-2.2	30	-30
168 -1 75	29	-560	-0.25	-37	72
175-182	3.1	- 76	0.52	5.6	-13
182-189	0.018	89	0.41	-4.5	2.2
189-196	0.027	-0.11	0.021	0.024	-0.33
196-203	-0.049	2.9	0.10	0.20	-1.6
203-210	0.0030	0.18	0.0060	0.011	-0.097
210-2 17	-0.00062	0.026	0.0017	0.010	-0.042
217-224	0.00031	-0.050	0.00070	0.022	-0.052
224-231	0.00011	-0.010	-0.000098	0.0019	-0.0025
231-238	-0.0055	0.33	0.011	0.022	-0.18
238-245	-0.28	18	0.61	1.0	-9.8
245-252	0.90	12	1.6	3.4	-28
252-259	0.38	27	2.2	6 . 7	-41
259-266	0.053	-5.4	-0.019	1.3	-2.4
266-273	-2.1	-350	25	360	-1000
273-280	-0.31	18	0.62	1.1	-9.9
280-287	0	0	0	0	0
287-294	-0.18	12	0.74	6.7	-23
294-302	-1.2	68	2.4	5.6	-41

1058

Area Yield Data from Volume Integrated Watershed Sampling
Suspended Mineral Particulate (Kg/hectare/time interval)

Days of 1974	Cultivated crops	Wet areas (open water + marshes + swamps)	'Natural' areas (forest + old fields)	Grasslands (pasture + other)	Residential + other (bare, paved roads, dumps)
302-308	-0.048	2.6	0.13	0.85	-3.3
308-315	-0.014	5.4	0.32	1.6	-7.4
315-322	0.065	13	0.52	1.3	-9.5
322-329	0.048	10	0.41	1.3	-8.0
329-336	1.2	· 56	2.1	-2.3	-18
336-343	1.9	168	4.9	0.37	-60
343-350	1.9	-0.028	1.3	-0.59	39
350-357	4.5	19	0.56	-2.2 ·	-2.5
357-364	0.054	4.3	0.059	-0.040	-0.46
364-365	1.5	- 24	0.0013	-2.2	3.5

Cation Concentrations in Surface Waters (µg/liter)

<u>Technique</u> - A sample of 200 ml of whole water plus 6 ml concentrated HNO₃ was concentrated by boiling down to a volume of 5 ml. The concentrate was then analyzed by atomic absorption after various dilutions. Elements analyzed included Ni, Cu, Zn, Pb, Cr, Cd, Mn, Fe, K, Ca, and Mg.

<u>Principal Investigator</u>: Tung-Lin Wu, Chesapeake Bay Center for Environmental Studies.

Research Funding: Smithsonian Research Foundation and the Smithsonian Institution.

Non-Point Sources of Metals (map 2)

	Mg					3080	2400					1680	1960
	Ca					8480	6240					2240	1760
	~					4285.6	3143.2					3143.2	2286.4
	Fe		2000	790	3630	1944	712.8		1200	410	2120	1555.2	9.777
g/liter)	Mn		100	52	175	227.1	20.6		2100	029	338	144.5	165.1
ation (u	PS					0.80	2.00					0.64	1.04
Metal Concentration (ug/liter)	Cr	Station 1				4.96	0.64	Station 2				5.92	pu
Met	Pb												
	Zn			10	25	22.4	1.6			65	25	17.6	136.8
	no					1.60	0.64					2.80	16.00
	.L				10	6.16	1.68			25	10	5.12	8.24
Day of	1974		302	329	336	357	364		302	329	336	357	364

nd - non-detectable by the technique employed

Non-Point Sources of Metals (map 2)

	Mg			2200						1880
	Ca			8480						10720
	\prec			2500						2000
	Fe		4120	259.2			1200	740	2820	1166.4
ug/liter)	Mn		162	61.9			pu	30	250	165.1
tration (PO			1.04						0.64
Metal Concentration (ug/liter)	Cr	Station 3		1.28		Station 4				1.04
	Pb									
	Zn		28	20.8				15	22	
	Cu			0.64						16.00
	Ν		10	4.16					10	4.16
Day of	1974		336	364			302	329	336	364

nd - non-detectable by the technique employed

Non-Point Sources of Metals (map 2)

Day of	;		1		Metal Concentration (ug/liter)	ration (ug/liter)	_	ı;		
1974	2	n	Zn	Pp	Çe	C4	٤	Fe	~	Ca	Mg
					Station SL						
329			25				155	365			
336	10		38				. 500	3320			
357	6.16	2.64	36.0		4.56	1.04	227.1	2138.4	3071.2	5200	2720
364	8.24	5.36	37.6		2.08	1.44	206.5	259.2	2785.6	6880	2120
					Station F						
302							200	1200			
329			10				30	490			
336	28		49			ė	212	12850			
357	5.12	1.28	0.0		7.84	0.80	165.2	1749.6	5214.4 8480	8480	2120

Total Coliform, Fecal Coliform and Total Viable Heterotrophic Bacteria in Water Samples Taken as Grab Samples at Freshwater and Estuarine Stations (maps 2 and 3)

Technique - Coliform bacteria were enumerated using the multiple tube dilution technique and the elevated temperature test and the aerobic heterotrophic bacteria, by the spread plate technique respectively, according to the (American Public Health Association, 1971. "Standard Methods for the Examination of Water and Waste Water". 13th ed. APHA, N. Y.). Total coliform and fecal coliform numbers were expressed as most probable numbers per 100 ml (MPN/100ml), the heterotrophic aerobic bacteria as total viable counts per ml (TVC/ml).

<u>Principal Investigator</u>: Maria A. Faust, Chesapeake Bay Center for Environmental Studies, Smithsonian Institution.

Research Funding: Program for Research Applied to National Needs of the National Science Foundation and the Smithsonian Institution's Environmental Science Program.

1064

Estimated Total and Fecal Coliforms in Grab Samples

Day of	Weir Station	TC	FC
1974	(map 2)	(MPN/10	00 m1)
52	1	170	7
	2	130	27
	3	280	180
	SL	94	33
	F	17	4
77	. 1	130	130
	2	540	170
	3	110	46
	SL	17	13
	F	22	22
105	1	79	. 11
	2	130	17
	3	79	33
	SL	33	11
	F	49	33
133	1	2,400	2,400
	2	2,400	2,400
	3	920	920
	SL	350	220
	F	920	280
168	1	24,000	11,000
	2	1,500	1,100
	3	1,100	1,100
	SL	4,600	750
	F	4,600	1,100
259	1	93	93
	2	no flow	no flow
	3	no flow	no flow
	SL	no flow	no flow
	F	2,400	2,400
273	1	4,600	1,100
	2	11,000	460
	3	no flow	no flow
	SL	no flow	no flow
	F	2,400	2,400

Estimated Total and Fecal Coliforms and Total Viable Aerobic Heterotrophic Bacterial Population.

Day of 1974	Sites (map 2)	TC (MPN/1	FC 00m1)	Ratio FC/TC		nl after on times of 168 (hr)
294	1 2 3 SL	1,500 11,000 no flow no flow	1,500 2,400 no flow no flow	1.00 0.14 no flow no flow	6.0 18.6 no	9.8 24.1 flow flow
302	1 2 3 SL F	1,500 1,500 no flow no flow 240	750 150 no flow no flow 90	0.50 0.50 no flow no flow no flow	39.0 50.0 no no n	flow flow
308	1 2 3 SL F	2,400 460 no flow no flow 11,000	1,100 460 no flow no flow 4,600	0.46 1.00 no flow no flow 0.42	590.0 330.0 no no 170.0	355.0 flow flow
315	1 2 3 SL F	200 40 no flow 430 40	150 < 30 no flow 70 < 30	0.75 0.75 no flow 0.16 0.75	23.0 97.0 no f 7.5 12.9	
322	1 2 3 SL F Well	75 23 no flow 93 93 9	39 3 no flow 15 43 0	0.52 0.13 no flow 0.16 0.46 0.00	1.7 1.9 no f 7.0 11.3 0.5	15.7 9.2 low 33.0 2.3

TC = Total coliforms
FC = Fecal coliforms
TVC = Total viable counts

TNTC = To numerous to count

Estimated Total and Fecal Coliforms and Total Viable Aerobic Heterotrophic Bacterial Population. (Continued)

Day of 1974	Sites (map 2)	TC (MPN/	FC 100m1)	Ratio FC/TC		/ml after ion times of 168 (hr)
336	1 2 3 SL F Well	460 460 =2,400 =2,400 240 9	460 460 ≢2,400 460 93 9	1.00 1.00 1.00 0.19 0.39 1.00	140.0 270.0 180.0 350.0 27.0	420.0 730.0 520.0 700.0 72.0 4.2
350	1 2 3 SL F Well	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	210 1,100 28 240 1,100	0.09 0.46 1.00 0.10 0.46 0.39	320.0 800.0 560.0 330.0 750.0 TNTC	650.0 1,140.0 730.0 490.0 1,100.0 TNTC

TNTC = Too numerous to count.

TC = Total coliforms

FC = Fecal coliforms

TVC = Total viable counts

Coliform bacterial discharge rates at designated weirs.

Day of 1974	Weir #	Coli Total (MPN/day	Fecal	Day of 1974	Weir #	Coli Total (MPN/day	Fecal
52	1 2 3 SL F	1.9 1.2 3.6 0.71 0.0204	0.079 0.25 2.3 0.25 0.0048	294	1 2 3 SL F	1.5 3.3 	1.5 0.72
77	1 2 3 SL F	3.1 9.3 2.8 0.22 0.055	3.08 2.9 1.2 0.17 0.055	302	1 2 3 SL F	7.5 0.09 0.0072	3.8 0.009 0.0027
105	1 2 3 SL F	2.5 3.2 0.0 0.24 0.24	0.35 0.41 0.00 0.081 0.23	308	1 2 3 SL F.	1.9 0.028 0.66	0.88 0.028 0.28
133	1 2 3 SL F	74 52 27 6.5 1.4	74 52 27 4.1 0.42	315	1 2 3 SL F	0.1 0.008 0.039 0.004	0.075 0.006 0.0063 0.003
168	1 2 3 SL F	250 4.5 3.6 19 1.8	3.3 3.6 3.2 0.44	322	1 2 3 SL F	0.075 0.012 0.037 0.0084	0.039 0.0015 0.006 0.0039
259	1 2 3 SL F	0.0093 0.024	0.0093 0.024	336	1 2 3 SL F	9.5 9.9 36 34 0.17	9.5 9.9 36 6.6 0.065
273	1 2 3 SL F	15 9.9 0.048	3.6 0.41 0.048	350	1 2 3 SL F	295 454 4.1 701 12	25 208 4.1 70 5.6

Fecal Streptococcus Bacteria Populations in Water Samples (map 2)

Technique - Fecal Streptococci and Salmonella-like bacteria were enumerated using the multiple tube dilution technique according to the (American Public Health Association, 1971. "Standard Methods for the Examination of Water and Waste Water". 13th ed. APHA, N. Y.). The results were expressed as most probable numbers per 100 ml (MPN/100ml). Principal Investigator: Maria A. Faust, Chesapeake Bay Center for Environmental Studies, Smithsonian Institution.

Research Funding: Program for Research Applied to National Needs of the National Science Foundation and the Smithsonian Institution's Environmental Science Program.

Estimated Fecal Streptococci Populations in Water Samples Collected at Designated Stations.

Day of	Sites	FS	FC	Ratio
1974	(map 2)	(MPN/100m1)	(MPN/100m1)	FC/FS
259	Weir #1	240	9.00	0.39
	#2	no flow	no flow	no flow
	#3	no flow	no flow	no flow
	SL	no flow	no flow	no flow
	F	=2,400	93.00	0.04
273	Weir #1	1,100	1,100.00	1.00
	#2 .	=2,400	460.00	0.19
	#3	no flow	no flow	no flow
	SL	no flow	no flow	no flow
	F	=2,400	=2,400.00	1.00
294	Weir #1	750	1,500.00	2.00
	#2	230	2,400.00	10.43
	#3	no flow	no flow	no flow
	SL	no flow	no flow	no flow
	F	no flow	no flow	no flow
302	Weir #1	240	750.00	3.13
	#2	240	150.00	0.63
	#3	no flow	no flow	no flow
	SL	no flow	no flow	no flow
	F	150	90.00	0.60
308	Weir #1	240	1,100.00	4.58
	#2	7,500	460.00	0.06
	#3	no flow	no flow	no flow
	SL	no flow	no flow	no flow
	F	4,600	4,600.00	1.00
315	Weir #1	150	150.00	0.65
	#2	230	< 30.00	1.00
	#3	no flow	no flow	no flow
	SL	230	70.00	0.30
	F	40	< 30.00	0.75
322	Weir #1	15	39.00	2.60
	#2	4	3.00	5.75
	#3	no flow	no flow	no flow
	SL	93	15.00	0.16
	F	93	43.00	0.46

Estimated Fecal Streptococci Populations. (Continued)

Day of	Sites	FS	FC	Ratio
1974	(map 2)	(MPN/100m1)	(MPN/100m1)	FC/FS
336	Weir #1	460	460.00	1.00
	#2	240	460.00	1.92
	#3	₹2,400	=2,400.00	1.00
	SL	₹2,400	460.00	0.19
	F	240	93.00	0.39
350	Weir #1 #2 #3 SL F	<pre></pre>	210.00 1,100.00 28.00 240.00 1,100.00	0.09 1.00 0.01 0.10 0.46

1070

Estimated Salmonella Like Bacterial Populations in Water Samples Collected at Designated Stations.

			Stations (map	2)	
Day of 1974	Weir #1	Weir #2	Weir #3	Steinlein Creek	Fox Creek
	π ι	π ட	(MPN/100m1		or eek
294	460	1,100	no flow	no flow	no flow
302	460	. 43	no flow	no flow	- 2,400
308	93	75	no flow	no flow	28
315	7	15	no flow	14	1,100
322	240	9	no flow	28	150
336	- 2,400	72,400	72,400	1,100	39
350	- ₇ 2,400	72,400	- 2,400	- 2,400	11

Identification of Bacteria Other than Pathogenic Organisms
(maps 2 and 3)

Technique - Taxonomical analysis of bacteria were adapted from Steiner et al, (1966. The aerobic pseudomonads: a taxonomic study. J. Gen. Microbiol. 43: 159-271) and Baumann et al (1972. Taxonomy of aerobic marine eubacteria. J. Bacteriol. 110: 402-29) using the following characters: 1.) Morphological, gram reactions, motility, type of flagellation, cell shape and morphology of cell structures and morphology of colony characters; 2.) Physiological: utilization and fermentation of carbohydrates, extracellular enzymes, temperature requirements, salt tolerance and catalaze and oxidase reactions.

Principal Investigator: Maria A. Faust, Chesapeake Bay Center for Environmental Studies, Smithsonian Institution.

<u>Research Funding</u>: Program for Research Applied to National Needs of the National Science Foundation and the Smithsonian Institution's Environmental Science Program. Bacterial Genera Other Than Coliforms Identified from Water Samples Collected from June to September, $1974.^{\rm a}$

		Stat	ions (map 2)		
genera	Weir 1	Weir 2	Weir 3	Steinlein Br.	Fox Cr.
Bacillus	+p	+	+	+	_
Aeromonas	+	+	-	+	-
Pseudomonas	. +	-	-	-	-
Chromobacter	+	+	-	-	-
Proteus	_c	-	+	-	-
Streptococcus	+	+	-	<u>.</u> -	+
Flavorbacterium	-	-	-	+	+
Chromobacterium	-	-	-	-	-

a) colonies were identified from nutrient agar plates.

b) genera present +

c) genera absent -

Surface and Bottom Water Stations (maps 2, 3, and 4)

рΗ

Temperature (O C)

pH - Measured using a Hellige color comparator.

<u>Temperature</u> - Measured in the field using a centigrade thermometer or a thermister.


<u>Principal Investigator</u>: David L. Correll, Radiation Biology Laboratory, Smithsonian Institution.

Research Funding: Program for Research Applied to National Needs of the National Science Foundation and the Smithsonian Institution's Environmental Sciences Program.

Day of 1974	рН	Temperature oc
10	5.8	4.0
23	5.9	7.0
38	6.3	3.5
51	6.0	6.0
66	6.2	15.0
91	5.9	8.3
98	5.7	9.4
112	6.1	17.0
127	6.5	-
141	6.4	15.0
155	6.5	18.0
168	6.4	19.0
182	5.2	20.0
196	6.2	22.0
203	Dry	
210	п	
224	II II	
252	6.1	-
294	-	4.5
308	6.2	15.0
315	6.2	7.0

Surface Water Station 1 (Cont'd) pH $\label{eq:cont_opt} \text{Temperature }^{O}\text{C}$

Day of 1974	рН	Temperature OC
322	-	5.0
329	6.2	6.2
343	6.4	5.0
364	6.2	6.0
	N=20	N=20




Surface Water Station 2 (map 2) pH $\label{eq:constraint}$ Temperature ${}^{\rm O}{\rm C}$

Day of 1974	рН	Temperature oc
10	5.6	3.0
23	5.8	7.0
38	5.8	3.3
51	6.0	5.0
66	6.1	15.0
91	5.8	8.3
98	5.9	9.4
112	6.3	19.0
127	6.7	-
141	6.0	16.0
155	6.4	17.0
168	6.2	17.5
182	6.1	19.0
196	Stream Dry	
203	н	
210	н	
224	ш	
252	ппп	
273	II II	
294	-	5.0
308	5.2	14.2
315	5.3	8.5

Surface Water Station 2 (Cont'd) pH $\label{eq:cont_obj} \mbox{Temperature }^{O}\mbox{C}$

Day of 1974	рН	Temperature oc
322	-	6.0
329	5.6	7.5
336	-	5.5
343	-	5.0
350	-	6.5
364	5.6	6.0
	N=17	N=21




Surface Water Station 3 (map 2) pH $\label{eq:constraint} Temperature \ ^{O}C$

Day of 1974	На	Temperature ^O C
10	5.6	3.5
23	5.6	7.0
38	6.3	3.3
51	6.2	6.0
66	6.3	12.0
77	6.1	-
91	5.9	. 6.1
98	6.1	9.4
112	6.3	19.0
127	6.5	-
141	6.4	13.5
155	6.3	15.5
168	6.7	17.0
182	6.4	19.0
196	Stream Dry	
203	п	
210	H H	
224	11 11	
252	II II	
294	п	
308	II II	

Surface Water Station 3 (Cont'd) pH $\label{eq:cont_obj} \text{Temperature } ^{\text{O}}\text{C}$

Day of 1974	рН	Temperature OC
315	Stream Dry	
322	н н	
329	н н	
343	-	5.0
364	-	7.0
	N=14	N=14




Surface Water Station 4 (map 2) $\,$ pH $\,$ Temperature $\,$ $^{\rm O}{\rm C}$

Day of 1974	рН	Temperature oC
10	6.1	3.0
23	6.5	7.5
38	6.5	3.0
51	6.6	4.5
66	6.7	-
91	5.9	6.1
98	6.5	9.4
112	6.6	16.0
127	6.9	-
141	6.8	14.0
155	6.5	16.5
168	7.0	12.0
182	6.8	20.0
196	7.0	22.0
203	Stream Dry	
210	11 11	
224	e u	
252	5.9	-
294	-	5.0
308	6.9	16.0
315	7.0	8.0

Surface Water Station 4 (Cont'd) $\label{eq:phase_octor} \mbox{pH}$ $\mbox{Temperature }^{O}\mbox{C}$

Day of 1974	рН	Temperature oc
322	-	5.5
329	7.1	7.5
336	-	6.0
343	6.4	5.5
350	-	7.0
357	-	1.0
364	6.7	. 6.0
	N=20	N=22




Surface Water Station SL (map 2) $$\operatorname{pH}$$ Temperature ${}^{\rm O}{\rm C}$

Day of 1974	рН	Temperature oc
10	5.9	3.0
23	6.0	7.0
38	5.8	2.5
51	5.9	4.0
66	6.0	12.0
77	5.4	-
91	5.6	· 6.7
98	5.7	10.5
112	6.1	17.0
127	6.3	-
141	6.2	15.0
155	6.3	16.5
168	6.2	18.0
182	6.4	20.0
196	Stream Dry	
203	и и	
210	п	
224	н н	
252	4.3	-
294	Stream Dry	
308	п	

Surface Water Station SL (Cont'd) pH $\label{eq:cont_state} ^{\rm O}{\rm C}$

Day of 1974	рН	Temperature °C
315	5.3	7.8
322	-	8.0
329	5.4	8.5
343	-	5.0
364	5.5	5.5
	N=18	N=17




Surface Water Station F (map 2) $\,$ pH $\,$ Temperature $\,$ OC

Day of 1974	рН	Temperature OC
10	5.7	10.0
23	6.0	7.5
38	5.8	4.0
51 .	6.0	4.0
66	6.1	7.0
77	5.9	-
91	5.6	. 6.7
98	5.7	9.4
112	6.2	18.0
127	6.7	-
141	6.4	16.0
155	6.3	16.5
168	6.6	18.0
182	6.3	21.0
196	6.2	24.0
203	Stream Dry	
210	н	
224	н	
252	6.1	-
294	-	5.5
308	6.2	16.5


Surface Water Station F (Cont'd) $\label{eq:phase_oc} {\rm PH}$ Temperature ${\rm ^{O}C}$

Day of 1974	рН	Temperature ^O C
315	6.3	9.0
322	-	5.5
329	6.5	-
343	6.0	5.5
364	6.5	9.0
	N=21	N=19



Groundwater - Spring $\rm pH$ $\rm Temperature$ $\rm ^{O}C$

Day of 1974	рН	Temperature ^O C
23	5.2	10.0
38		8.0
51	5.4	9.5
59	-	9.5
66	5.5	-
91	5.6	8.9
112	-	. 11.5
127	5.8	-
141	5.0	11.5
155	5.8	13.0
168	5.4	8.0
182	5.2	13.0
196	5.4	15.0
210	5.5	12.5
224	-	15.0
252	5.9	-
294	-	12.0
308	5.1	13.5
315	5.4	-



Description of Forest Ecology Intensive Study Sites 1 through 8

The locations of the initial eight intensive study sites are shown on the following map. A general description of each site and the original reason for picking it follows.

Study site 1 - Believed, on the basis of oral history (as reported by Dan Higman), 19th century charts, and its basic unsuitability for agriculture to have never been clear cut or cultivated. Thus, it is perhaps our most likely example of relatively undisturbed deciduous forest.

<u>Study site 2</u> - Identical to site 1, especially in the southern part.

Current aerial photos clearly delineate this whole site from its surroundings on the basis of canopy height, but the northern part may have been cultivated in early colonial period.

Study site 3 - Oral histroy (as reported by Dan Higman) and aerial photos taken in 1943 indicate this area has not been disturbed since approximately the 1830's but was used as a slave quarters and slave burial grounds prior to that time. As far as can be determined, this site was never cultivated. Much evidence including some archaeological study by Henry Wright indicates it was periodically inhabited by Indians (villages) for several thousand years prior to colonization. Soil is black and many oyster shells are buried in the soil. A radiocarbon date of A.D. 685 ± 65 was obtained on shells at depths of 15 to 30 cm by Robert Stuckenrath of the Smithsonian's Radiation Biology Laboratory. A deciduous forest but with a relatively open canopy and of an unusual species composition.

Study site 4 - A relatively homogeneous mature deciduous forest in which the oldest oaks (by tree core anlaysis) data back to the 1830's.

Believed on the basis of land use records (Dan Higman) to have been cultivated between 1650's and 1830's.

Study site 5 - A young deciduous forest which was under cultivation (from aerial photos) in 1943 and was then within a year or so abandoned.


Study site 6 - An area of vines and brambles with 'islands' of a few tree species such as sassafras. Its history was otherwise similar to that of site 5.

Study site 7 - An area of mixed patches of young trees and brush/vines, which was a mule pasture until 1930's or 1940's, when it was abandoned (as determined from oral history and aerial photos by Dan Higman).

Study site 8 - An area of wet pastureland covered with an introduced grass species (canary grass). It was abandoned in 1940's and still has essentially no trees, bushes, or vines present.

Location of Forest Ecology Intensive Study sites one through 8. Dots within areas are the locations of litter boxes. Box numbers begin with one at the western end of the northernmost row at site 1 and progress in the same manner as the words on a page. Site 2 box numbers begin with number 11, site 3 with 21, etc.

FOREST ECOLOGY AREAS HECTARE COORDINATES OF JAVA FARM



Soil Sampling and Nutrient Analysis in Forest Ecology Sites

<u>Technique</u> - Soil cores were taken with coring tubes adjacent to each litter box at each site. Each core was divided into surface litter and segments (0-3, 3-5, 5-8, 8-12, 12-18, 18-24, and 24-30 cm). Segments of like depth from adjacent stations were composited, blended, and subsampled for various parameters. The composited samples were designated as follows:

```
5A - boxes 41, 42, 43
1A - boxes 1, 2, 3
                                     5B - boxes 44, 45, 46
1B - boxes 4, 5, 6
1C - boxes 7, 8, 9, 10
                                     5C - boxes 47, 48, 49, 50
2A - boxes 11, 12, 13
                                     6A - boxes 51, 52, 56
2B - boxes 14, 15, 16
                                     6B - boxes 53, 54, 55
2C - boxes 17, 18, 19, 20
3A - boxes 25, 29, 30
                                     6C - boxes 57, 58, 59, 60
                                     7A - boxes 61, 62, 63
3B - boxes 23, 24, 28
                                     7B - boxes 64, 67, 68, 69
3C - boxes 21, 22, 26, 27
                                    7C - boxes 65, 66, 70
4A - boxes 31, 32, 33, 34
                                    8A - boxes 71, 72, 73
4B - boxes 35, 36, 37
                                     8B - boxes 74, 75, 76
4C - boxes 38, 39, 40
                                     8C - boxes 77, 78, 79, 80
```

Sampling, compositing, blending, subsampling, dry weight analysis, total phosphorus analysis, and Kjeldahl N analysis were done as described in Correll and Miklas (In Press) Symp. Mineral Cycling in Southeastern Ecosystems, Augusta, Ga., May 1974. pH was determined on a distilled water sluury of soil.

Organic carbon was determined by combustion of acidified samples in oxygen for 10 min. at $550 - 600^{\circ}$, purification and weighing of the released carbon dioxide.

Organic matter was also determined as g-calories by wet digestion as described by Maciolek (1962), U. S. Fisheries and Wildlife Service Report #60.

<u>Principal Investigator</u>: David L. Correll, Chesapeake Bay Center for Environmental Studies.

<u>Research Funding</u>: Program for Research Applied to National Needs of the National Science Foundation.

Forest Soil - pH and Nutrient Composition
Site 1 - Day 224, 1974

Depth	Boxes	рН	Phosphorus (mg	Kjel-N _J /g dry weig	Organic Carbon ght)	Organic Matter (g cal/g dry wt.)
Litter	A	4.70	1.03	20.4	474	-
	B	4.71	1.08	17.8	474	-
	C	4.61	1.84	17.3	539	-
Mean <u>+</u>	l Dev.	4.67	1.32	18.5	496	-
Standard		0.06	0.453	1.62	37.9	-
0-3 cm	A	4.50	0.730	6.68	203	-
	B	4.69	0.889	11.6	478	-
	C	4.40	1.07	12.5	323	-
Mean <u>+</u> Standard	l Dev.	4.53 0.15	0.896 0.169	10.2 3.11	335 138	-
3-5 cm	A	4.77	0.008	3.38	187	-
	B	4.58	0.812	3.88	109	-
	C	4.63	0.882	2.99	117	-
Mean <u>+</u>	Dev.	4.66	0.830	3.42	138	-
Standard		0.10	0.46	0.449	43.0	-
5-8 cm	A	4.93	0.680	1.07	47.8	-
	B	4.80	2.03	2.31	104	-
	C	4.62	0.948	1.72	31.4	-
Mean <u>+</u> Standard	Dev.	4.78 0.16	1.22 0.817	1.70 0.620	61.1 38.1	<u>-</u>
8-12 cm	A	4.76	0.990	1.14	33.2	-
	B	4.80	1.45	1.47	82.7	-
	C	4.67	1.02	1.57	31.2	-
Mean <u>+</u> Standard	Dev.	4.74 0.07	1.15 0.260	1.39 0.224	49.0 29.2	-

Forest Soil - pH and Nutrient Composition Site 1 - Day 224, 1974

Depth	Boxes	рН	Phosphorus (mg	Kjel-N /g dry weigh	Organic Carbon it)	Organic Matter (g cal/g dry wt.)
12-18 cm	A B C	4.82 4.64 4.53	1.02 1.45 1.09	0.915 0.940 0.964	12.6 21.0 20.4	- - -
Mean <u>+</u> Standard	Dev.	4.66 0.15	1.19 0.232	0.940 0.025	18.0 4.70	-
18-24 cm	A B C	4.75 4.79 4.65	0.796 1.60 1.08	0.513 0.809 0.701	4.13 15.4 14.3	- - -
Mean <u>+</u> Standard	Dev.	4.73 0.07	1.16 0.406	0.674 0.150	11.3 6.22	-
24-30 cm	A B C	4.30 4.93 4.53	0.820 1.28 1.12	0.630 0.528 0.478	5.17 6.24 12.9	- - -
Mean <u>+</u> Standard	Dev.	4.75 0.20	1.07 0.233	0.545 0.077	8.11 4.19	-

Forest Soil - pH and Nutrient Composition Site 2 - Day 239, 1974

Depth	Boxes	рН	Phosphorus (mg	Kjel-N /g dry weig	Organic Carbon ht)	Organic Matter (g cal/g dry wt.)
Litter	A B C	5.34 5.14 4.84	1.10 1.30 1.29	14.5 17.9 18.7	346 300 315	- - -
Mean <u>+</u> Standard	Dev.	5.11 0.25	1.23 0.110	17.1 2.24	320 23.9	-
0-3 cm	A B C	5.70 4.38 4.32	0.566 0.878 0.630	3.17 7.30 6.12	34.7 213 106	- - -
Mean <u>+</u> Standard	Dev.	4.80 0.78	0.691 0.165	5.53 2.13	118 89.9	-
3-5 cm	A B C	5.50 4.40 4.45	0.639 0.599 0.700	5.74 3.24 2.98	15.1 66.5 66.4	- - -
Mean <u>+</u> Standard	Dev.	4.78 0.62	0.646 0.051	3.99 1.53	49.4 29.6	-
5-8 cm	A B C	5.09 4.34 4.68	0.564 0.390 0.444	1.72 1.22 1.52	33.0 13.2 34.2	- - -
Mean <u>+</u> Standard	Dev.	4.70 0.38	0.466 0.089	1.48 0.251	26.8 11.8	-
8-12 cm	A B C	5.11 4.32 4.84	0.844 0.390 0.457	2.11 0.909 1.15	24.7 7.15 36.5	- - -
Mean <u>+</u> Standard	Dev.	4.76 0.40	0.564 0.245	1.39 0.637	22.8 14.8	-

Forest Soil - pH and Nutrient Composition
Site 2 - Day 239, 1974

Depth	Boxes	рН	Phosphorus (mo	Kjel-N J/g dry weiq	Organic Carbon ght)	Organic Matter (g cal/q dry wt.)
12-18 cm	A B C	4.78 4.47 4.74	0.436 0.367 0.402	0.828 0.645 0.680	5.71 5.97 11.2	- - -
Mean <u>+</u> Standard	Dev.	4.66 0.17	0.402 0.035	0.718 0.097	7.64 3.13	-
18-24 cm	A B C	4.77 4.43 4.80	0.374 0.423 0.307	0.400 0.475 0.433	2.91 5.33 6.94	- - -
Mean <u>+</u> Standard	Dev.	4.67 0.21	0.368 0.058	0.436 0.038	5.06 2.03	-
24-30 cm	A B C	4.53 4.41 4.62	0.668 0.523 0.269	0.617 0.595 0.292	3.39 2.74 4.05	- -
Mean <u>+</u> Standard	Dev.	4.52 0.11	0.487 0.202	0.501 0.182	3.40 0.655	- -

Forest Soil - pH and Nutrient Composition Site 3 - Day 267, 1974

Depth	Boxes	рН	Phosphorus (mg	Kjel-N µ/g dry weig	Organic Carbon ght)	Organic Matter (g cal/g dry wt.)
Litter	A	5.01	1.63	17.2	429	4090
	B	5.42	1.03	19.5	346	3410
	C	5.22	0.939	15.1	468	2290
Mean <u>+</u>	Dev.	5.22	1.20	17.3	415	3260
Standard		0.21	0.377	2.21	62.2	908
0-3 cm	A	6.58	0.941	5.61	107	493
	B	6.31	0.851	5.45	121	609
	C	5.40	0.785	4.56	94.9	622
Mean <u>+</u>	Dev.	6.10	0.859	5.20	108	575
Standard		0.62	0.078	0.563	13.1	71.4
3-5 cm	A	6.84	0.830	4.61	89.9	561
	B	6.33	0.897	5.70	136	578
	C	5.79	0.811	4.92	70.4	391
Mean <u>+</u>	Dev.	6.32	0.846	5.07	98.8	510
Standard		0.53	0.045	0.560	33.7	102
5-8 cm	A	7.43	0.706	3.20	72.9	357
	B	6.59	0.798	4.38	80.1	398
	C	5.57	1. 11	3.89	63.1	367
Mean <u>+</u>	Dev.	6.59	0.871	3.82	72.1	374
Standard		0.84	0.211	0.591	8.54	20.4
8-12 cm	A	7.86	0.684	2.45	49.1	258
	B	7.10	0.870	2.79	47.5	248
	C	5.68	0.82 7	2.40	39.0	150
Mean <u>+</u>	Dev.	6.88	0.794	2.550	45.2	241
Standard		1.11	0.097	0.213	5.41	20.4

Forest Soil - pH and Nutrient Composition Site 3 - Day 267, 1974

Depth	Boxes	рН	Phosphorus (mo	Kjel-N g/g dry weig	Organic Carbon ght)	Organic Matter (g cal/g dry wt.)
12-18 cm	A	7.61	0.586	1.65	27.8	150
	B	7.37	0.754	1.63	-	122
	C	5.63	0.712	1.39	21.1	116
Mean <u>+</u>	Dev.	6.87	0.684	1.56	24.5	129
Standard		1.08	0.087	0.144	4.75	17
18-24 cm	A	7.23	0.520	1.041	-	78.2
	B	6.47	0.689	1.11	17.8	71.4
	C	5.57	0.550	0.718	8.67	47.6
Mean <u>+</u>	Dev.	6.42	0.586	0.956	13.2	64.6
Standard		0.83	0.090	0.209	6.44	0.7
24-30 cm	A	6.72	0.552	1.150	12.5	64. 6
	B	6.37	0.718	0.811	11.4	54.4
	C	5.63	0.825	0.826	14.0	47.6
Mean <u>+</u>	Dev.	6.24	0.698	0.929	12.6	54.4
Standard		0.56	0.138	0.192	1.33	10.2

Forest Soil - pH and Nutrient Composition Site 4 - Day 310, 1974

Depth	Boxes	рН	Phosphorus (mg	Kjel-N ı/g dry wei	Organic Carbon ght)	Organic Matter (g cal/g dry wt.)
Litter	A	5.2	1.41	15.6	518	10700
	B	5.3	1.43	12.4	379	7330
	C	5.2	2.50	16.2	466	6280
Mean <u>+</u>	d Dev.	5.23	1.78	14.7	454	8100
Standard		0.06	0.622	2.05	70.5	2300
0-3 cm	A	4.8	0.453	2.72	95.7	966
	B	5.2	0.548	2.03	43.8	738
	C	5.1	0.704	2.10	60.2	476
Mean <u>+</u>	l Dev.	5.03	0.568	2.28	66.5	728
Standard		0.21	0.127	0.379	26.5	245
3-5 cm	A	4.9	0.566	1.97	35.1	503
	B	5.2	0.604	1.57	89.1	428
	C	5.2	0.846	1.64	73.5	316
Mean <u>+</u>	l Dev.	5.10	0.672	1.72	65.9	415
Standard		0.17	0.152	0.212	27.8	95.2
5-8 cm	A	5.0	0.376	1.19	32.1	2520
	B	5.1	0.391	1.17	35.1	238
	C	5.1	0.767	1.42	59.2	585
Mean <u>+</u>	Dev.	5.07	0.511	1.26	42.1	357
Standard		0.06	0.222	0.138	14.9	197
8-12 cm	A	5.1	0.565	1.12	33.2	381
	B	5.2	0.602	0.835	50.3	272
	C	5.2	0.560	0.757	29.2	129
Mean <u>+</u>	Dev.	5.17	0.576	0.903	37.6	262
Standard		0.06	0.023	0.190	11.2	126

Forest Soil - pH and Nutrient Composition Site 4 - Day 310, 1974

Depth	Boxes	рН	Phosphorus (mg	Kjel-N /g dry weig	Organic Carbon ht)	Organic Matter (g cal/g dry wt.)
12-18 cm	A	5.1	0.595	1.03	26.8	178
	B	5.1	0.846	0.959	27.0	160
	C	5.1	1.10	1.12	34.4	129
Mean <u>+</u>	Dev.	5.10	0.848	1.04	29.4	156
Standard		0.00	0.254	0.081	4.33	23.8
18-24 cm	A	5.0	0.597	0.621	16.5	81.6
	B	5.1	0.676	0.550	14.0	95.2
	C	5.0	1.10	0.697	20.8	88.4
Mean <u>+</u>	Dev.	5.03	0.790	0.623	17.1	88.4
Standard		0.06	0.269	0.074	34.6	6.8
24-30 cm	A	5.0	0.373	0.448	9.82	51
	B	5.1	0.425	0.291	8.52	40.8
	C	5.0	1.11	0.552	14.6	51
Mean <u>+</u>	Dev.	5.03	0.636	0.430	11.0	47.6
Standard		0.06	0.411	0.132	3.22	6.8

Forest Soil - pH and Nutrient Composition Site 5 - Day 330, 1974

Depth	Boxes	рН	Phosphorus (mg/	Kjel-N 'g dry weigh	Organic Carbon nt)	Organic Matter (g cal/g dry wt.)
Litter	A	4.9	1.28	11.0	327	4110
	B	5.0	2.37	8.39	400	3640
	C	5.5	3.55	13.3	561	4880
Mean <u>+</u>	Dev.	5.13	2.40	10.9	429	4210
Standard		0.32	1.13	2.44	120	626
0-3 cm	A	5.9	1.02	2.57	54.2	374
	B	5.9	0.820	2.61	73.9	316
	C	5.8	1.06	2.97	55.7	694
Mean <u>+</u>	Dev.	5.87	0.964	2.72	61.2	462
Standard		0.06	0.127	0.217	11.0	204
3-5 cm	A	5.6	1.10	2.58	31.9	187
	B	5.5	0.897	2.50	39.1	173
	C	5.5	0.989	2.19	48.7	479
Mean <u>+</u>	Dev.	5.53	0.997	2.42	39.9	279
Standard		0.06	0.104	0.204	8.46	173
5-8 cm	A	5.3	1.09	2.02	30.1	180
	B	5.3	1.03	2.18	43.3	187
	C	5.1	0.958	1.43	35.3	-
Mean <u>+</u>	Dev.	5.23	1.03	1.88	36.3	184
Standard		0.12	0.068	0.396	6.64	3.4
8-12 cm	A	5.1	1.32	1.78	31.9	156
	B	5.2	0.775	1.84	41.6	218
	C	5.0	0.732	1.18	17.7	160
Mean <u>+</u>	Dev.	5.10	0.943	1.60	30.4	177
Standard		0.10	0.329	0.360	12.0	34

Forest Soil - pH and Nutrient Composition Site 5 - Day 330, 1974

Depth	Boxes	рН	Phosphorus (mg	Kjel-N /g dry weig	Organic Carbon ght)	Organic Matter (g cal/g dry wt.)
12-18 cm	A	5.6	0.797	1.04	9.11	78.2
	B	5.6	0.378	1.10	12.5	116
	C	5.4	0.853	1.32	14.0	156
Mean <u>+</u>	Dev.	5.53	0.677	1.15	11.9	116
Standard		0.12	0.260	0.148	2.52	40.8
18-24 cm	A	5.5	0.692	0.886	12.5	88.4
	B	5.6	0.648	1.01	15.8	74.8
	C	5.5	0.906	1.05	12.3	95.2
Mean <u>+</u>	Dev.	5.53	0.749	0.983	13.5	85
Standard		0.06	0.138	0.087	1.96	10.2
24-30 cm	A	5.5	1.40	1.14	17.1	85
	B	5.5	0.824	0.747	11.3	40.8
	C	5.4	0.624	0.829	14.9	64.6
Mean <u>+</u>	Dev.	5.47	0.952	0.905	14.5	64.6
Standard		0.06	0.405	0.207	2.93	23.8

Forest Soil - pH and Nutrient Composition Site 6 - Day 81, 1974

Depth	Boxes	рН	Phosphorus (mo	Kjel-N 1/g dry wei	Organic Carbon ght)	Organic Matter (g cal/g dry wt.)
Litter	A	4.96	1.10	14.5	346	4460
	B	5.01	1.30	17.9	300	2980
	C	5.05	1.29	18.7	315	2980
Mean <u>+</u>	d Dev.	5.01	1.23	17.1	32.0	3370
Standard		0.05	0.110	2.24	23.9	962
0-3 cm	A	5.70	0.566	3.17	34.7	415
	B	4.38	0.878	7.30	213	476
	C	4.32	0.630	6.12	106	340
Mean <u>+</u>	d Dev.	4.80	0.691	5.53	118	411
Standard		0.78	0.165	2.13	899	68
3-5 cm	A	5.50	0.639	5.74	15.1	204
	B	4.40	0.599	3.24	66.5	320
	C	4.45	0.700	2.98	66.4	377
Mean <u>+</u>	d Dev.	4.78	0.646	3.99	49.4	299
Standard		0.62	0.051	1.53	29.6	88.4
5-8 cm	A	5.09	0.564	1.72	33.0	262
	B	4.34	0.390	1.22	13.2	146
	C	4.68	0.444	1.52	34.2	371
Mean <u>+</u>	d Dev.	4.70	0.466	1.48	26.8	258
Standard		0.38	0.089	0.251	11.8	112
8-12 cm	A	5.11	0.844	2.11	24.7	143
	B	4.32	0.390	0.909	7.15	207
	C	4.84	0.457	1.15	36.5	109
Mean <u>+</u>	l Dev.	4.76	0.564	1.39	22.8	153
Standard		0.40	0.245	0.637	14.8	51

Forest Soil - pH and Nutrient Composition Site 6 - Day 281, 1974

Depth	Boxes	рН	Phosphorus (mg	Kjel-N µ/g dry wei	Organic Carbon ght)	Organic Matter (g cal/g dry wt.)
12 - 18 cm	n A	4.78	0.436	0.828	5.71	105
	B	4.47	0.357	0.645	6.00	102
	C	4.74	0.402	0.680	11.2	207
Mean <u>+</u>	Dev.	4.66	0.402	0.718	7.64	139
Standard		0.17	0.035	0.097	3.13	61.2
18-24 cm	A	4.77	0.374	0.400	2.91	95.2
	B	4.43	0.423	0.475	5.33	47.6
	C	4.80	0.307	0.433	6.94	85
Mean <u>+</u>	Dev.	4.67	0.368	0.436	5.06	74.8
Standard		0.21	0.058	0.038	2.03	57.8
24-30 cm	A	4.53	0.668	0.617	3.39	37.4
	B	4.41	0.523	0.595	2.74	37.4
	C	4.62	0.269	0.292	4.05	47.6
Mean <u>+</u>	Dev.	4.52	0.487	0.501	3.40	40.8
Standard		0.11	0.202	0.182	0.655	6.8

Soil Mineral Analyses

% Composition by Mineral Classes

Mineral Abbreviations

Montmorillonite Gibbsite М G Illite ()tz 0uartz Chlorite Plag Plagioclase Ch Calcite Kaolinite Ca l Kspar Potassium feldspar Talc % Composition by Size Classes

% Organic Matter vs Mineral

Technique - Samples were aliquotes of composites from soil cores at depths of 30 - 32 cm. Samples were composited as for nutrient analyses. Samples were anlyzed for size distribution of the particles by standard techniques for particles of sizes over 0.5 um in diameter (Folk, R. L. Petrology of Sedimentary Rocks, Hemphills, Austin, Texas. Oxidizable organic matter was determined by loss of dry weight upon oxidation with 30% hydrogen peroxide (Pierce, J. W.; Nelson, D. D.; and Colquhoun, D. J. (1972). In Shelf Sediment Transport, Ed. by Swift, Duane, and Pilkey. Dowden, Hutchinson, and Ross; Straoudsburg, Pa. pp. 281-306). Mineral composition was determined on the residues from soil samples after oxidation of organic matter with 30% hydrogen peroxide (Pierce, J. W.; Nelson, D. D.; and Colquhoun, D. J. (1972), in Swift, Duane, and Pilkey (Eds.) Shelf Sediment Transport, Dowden, Hutchinson, and Ross, Stroudsburg, Pa. p. 281-306. Mineral composition was determined by X-ray diffraction according to Jackson, M. L. (1956), Soil Chemical Analysis: Advanced Course, published by the author, Department Soil Section, University of Wisconsin, Madison, 894 p. Diffractometer scans were from $4^{\rm O}$ to $34^{\rm O}$ 2theta with Ni-filtered, Cu Kalpha radiation on

glycolated and heat-treated samples (Carroll, D. (1970), <u>Clay Minerals</u>:

<u>A Guide to their X-ray Identification</u>, Geol. Soc. Amer., Spec. Paper 126.

<u>Principal Investigator</u>: Jack W. Pierce, Department of Paleobiology,

National Museum of Natural History, Smithsonian Institution.

<u>Research Funding</u>: Smithsonian Research Foundation and the Program for

Research Applied to National Needs of the National Science Foundation.

Percent Mineral Composition as Done by X-Ray Defraction

1115

Sample	M		Ch	K	G	Qtz_	Kspar	Plag	Ca1
1A <62um	14	7	6	17	4.5	47	4.5	0	7
< 2um	5.4	5.4	5.4	14	4	49	2.8	7	
1B <62um	15	8	9	6	2	56	2	2	
< 2um	34	5	6	4	4	41	4	2	
1C <62um	5	4	17	8	3	54	6	3	
< 2um	15	10	10	6.5	.8	48	6.5	3.2	
2A <62um	36	9	0	15	0	33	1	6	
< 2um	47	12	0	17	4	20	0	0	
2B <62um	36	9	7	12	4	4	24	4	
< 2um	27	5	6	22	6	26	5	3	
2C <62um	36	9	4	9	2	30	6	4	
< 2um	25	10	11	9	0	38	7	0	
3A <62um	9	3	3	5	0	67	11	2	
< 2um	29	12	3	20	2	34	0	0	
3B <62um	37	9	6	23	0	25	0	0	3
< 2um	32	7	4	13	0	41	0	0	
3C <62um	19	7	4	7	0	47	10	6	
< 2um	30	9	0	24	0	26	7	4	
4A <62um	31	5	4	9	3	42	3	3	
< 2um	37	9	4	10	5	34	0	0	
4B <62um	44	9	2	9	0	33	3	2	
< 2um	40	10	3	11	4	32	0	0	
4C <62um	34	5	3	7	4	38	7	2	
< 2um	56	13	3	10	0	18	0	0	
6A <62um	20	8	3	9	0	46	10	4	
< 2um	44	8	3	13	0	32	0	0	
6B <62um	30	7	7	19	0	30	4	3	
< 2um	36	10	5	21	5	23	0	0	
6C <62um	31	9	5	9	2	29	6	10	
< 2um	34	9	6	21	4	25	2	0	

Percent Mineral Composition as Done by X-Ray Defraction

1116

Sample	M	I	Ch	K	G	Qtz	Kspar	Plag	T
5Α<62 _μ	43	8	4	4.5	3	31	4	2.5	0
<2µ	57	11	4	8	4	13	3	0	0
5B<62μ	35	12	7	12	5	29	0	0	0
<2 _{\mu}	50.5	22	3	8	3	13.5	0	0	0
5C<62μ	14	10	3	2	0	68	1	1	1
$<2\mu$	55	ŢŢ	5	9	0	20	0	0	0
$7A < 62\mu$	46	24	2	7	0	21	0	0	0
<2 _{\mu}	63	20	0	5	0	12	0	0	0
$7B < 62\mu$	62	6	0	9	0	23	0	0	0
$<2\mu$	76	9	2	4	0	9	0	0	0
$7C < 62\mu$	40	12	1	2.5	0	37	4	2.5	0
<2 _µ	61	20	1	3	0	15	0	0	0
$8A < 62\mu$	65	10	1.5	3	0	17	2	1.5	0
<2 _µ	61	10	0	9.5	0	13	6.5	0	0
8B<62μ	60	4.5	0	3.5	0	28	2	2	0
<2 _µ	61	7	3	8	0	13	5	3	0
8C<62μ	57	12.5	1.5	3	0	21	3.5	1.5	0
$<2_{\mu}$	56	16.5	3	9	0	11	4.5		0

Grain Size

Percent of Total

Sample	Sand	Silt	<u>Clay</u>
1A	23.3%	43.6%	33.1%
1B	26 %	39 %	35 %
10	43 %	29 %	28 %
2A .	51 %	30 %	19 %
2B	31.8%	52.6%	15.6%
2C	47.5%	41.3%	11.2%
3A	44.8%	29.1%	26.1%
3B	27.4%	36.3%	36.3%
3C	43.3%	30.4%	26.3%
4A	31.6%	45.5%	22.9%
4B	34.5%	36.2%	29.3%
4C	51 %	25 %	24 %
6A	41.2%	31.4%	27.4%
6B	50.3%	29.0%	20.7%
6C	40.3%	31.2%	28.5%

Grain Size
Percent of Total

Sample	Sand	Silt	<u>Clay</u>
5 A	37%	46%	17%
5B	31%	46%	23%
5C	42%	44%	14%
7A	43%	41%	16%
7B	. 37%	44%	19%
7C	50%	35%	15%
8A	15%	68%	17%
8B	39%	44%	17%
80	54%	34%	

Clay 2
Percent Organics and Non-oxidized

Sample	% Organics	<pre>% Non-oxidized</pre>
1A	17%	83%
1B	22%	78%
10	9%	91%
2A .	5%	95%
2B	5%	95%
2C	8%	92%
3A	.2%	99.8%
3B	2%	98%
3C	.8%	99.2%
4A	18%	82%
4B	3%	97%
4C -	4%	96%
6A	2%	98%
6B	3%	97%
6C	1%	99%

 $\label{eq:clay-2} \text{Clay} < 2\mu$ Percent organics and non-oxidized

<u>Sample</u>	% Organics	<pre>% Non-oxidized</pre>
5A	5%	95%
5B	6%	94%
5C	5%	95%
7A	9%	91%
7 B	. 3%	97%
7C	3%	97%
8A	7%	93%
8B	3%	97%
80	6%	94%

Major Cations of Forest Soils (by atomic absorption)
K, Ca, Mg, Na (ug/g dry wt)

Technique - Samples were composited from ten cores at each site, one core having been taken at each litter box (see Forest Ecology site map). Accurately weight 0.1 g of oven-dried composite soil sample into a 30 ml micro-Kjeldhl flask. Add 5 ml of concentrated nitric acid and boil gently until the solution is about 2 ml, cool the Kjeldhl flask and add 10 ml of distilled water and again boil down to about 2 ml. The solution was then diluted to 50 ml with distilled water in a volumetric flask. Aliquots of this solution are subjected to atomic absorption analysis. A Jarrel Ash 82-500 atomic absorption spectrophotometer was used. Concentrations reported have been corrected for efficiency of analysis. Soil samples were the same samples, as were analyzed for pH and nutrients. Principal Investigator: Tung-Lin Wu, Chesapeake Bay Center for Environmental Studies, Smithsonian Institution.

Research Funding: Program for Research Applied to National Needs of the National Science Foundation and the Smithsonian Institution.

Forest Soils - Potassium Concentrations (ug/g dry wt)

				Depth (cm)	cm)			
Site	Litter	0-3	3-5	2-8	8-12	12-18	18-24	24-30
-	1431	462	413	324	430	428	544	380
2	813	424	412	322	464	367	524	601
က	3822	1257	1103	287	914	289	725	860
4	3148	612	570	692	889	1067	762	935
2	4711	625	414	593	491	604	.548	977
9	3962	571	824	899	840	919	1144	790
7	4232	2883	2569	3012	2380	2034	2889	1646
ω	1160	991	830	1245	935	822	704	206

Forest Soils - Magnesium Concentrations (ug/g dry wt)

Depth (cm)

Site	Litter	0-3	3-5	5-8	8-12	12-18	18-24	24-30
	1216	826	1056	930	1164	1343	2080	1635
2	1227	1379	2196	924	1316	966	1448	1724
က	2440	2487	2259	2200	2330	1677	1552	1848
4	1663	1416	1498	1474	1395	2039	1494	1723
2	2459	1792	1187	1487	1503	1783	1454	1577
9	2047	1526	1611	1754	1606	1470	1865	1849
7	2859	2397	5705	2726	2196	2218	3030	6775
∞	1091	1697	1883	2115	2056	2355	1683	1851

Forest Soils - Sodium Concentrations (ug/g dry wt)

Depth (cm)

Site	Litter	0-3	3-5	5-8	8-12	12-18	18-24	24-30
-	581	193	237	203	180	29	130	76.5
2	704	42.9	16.2	40.8	pu	pu	pu	pu
က	357	89.9	143	62.9	76.3	pu	31.5	36.3
4	93.7	34.4	nd	pu	pu	pu	32.2	235
വ	408	pu	pu	37.6	38.8	pu	30.8	86.7
9	85.6	nd	37.9	pu	pu	33.8	pu	pu
7	203	114	175	169	142	135	54.1	171
∞	48.6	pu	pu	35	31.5	34.6	29.7	n

nd - less than 15 ug/g dry wt.

Forest Soils - Calcium Concentrations (ug/g dry wt)

Depth (cm)

Site	Litter	0-3	3-5	5-8	8-12	12-18	18-24	24-30
-	20800	QN	NO	ND	QN	QN	QN	8
2	13100	QN	ND	GN	QN	ND	QN	ND
က	25000	3390	2980	1660	1921	3840	QN	ND
4	11700	QN N	N	ND	ND	ND	ND	QN
5	18100	CN	N	ND	ND	ND	QN-	QN
9	15200	QN	ON	N	QN	ND	QN	QN
7	6490	652	444	ND	338	178	155	QN
œ	827	QN	QN	ND	Q	QN	QN	QN

* Precision Data on Liter Samples

Concentrations Found (ug/g dry wt)

Na	179.6	1,671	315.1	. 164 8		25.7	20
Mg	2500.6	2167.7	3567.6	2745 3		731.3	30
Ca	4485.6	5373.7	5518.0	5125 R		559.1	10
×	4685.0	4153.0	4237.8	4358 5	•	385.8	10
Samples	H	II	III	۵۷۵	268	Standard deviation	Coefficient of variation %

* Site 7 liter samples were used.

* Precision Data on Soils Samples

Concentrations Found (ug/g dry wt)

Samples				
H	2954.6	42.0	1310.9	105.9
II	ı	1.66	5351.8	237.9
111	2087.9	7.68	4654.7	134.5
ΙN	ı	0	2602.4	6.69
Average	2521.2	57.7	3480.0	137.1
Standard deviation	612.8	45.9	1858.2	72.2
Coefficient of variation %	20	80	20	20

 * Site 7 soil samples of 3-5 cm.

Analysis of Sediment and Soil Samples by Electron Microprobe

Sampling - Soil samples are collected from Forest Ecology site 2, these are composite soil samples prepared by Joe Miklas. The bottom sediment samples were collected June 17, 1974. The bottom sediment samples were taken up with an Eckman dredge, top 3 cm are taken as "surface" bottom sediment samples, and 3 - 8 cm are taken as samples from that depth. Sample preparation - All samples are air-dried for about 4 weeks at room temperature. Weigh accurately 0.200 g of dried sample and add exactly three times of the weight of flux material. The flux material is made by mixing 38 g of lithium tetraborate, 29.6 g of lithium carbonate and 13.2 g of Lanthanum oxide, the mixture is then fused at 1010° C and reground to 100 mesh. Sample and flux are mixed well and transferred into graphite crucible and fused at 1010° C for 20 minutes. The fused sample is cooled and the bead formed is sawed into two halves. The surface is ground, polished, and mounted into discs for microprobe analysis. The sample preparation and microprobe analysis is a routine procedure of the Department of Mineral Science, Smithsonian Institution. Detailed information can be obtained for the analytical procedure. Principal Investigator: Tung Lin Wu, Chesapeake Bay Center for Environmental Studies.

Research Funding: Program for Research Applied to National Needs of the National Science Foundation.

Oxide Table of Forest Soil Samples at Site 2

Depth	Depth Si0 ₂ A1 ₂ 03	A1203	FeO	Mg0	Ca0	K20	Na20	Ti02	MnO	Total (%)	% Volatile
Litter	9.399	57.795	.921	1.347	4.027	1.225	. 589	.162	.040	75.506	24.494
0 - 3 cm	ı	ı	ı	ı	ı	ı	ı	1		ı	•
3 - 5 cm	70.964	8.217	2.766	.375	.157	1.510	.462	.921	0.84	85,456	14.544
5 - 8 cm	78.906	8.106	2.989	. 504	.196	1.618	.452	.922	.057	93.751	6.249
8 -12 cm	49.903	8.260	2.966	.420	.146	1.719	.432	926.	.040	94.863	5.137
12-18 cm	ı	ı	ı			ı	1	ı			
18-24 cm	78.400	10.356	3.558	099.	.170	1.952	.452	1.056	.058	96.662	3.338
24-30 cm	76.760	10.738	3.770	. 582	.169	1.909	.451	1.091	990.	95.526	4.474

- Sample lost

Litter Box Data from Forest Ecology Intensive Study Sites

Technique - Litter boxes were constructed with sides of braced 1" x 12" pine boards such that they were 1 meter by 1 meter from center to center as seen from above. The wood was treated with Cuprinol preservative and the bottom was covered with fiber glass window screening. The boxes were distributed as shown in the forest ecology site map, 10 per site on an evenly spaced grid. Litter was collected at weekly to monthly intervals, depending on the season beginning in the summer of 1974. Leaves and seeds were sorted by species where possible, counted and weighed after drying to constant weight at 60° C. Leaf areas were measured with an area meter under a light table with diffuse even lighting. The meters had selenium photodiode cells, type A, of various sizes connected in parallel to a ten turn resister pot and to an amperage meter. The meter was first adjusted to give full scale deflection when the surface of the photocell was not obstructed, then the decrease in reading was measured when a leaf was placed over the photocell surface. Only dry weight was measured on other miscellaneous litter (bark, twigs, etc.).

<u>Principal Investigator</u>: David L. Correll, Radiation Biology Laboratory, Smithsonian Institution.

Research Funding: Smithsonian Fluid Research Fund.

Dates of Initiation of Litter Study for Each Site

<u>Site Number</u>	<u>Dates</u>
1	July 16
2	July 17
3	July 25
4	July 19
- 5	August 20
6	July 25
7	August 22
8	July 31

Forest Ecology Study

Species List

GYMNOSPERMAE

Pinaceae

Pinus virginiana Pinus taeda Virginia pine Loblolly pine

Cupressaceae

Juniperus virginiana

Virginia red cedar

ANGIOSPERMAE

Monocotyledoneae Dicotyledoneae

Salicaceae

Salix nigra

Black willow

Juglandaceae

Juglans nigra

Black walnut

Betulaceae

Carya globra
Carya tomentosa
Carpinus carolena
Betula lutea
Ostrya virginiana

Pignut hickory Mockernut hickory American hornbeam Yellow birch Ironwood

Fagaceae

Castanea dentata
Quercus velutina
Quercus stellata
Quercus falcata
Quercus alba
Quercus palustris
Quercus marilandica
Quercus Muehlenbergii
Quercus prinus
Quercus rubra

Black oak
Post oak
Southern red oak
White oak
Pin oak
Black jack oak
Yellow oak
Chestnut oak
Red oak
Willow oak
Beech
Scarlet oak

Chestnut

U1maceae

Ulmus americana

Quercus phellos

Fagus grandifolia

Quercus coccinea

American elm

Magnoliaceae

Liriodendron

Tulip tree

Lauraceae

Sassafras albidum

Sassafras

Liquidambar

Styraciflua Sweet gum

Platanaceae

Platanus occidentalis Sycamore

Rosaceae

Prunus cerasus
Prunus serotina
Prunus avium
Prunus virginiana
Amelanchier arborea
Sour cherry
Black cherry
Sweet cherry
Choke cherry
Service-berry

Fraxinus pennsylvanica Red ash

Leguminosae

Robinea pseudo-acacia Black locust

Simaroubaceae

Aquilifoliaceae

Ilex opaca American holly

Aceraceae

Acer rubrum Red maple Acer negundo Box elder

Nyssaceae

Nyssa sylvatica Tupelo (Sour gum)

Cornaceae

Cornus florida Dogwood

Ebenaceae

Diospyros virginiana Persimmon

Forest Ecology Litter Box Data - 1974

Seeds

Day of 1974	Box Number	Species	Number of Seeds ¹	Dry Weight (g)
204	2	Oaks	3	1.3
	7	Oaks	4	1.3
205	16	0aks	11	1.3
	17	0aks	2	0.5
207	31	Oaks	8	1.5
	32	Hickories	2	0.6
	33	Oaks	8	1.5
	34	Oaks	3	0.4
	35	Beech	5	3.0
	37	Oaks	6	0.7
211	2	Oaks	2	0.2
	6	Oaks	1	0.5
	7	Oaks	1	0.7
	9	Oaks	3	0.6
212	16	Oaks	8	0.8
	19	Oaks	3	0.6
213	31 32 32 33 34 35 37 37	Oaks Beech Oaks Oaks Oaks Beech Oaks Beech	3 1 2 5 3 1 5 3	0.3 0.2 0.3 0.9 0.3 1.1 0.9
218	4 7 15 16 17 18 18	Oaks Oaks Oaks Oaks Oaks Dogwood Oaks	10 10 1 9 6 1 2 2	1.6 3.3 0.3 1.2 1.0 0.1 0.2

In the case of sweet gum, black locust, and persimmon the number and weight of receptacles or fruits, rather than reproductive seeds were recorded.

Forest Ecology Litter Box Data - 1974

Day of 1974	Box Number	Species	Number of Seeds	Dry Weight (g)
219	31 31 33 33 35 37 37 38 40	Beech Oaks Beech Oaks Beech Oaks Beech Oaks	1 8 1 5 5 4 2 2 1	0.1 1.7 0.2 1.1 2.5 0.6 0.7 1.7 0.4
220	22	Black Locust	1	0.05
	29	Black Locust	1	0.10
	52	Dogwood	1	0.03
	9	Oaks	14	3.2
	9	Tupelo	3	2.0
226	15	Sweet Gum	1	2.2
	17	Oaks	2	0.4
227	31	Oaks	1	0.1
	35	Beech	1	0.3
	37	Oaks	10	2.5
228	25 ²	-	-	0.02
	26 ²	-	-	0.9
	30 ²	-	-	0.7
232	32 72 9 92 412	- Tupelo -	- - - -	2.8 0.1 0.1 0.4 1.0
234	13 31 33 35 37 38 77 ²	Tulip Poplar Oaks Oaks Beech Oaks -	1 - - - - -	0.4 0.4 0.55 0.65 2.9 0.5 0.7

 $^{^{2}}$ Species and number of fruits/seeds were not recorded.

Forest Ecology Litter Box Data - 1974

Day of 1974	Box Number	Species	Number of Seeds	Dry Weight (g)
235	22 ² 232 252 262 29 ² 60	- - - - Tulip Poplar	- - - - -	1.7 1.0 0.2 17.2 1.0 0.4
239	62 92 102 412 452 462 492 50	- - 0aks - - - -	- - - - - -	0.4 1.2 1.1 12.6 0.4 0.2 0.5 1.3
241	11 ² 12 ² 13 ₂ 16 ² 20 ²	- - Tulip Poplar - -	- - - -	2.3 2.6 1.3 1.0 0.3
24,2	22 ² 27 ² 30	- - Oaks	- - -	0.7 0.7 0.7
246	3 72 92 102 412 492	Oaks Oaks - - -	- - - -	2.9 0.5 2.6 0.7 0.65 0.4
247	32 ² 33 ² 34 ² 35 ² 37	- - - - Oaks	- - - - -	1.0 0.6 0.9 3.9 0.25 0.3
248	12 ² 14 16 17 62 ² 66 ²	- Oaks Oaks - -	- - - - -	3.45 0.65 1.5 3.6 3.1 1.1

1137
Forest Ecology Litter Box Data - 1974

Day of 1974	Box Number	Species	Number of 1 Seeds	Dry Weight (g)
249	21 ² 22 ² 23 ² 25 ² 26 ² 27 ² 29 ² 30 ² 52 ²	- - - - -	- - - - - -	0.4 0.7 0.4 0.35 0.37 0.2 1.7 0.2 0.2
253	32 52 82 92 102 412 452 492	- - - - - -	- - - - - -	7.7 0.4 2.4 1.05 0.5 3.55 0.01 1.2 0.86
254	33 37 ²	Oaks -	-	1.0 11.15
255	12 ² 132 142 162 172 182 192 622 642 66	- - - - - - -	- - - - - - -	1.65 1.5 1.75 1.85 0.4 1.8 3.9 7.6 0.3 1.55
256	21 ² 26 30 ² 55	- - - Persimmon	- - -	0.3 0.3 0.3 8.1
260	22 32 42 52 62	- - - -	- - - -	1.6 3.5 1.1 2.6 1.6

Forest Ecology Litter Box Data - 1974

Day of 1974	Box Number	Species	Number of Seeds ¹	Dry Weight (g)
260	7 ² 82 92 102 412 45 492	- - - - -	- - - - -	1.0 1.1 2.1 2.05 1.75 0.3 0.6
261	35 ² 37 ²	- -	- -	0.5 2.4
262	12 ² 13 ² 14 ² 16 ² 17 ² 61 62 ² 64 ² 66 ²	- - - - Persimmon - -	- - - - - - -	1.1 0.5 1.9 0.4 2.45 2.35 7.4 0.15 2.55
263	30 ² 53	- Persimmon	, - -	0.3 43.8
267	3 ² 52 92 10 ²	- - -	- - -	3.6 1.8 5.9 1.25
268	32 ² 35 ² 37 ² 38 ² 77	- - - -	- - - -	3.55 1.1 1.8 5.1 0.9
269	14 ² 15 ² 16 ² 17 ² 62 ²	- - - -	- - - -	4.75 1.7 2.2 1.3 4.65
270	21 ² 22 ² 23 ² 25 ²	- - -	- - -	0.85 0.65 0.3 0.9

Forest Ecology Litter Box Data - 1974

Day of 1974	Box Number	Species	Number of Seeds ¹	Dry Weight (g)
270	27 ² 28 ² 29 ² 55	- - - Persimmon	- - -	0.6 0.7 0.6 27.47
274	6 7 8 9 10	Oaks Oaks Oaks Oaks Oaks	 	4.0 3.2 1.4 10.0 4.0
275	32 35 37 38 40 77 ²	Beech Beech Beech Oaks Beech	 	1.5 2.7 0.8 9.65 0.65 0.15
276	11 14 15 16 18 61 62	Tulip Poplar Oaks Sweet Gum Oaks Oaks Persimmon Oaks	4 4 - 6 2 1 16	0.1 2.6 5.3 2.4 1.4 4.1 6.1
277	21 22 25 27 28 29 55 60	Black Locust Black Locust Black Locust Black Locust Black Locust Black Locust Persimmon Tulip Poplar	23 6 11 8 4 13 -	2.3 0.7 1.25 0.9 0.5 1.55 52.3
281	2 6 8 9 10	Oaks Oaks Oaks Oaks Oaks	- - - -	5.75 3.2 3.1 5.3 2.0
282	32 33 34 35	Beech Beech Beech Beech	- - - -	4.9 1.2 0.65 3.8

Forest Ecology Litter Box Data - 1974

Day of 1974	Box Number	Species	Number of ₁ Seeds	Dry Weight (g)
282	37	Beech	-	0.6
	38	Beech	-	0.4
	38	Oaks	-	1.65
	40	Beech	-	1.2
283	14	Oaks	-	1.35
	17	Oaks	-	1.2
	20	Persimmon	9	7.1
	20	Oaks	6	1.9
284	21	Black Locust	4	0.2
	55	Persimmon	2	10.2
288	2	Oaks	4	9.55
	6	Oaks	7	12.6
	9	Oaks	12	9.55
	10	Oaks	3	7.3
289	31 32 33 35 37 39 40 77	Beech Beech Beech Beech Oaks Beech Oaks	1 18 2 25 1 4 3	0.5 14.4 0.5 11.8 0.45 11.6 2.5 0.45
290	13	Tulip Poplar	-	3.3
	14	Oaks	1	2.0
	16	Oaks	6	3.2
	17	Oaks	7	3.85
	18	Dogwood	5	0.7
	61	Persimmon	3	8.3
	62	Oaks	14	3.3
291	21	Black Locust	3	0.1
	23	Black Locust	3	0.5
	55	Persimmon	3	7.4
296	32	Beech	24	14.4
	34	Beech	5	1.05
	35	Beech	4	6.1
	37	Beech	3	1.7
	38	Beech	4	2.05
	40	Beech	3	1.85

Forest Ecology Litter Box Data - 1974

Day of 1974	Box Number	Species	Number of Seeds	Dry Weight (g)
297	11 13 61 62	Tulip Poplar Tulip Poplar Persimmon Oaks	- 22 2 4	0.3 0.7 4.0 0.7
298	21 25 29	Black Locust Black Locust Black Locust	5 1 2	1.0 0.5 0.1
303	31 32 33 34 34 35 35 36 37 38 40 40	Beech Tulip Poplar Beech Beech Tulip Poplar Beech Tulip Poplar Tulip Poplar Tulip Poplar Beech Beech Tulip Poplar	2 8 34 2 4 21 3 14 65 2 6 13 5	2.3 0.3 19.0 1.4 1.9 0.5 6.1 0.4 1.7 0.7 2.4 0.3 1.7
304	11 12 13 61	Tulip Poplar Tulip Poplar Tulip Poplar Persimmon	45 48 458 2	1.1 1.0 22.7 3.2
305	60	Tulip Poplar	37	1.4
309	48	Tulip Poplar	18	0.45
310	31 32 32 33 33 34 34 35 35 36 37	Beech Tulip Poplar Tulip Poplar Tulip Poplar	1 29 12 40 2 43 12 38 6 28 124 6	0.35 0.7 5.3 1.0 1.0 2.5 0.8 3.35 0.6 3.0 2.3

Forest Ecology Litter Box Data - 1974

Seeds

Day of 1974	Box Number	Species	Number of Seeds	Dry Weight (g)
310	37	Tulip Poplar	50	1.3
	38	Beech	12	6.0
	40	Beech	4	2.0
	40	Tulip Poplar	22	0.55
311	11	Tulip Poplar	171	3.8
	12	Tulip Poplar	225	5.5
	13	Tulip Poplar	605	25.9
	16	Sweet Gum	1	2.2
	65	Tulip Poplar	16	0.45
312	25	Tulip Poplar	16	0.4
	29	Black Locust	7	0.85
	53	Tulip Poplar	11	0.35
	55	Persimmon	2	11.7
	60	Tulip Poplar	25	0.9
316	41	Tulip Poplar	19	0.7
	50	Tulip Poplar	9	0.4
317	31 32 32 33 33 34 35 35 36 37 38 38 39 40 77	Tulip Poplar Beech Tulip Poplar Beech Tulip Poplar Tulip Poplar Beech Tulip Poplar	43 5 68 1 130 61 1 35 133 - 2 93 84 28 5	1.0 1.65 1.7 0.25 3.1 1.35 0.5 0.75 3.0 1.25 0.9 2.2 1.7 0.75 0.3
318	11 12 13 14 15 15 16 61	Tulip Poplar Tulip Poplar Tulip Poplar Tulip Poplar Sweet Gum Tulip Poplar Tulip Poplar Persimmon	218 340 257 75 1 18 10	4.9 7.7 5.9 1.6 1.7 0.4 0.3 2.4

Forest Ecology Litter Box Data - 1974

Seeds

Day of 1974	Box Number	Species	Number of 1 Seeds	Dry Weight (g)
318	61 63 64 65	Tulip Poplar Tulip Poplar Tulip Poplar Tulip Poplar	20 7 16 38	0.5 0.1 0.4 0.9
319	22 29 55 57 59 60	Black Locust Black Locust Persimmon Tulip Poplar Tulip Poplar Tulip Poplar	2 4 1 18 9 23	0.4 0.35 3.2 0.8 0.3 0.9
323	41 42 43 44 45 46 48 49 50	Tulip Poplar	46 26 71 13 49 16 64 14	1.3 0.65 2.0 0.4 1.3 0.5 1.9 0.45
324	31 32 33 34 34 35 35 36 37 38 39 40 40 72 73 74 75 76 77 77 78 79 80	Tulip Poplar Beech Tulip Poplar Tulip Poplar Beech Tulip Poplar Beech Tulip Poplar	74 1 74 183 2 115 3 30 79 116 83 87 2 73 17 21 36 12 21 44 28 18 25 29	1.85 0.3 2.6 6.25 0.4 3.1 1.55 0.6 1.8 3.3 2.2 2.2 0.8 2.0 0.6 0.7 1.2 0.5 0.6 1.4 0.8

Forest Ecology Litter Box Data - 1974

Seeds

Day of 1974	Box Number	Species	Number of Seeds	Dry Weight (g)
325	61 62 63 65 67 69 70	Tulip Poplar Tulip Poplar Tulip Poplar Tulip Poplar Tulip Poplar Tulip Poplar Tulip Poplar	14 17 18 33 18 8 17	0.5 0.4 0.4 1.0 0.5 0.2
326	21 22 23 25 25 27 28 29 30 51 55 56 59	Black Locust Black Locust Black Locust Tulip Poplar Black Locust Black Locust Black Locust Black Locust Tulip Poplar Persimmon Tulip Poplar Tulip Poplar	6 5 4 23 4 5 3 6 2 12 1 8 23 21	0.95 0.9 0.5 0.85 0.5 1.0 0.5 0.9 0.25 0.45 4.8 0.2 1.0
330	42 43 45 46 47 48 49 50	Tulip Poplar Sweet Gum Sweet Gum	32 24 93 19 13 22 1	0.85 0.6 2.4 0.5 0.4 0.6 4.1 1.85
331	31 32 33 34 35 37 38 39 39 71 74	Beech Tulip Poplar Sweet Gum Tulip Poplar Tulip Poplar Beech Tulip Poplar Beech Beech Tulip Poplar Tulip Poplar Tulip Poplar	3 12 4 22 42 4 20 9 1 17 30 45	0.8 0.3 9.5 0.5 1.1 0.9 0.4 0.4 2.9 0.4 1.0

Forest Ecology Litter Box Data - 1974

Day of 1974	Box Number	Species	Number of Seeds ¹	Dry Weight (g)
331	75 77 78 80	Tulip Poplar Tulip Poplar Tulip Poplar Tulip Poplar	14 102 33 62	0.5 3.35 1.35 2.25
332	11 23 13 14 14 17 61 62 63 64 65 66 67 68 70	Tulip Poplar Tulip Poplar Tulip Poplar Beech Tulip Poplar Sweet Gum Tulip Poplar	182 261 242 4 71 1 72 43 44 42 34 15 1 20 13	4.6 6.9 6.1 1.3 1.9 3.1 1.1 1.1 1.1 1.0 0.5 2.0 0.5
333	30 60	Black Locust Sweet Gum	4 1	0.4 2.7
337	49 50	Tulip Poplar Box Elder	1 1	-
338	32 33 34 35 37 38 39 39 40 40 80	Beech Beech Beech Sweet Gum Beech Tulip Poplar Tulip Poplar Beech Tulip Poplar	4 3 - 1 2 36 27 3 8 42 15	0.8 0.5 0.6 2.9 0.7 0.9 0.7 1.0 5.4 1.3 0.6
339	11 12 12 12 13 13	Tulip Poplar White Oak Tulip Poplar Sweet Gum Tulip Poplar Beech	78 - 90 1 90 4	1.9 1.4 2.3 2.3 2.2 1.2

Forest Ecology Litter Box Data - 1974

Day of 1974	Box Number	Species	Number of Seeds ¹	Dry Weight (g)
339	14 14 15 15 16 17 17 18 19 20 20 62 63 70	Tulip Poplar Beech Sweet Gum Tulip Poplar Sweet Gum Tulip Poplar Sweet Gum Tulip Poplar Tulip Poplar Tulip Poplar Tulip Poplar Sweet Gum Tulip Poplar Sweet Gum Tulip Poplar Sweet Gum	27 1 48 3 21 3 41 30 27 1 11 2 26 1	0.7 0.1 2.3 1.6 6.6 1.0 5.4 1.3 1.0 0.7 3.2 0.3 4.6 0.7 2.5
340	21 22 26 28 29	Black Locust Black Locust Black Locust Black Locust Black Locust	10 13 9 8 3	1.8 2.4 1.4 1.3 0.7
344	46	Sweet Gum	1	1.9
351	9 13 17 17 32 36 40 72 73	Tulip Poplar Tulip Poplar Sweet Gum Tulip Poplar Sweet Gum Tulip Poplar Tulip Poplar Tulip Poplar Tulip Poplar Tulip Poplar	1 - - 13 1 4 3 17 14	0.0 0.7 1.8 0.3 1.6 0.2 0.1 0.5 0.7

In the case of sweet gum, black locust, and persimmon the number and weight of receptacles or fruits, rather than reproductive seeds were recorded.

² Species and number of fruits/seeds were not recorded.

Seeds

Day of 1974	Box Number	Species	Number of Seeds	Dry Weight (g)
351	76 76 77 77 78 78	Tulip Poplar Ash Tulip Poplar Black Locust Black Locust Ash	8 7 14 1 13 4	0.4 0.2 0.7 0.1 0.5 0.2
358	1 2 6 11 12 13 14 16 17 20 22 27 28 29 31 31 32 32 33 34 35 36 37 38 40 43 44 45 46 47	Beech Tulip Poplar Black Locust Black Locust Black Locust Black Locust Black Locust Tulip Poplar Beech Sweet Gum Beech Tulip Poplar	1 1 1 42 31 33 18 4 2 1 7 6 1 1 3 12 1 22 24 10 - - - 9 1 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	0.1 0.0 0.9 0.6 0.4 0.1 0.2 0.2 0.2 0.2 0.3 0.4 0.2 0.2 0.3 0.5 0.5 0.5 0.5 0.5 0.1 0.2 0.2

Forest Ecology Litter Box Data - 1974

Day of 1974	Box Number	Species	Number of Seeds1	Dry Weight (g)
13/4	Number	Species	JCCus	(9)
358	48 48 50	Tulip Poplar Beech Beech	5 4 1	0.3 0.2 0.1
	50	Tulip Poplar	5	0.2
	<u>51</u>	Tulip Poplar	4	0.2
	57 50	Tulip Poplar	3 2 8	0.1
	58 69	Tulip Poplar	2	0.1
	59 59	Tulip Poplar Beech	1	0.4 0.1
	60	Tulip Poplar	5	0.2
	63	Tulip Poplar	.27	0.4
	63	Ash	1	0.0
	67	Tulip Poplar	5	0.2
	68	Tulip Poplar	23	0.4
	70	Tulip Poplar	7	0.2
	71	Tulip Poplar	44	1.2
	71	Ash	14	0.4
	72	Tulip Poplar	22	0.7
	72 73	Ash Tulin Donlan	6 27	0.2
	73 73	Tulip Poplar Ash	2	0.7 0.1
	74 74	Tulip Poplar	20	0.6
	74	Ash	48	1.3
•	75	Ash	5	0.2
	75	Tulip Poplar	12	0.4
	7 5	Black Locust	1	0.1
	76	Tulip Poplar	18	0.7
	77 7 0	Tulip Poplar	22	0.8
	78 78	Ash Tulin Danlan	18	0.7
	76 79	Tulip Poplar Tulip Poplar	38 10	1.2 0.4
	80	Tulip Poplar	10	0.3
	80	Ash	5	0.2
365	4	Beech	1	0.2
	11 11	Tulip Poplar Sweet Gum	10	0.6
	12	Tulip Poplar	4 13	0.0 0.3
	13	Tulip Poplar	44	1.2
	15	Tulip Poplar	11	0.4
	17	Sweet Gum	2	3.8
	18	Sweet Gum	-	4.7
	19	Tulip Poplar	3	0.1
	28	Black Locust	1	0.2
	32	Sweet Gum	1	2.4

Forest Ecology Litter Box Data - 1974

Seeds

Day of 1974	Box Number	Species	Number of 1 Seeds	Dry Weight (g)
365	32 34 35 36 37 38 39 39 40 41 42 44 45 46 62 62 62 64 72 73 77	Tulip Poplar Tulip Poplar Beech Beech Tulip Poplar Tulip Poplar Beech Tulip Poplar Beech Sweet Gum Tulip Poplar	3 5 2 1 6 8 8 - - 4 6 3 4 1 9 15 5 6 6 9	0.1 0.4 0.3 0.3 0.1 0.3 1.5 0.1 0.4 0.5 1.2 0.1 0.1 0.0 3.4 0.2 0.4 0.1 0.2 0.3

Forest Ecology Litter Box Data - 1974 (Other Miscellaneous Litter, i.e. bark, twigs, etc.)

Day of 1974	Box Number	Dry Weight (g)
204	1 2 3 4 6 7 8	0.4 1.0 1.3 0.4 1.3 0.8 1.0
205	13 14 16 18 19	2.8 0.6 0.6 0.2 0.1
207	31 32 33 34 35 36 38 39	0.3 0.4 0.1 3.0 0.4 0.1 0.4 0.2
211	2 4 5 6 8 9 10 11 12 18	2.4 0.7 1.0 23.2 5.6 0.6 3.2 0.1 0.1
213	32 33 36 37 40	16.4 0.5 0.2 3.1 0.8
214	22 23 24	2.1 6.3 2.2

Forest Ecology Litter Box Data - 1974
(Other Miscellaneous Litter.

Day of 1974	Box Number	Dry Weight (g)
214	25 26 28 29	0.3 10.1 0.4 0.1
218	5 6 7 8 11 13 14 16 17	0.1 5.2 0.3 1.8 1.7 0.1 10.2 0.2 0.1 0.1
219	31 32 33 34 35 36 37 38 61 62 63 64 65 66	0.1 0.1 2.1 0.2 0.3 0.5 1.6 0.5 0.1 4.5 0.3 0.7 0.7
220	22 23 24 26 27 28 29 30 52 59	11.5 2.2 0.7 0.3 0.5 5.12 1.2 0.7 0.8 0.3



Forest Ecology Litter Box Data - 1974 (Other Miscellaneous Litter, i.e. bark, twigs, etc.)

Day of 1974	Box Number	Dry Weight (g)
239	4 6 7 8 9	3.2 4.5 0.8 2.3 2.65
240	31 34 36 37 40	0.7 29.3 0.3 35.3 1.5
241	12 16 20	42.6 2.0 2.8
242	21 23 24 26 27 28 29 30 46	2.6 0.8 3.5 4.6 2.7 1.0 4.8 3.3 4.6
246	2 4 5 6 7 9 44 45 46	2.15 0.6 1.1 1.05 0.4 0.9 0.5 0.25 0.25
247	34 35 37 38	2.5 3.85 15.4 1.25

Forest Ecology Litter Box Data - 1974 (Other Miscellaneous Litter, i.e. bark, twigs, etc.)

Day of 1974	Box Number	Dry Weight (g)
248	11 12 13 14 16 17 20 66 67 70	0.65 0.7 1.8 2.0 20.1 0.85 2.0 3.1 25.9 0.9
249	21 22 23 24 25 26 27 29 30 59 60	2.8 1.75 0.9 2.75 1.65 1.65 0.85 1.5 0.2 9.6 0.6
253	2 4 6 8 9 10 41 45 46 47 49 50	1.3 0.2 0.5 0.7 0.7 2.4 0.15 0.15 0.61 5.4 0.2
254	34 35 37 39	6.0 0.35 1.7 0.7

Forest Ecology Litter Box Data - 1974

Day of 1974	Box Number	Dry Weight (g)
255	11 · · 12 · 14 · 16 · 61 · 62 · 63 · 64 · 66 · 67 · 68	5.9 0.1 0.2 1.1 2.5 0.3 0.15 1.1 0.1
256	21 22 23 24 25 26 29 55	0.3 0.85 0.8 1.3 2.9 1.6 0.3 0.2
260	2 3 6 8 9 41 48 50	0.1 10.0 28.2 1.5 1.2 0.3 0.1 0.7
261	32 35 39	0.6 0.3 1.1
262	11 15 19 66 67	0.2 0.3 0.85 0.45 5.0

Forest Ecology Litter Box Data - 1974

(Other Miscellaneous Litter.

(······	
Day of 1974	Box Number	Dry Weight (g)
262	21 22 24 25 26 27 30 59	0.4 3.3 1.3 0.75 0.4 0.7 0.5 0.5
267	2 3 4 5 6 7 8 9 10 41 42 45 48 49 50	4.7 1.3 0.8 5.0 20.0 3.0 1.6 4.5 0.4 0.6 0.7 1.6 1.7
268	31 32 35 36 38 39 40	2.9 0.35 2.2 6.4 0.7 1.0 6.6
269	11 13 14 16 64 67	0.2 5.7 2.5 1.25 10.5 7.9
270	21 22 23 24	0.4 7.6 3.65 7.1

Forest Ecology Litter Box Data - 1974
(Other Miscellaneous Litter.

i.e. bark, twigs, etc.)			
Day of 1974	Box Number	Dry Weight (g)	
270	25 26 27 29 30 55 60	25.8 1.0 4.4 0.7 0.65 0.4 1.5	
274	2 4 6 8 9 10 41 42 44 47 50	4.6 0.65 1.25 1.0 2.6 1.5 0.7 1.0 1.4 1.8 0.9	
275	34 35	66.9 11.7	

	4 6 8 9 10 41 42 44 47 50	0.65 1.25 1.0 2.6 1.5 0.7 1.0 1.4 1.8 0.9
275	34 35 36 37 38 39 77	66.9 11.7 0.2 386.4 5.5 2.5 0.2
276	11 12 13 14 15 16 18 20 61 64 66 67 68	1.0 13.3 1.5 2.6 3.5 13.4 0.75 0.5 2.25 13.2 11.9 18.2 1.1

Forest Ecology Litter Box Data - 1974 (Other Miscellaneous Litter, i.e. bark, twigs, etc.)

Day of 1974	Box Number	Dry Weight (g)
277	22 24 25 26 27 28 29 30 60	2.35 59.3 1.6 1.1 1.3 2.7 0.9 1.7
281	4 9 42 45 46 47 48 50	0.9 6.7 0.55 6.6 1.5 0.35 0.85
282	34 35 39	0.35 3.8 3.35
283	14	0.9
284	21 22 24 27	1.4 0.6 2.2 0.5
288	2 6 8 10 50	1.15 2.4 1.35 1.3 0.65
289	40	1.25
290	66 67 68	0.9 7.1 0.65

Forest Ecology Litter Box Data - 1974 (Other Miscellaneous Litter, i.e. bark, twigs, etc.)

Day of 1974	Box Number	Dry Weight (g)
291	21 22 24 26 27 30 59	0.6 3.6 0.85 2.0 0.65 1.4 16.55
295	2 3 8 10 50	1.4 12.1 1.7 0.85 0.55
296	31 35 38 39	0.55 1.15 1.4 0.45
297	11 12 14 15 19 67 68	1.3 1.1 3.5 26.9 1.0 7.7 2.0
298	28 60	2.0 6.6
302	2 4 5 6 9 10 47 50	0.9 0.7 4.0 4.65 3.45 9.35 0.3 1.8
303	34 37 38	0.7 0.8 4.0

Forest Ecology Litter Box Data - 1974

Day of 1974	Box Number	Dry Weight (g)
304	11 13 14 16 18 66 67 68	19.0 0.7 3.7 5.1 6.7 1.0 12.7 3.2
305	26 29 59	0.5 0.7 0.55
309	1 3 5 7 8 9 10 50	0.55 5.9 1.35 2.45 3.4 4.35 5.75
310	33 34 35 36 37 38 39	2.65 3.0 2.7 26.1 1.05 2.05 7.55
311	11 14 16 17 19 20 66	1.4 6.8 102.8 6.5 1.4 3.15
312	24 59 60	3.55 0.9 1.3

(Other Miscellaneous Litter, i.e. bark, twigs, etc.)

Day of 1974	Box Number	Dry Weight (g)
316	2 3 5 6 9 10 46 49	0.9 0.85 6.1 6.15 2.45 0.7 1.6 2.0
317	37 39	4.8 0.7
318	11 14 16 19 67	24.85 4.25 3.1 0.85 1.75
319	21 27	1.6 10.7
323	2 3 6 9	0.8 2.05 12.2 2.4
324	33 38	13.6 2.3
325	11 14 61 67 68	1.9 0.9 4.5 5.2 3.0
326	24 26 27 52 59	7.9 1.4 6.0 1.1 18.8

Forest Ecology Litter Box Data - 1974

Day of 1974	Box Number	Dry Weight (g)
330	1 2 4 6 8 9 10 41 42 44 45 46 40	0.9 2.1 31.4 1.3 8.25 1.7 2.6 5.7 23.55 2.7 2.15 16.0 22.2
331	31 33 36 37 38 40	5.2 4.8 13.2 1.9 3.3
332	11 12 16 18 20 67 68	7.0 1.8 3.7 5.0 7.6 10.6 1.7
333	29	5.6
337	1 2 3 5 6 7 8 9 41 43 44	8.1 22.5 26.7 23.0 20.3 10.6 1.4 3.9 1.8 31.1 20.5

Forest Ecology Litter Box Data - 1974
(Other Miscellaneous Litter.

Day of 1974	Box Number	Dry Weight (g)
337	45 46 47 49	136.6 38.5 3.8 17.9
338	31 32 33 35 36 37 38 39 40	15.4 23.1 11.5 20.4 3.0 37.0 4.8 20.6 15.4
339	11 12 13 14 15 16 17 18 19 20 61 64 67 68 70	16.8 35.3 91.9 22.1 5.2 13.4 63.1 12.5 8.8 3.5 8.3 19.7 116.9 8.2 3.0
340	21 22 23 24 27 28 29 30 55	9.1 3.4 23.2 18.4 13.8 16.7 32.0 5.8 41.2
344	5 7 8	1.5 2.1 3.7

Forest Ecology Litter Box Data - 1974

Day of 1974	Box Number	Dry Weight (g)
344	9 41 42	9.5 2.6 2.4
345	32	2.6
346	13 14 68 70	2.3 1.5 1.5 1.3
351	3 5 14	1.0 0.3 73.2
358	7 14 25 34 45 61	0.9 0.9 1.1 1.2 0.6 10.5
365 365	2 5 11 13 14 16 19 20 29 32 34 36 38 42 43 45 47 49	2.7 19.5 0.2 1.8 0.6 3.5 2.0 29.4 18.6 9.6 6.4 8.5 4.0 0.3 5.7 1.9 8.5 29.4

Forest Ecology Litter Box Data - 1974 Leaves

Day of	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
1974	Muliber	Species	Leave2	(CIII-)	(9)
204	1	Dogwood Spanish Oak Tupelo	3 6 · 1	78.6 101.6 19.7	0.5 1.1 0.3
		Misc. Frag. Total	- 10	32.8 232.7	0.5 2.4
		10641		232.7	۷.4
204	2	Misc. Frag.	-	22.9	0.2
204	3	White Oak Misc. Frag.	1	32.8 26.2	0.4 0.2
		Total	1	59.0	0.6
204	4	Tupelo Misc. Frag.	5 -	108.3 13.1	0.9 0.2
		Total	5	121.4	0.2
204	5	American Holly Beech Red Maple White Oak	1 1 1	6.5 6.5 13.1 16.4	0.2 0.01 0.01 0.2
		Misc. Frag.		19.7	0.1
204	6	Total Spanish Oak White Oak Misc. Frag. Total	4 1 1 - 2	62.2 3.3 36.0 42.6 81.9	0.52 0.01 0.8 0.01 0.82
		ισιαι	۷	01.9	0.02
204	7	Red Maple Spanish Oak Misc. Frag. Total	2 3 - 5	49.1 59.0 39.3 147.4	0.3 0.7 0.2
204	8	Spanish Oak Misc. Frag.	1 -	1.7 13.1	0.1
		Total	ı	14.8	0.2
204	9	Beech White Oak Misc. Frag.	6 4 -	71.8 72.1 22.9	0.3 0.2 0.2
		Total	10	166.8	0.2

Forest Ecology Litter Box Data - 1974

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
204	10	Dogwood Red Maple White Oak Misc. Frag. Total	1 2 · 1 - 4	19.7 19.7 3.3 4.9	0.1 0.01 0.3 0.01
205	11	Dogwood Red Maple Tulip Poplar Misc. Frag. Total	1 4 7 ——————————————————————————————————	36.0 91.8 288.3 6.5 422.6	0.3 0.6 1.4 0.2 2.5
205	12	Beech Tulip Poplar Misc. Frag. Total	2 2 - 4	31.2 63.9 1.6 96.7	0.3 0.1 0.01 0.41
205	13	Tulip Poplar Misc. Frag. Total	3	58.9 19.7 78.6	0.6 0.3 0.9
205	14	Beech White Oak Misc. Frag. Total	6 4 10	173.6 81.9 1.6 257.1	1.2 0.6 0.01 1.81
205	15	Black Cherry Dogwood Misc. Frag. Total	3 1 - 4	32.8 16.4 13.1 62.3	0.1 0.05 0.05
205	16	Beech Hornbeam Red Maple Misc. Frag. Total	1 20 3 - 24	9.8 88.4 98.2 6.5 202.9	0.01 0.1 0.4 0.01
205	17	Sweet Gum	3	81.9	0.6
205	18	Red Maple Misc. Frag. Total	1	26.2 9.8 36.0	0.3 0.2 0.5

-			Number	Leaf Surface	Dry
Day of	Box	C	of	Area	Weight
1974	Number	Species	Leaves	(cm ²)	(g)
205	19	Chestnut Oak	1	16.4	0.1
		Sweet Gum	1	39.3	0.2
		Misc. Frag.	_	13.1	0.1
		Total	2	68.8	0.4
205	20	Dogwood	13	226.1	1.5
2.52		Hornbeam	2	16.4	0.01
		Misc. Frag.	_	19.7	0.1
		Total	15	262.2	1.61
207	31	Beech	7	122.8	0.7
207	31	0ak	í	16.4	0.2
		Misc. Frag.	-	6.5	0.2
		Total	8	145.7	1.1
207	32	Beech	2	26.2	0.1
207	32	Tulip Poplar	2 1	13.1	0.01
		Misc. Frag.	_	3.3	0.01
		Total	3	42.6	0.12
207	33	0ak	1	19.7	0.1
207	33		i	13.1	0.1
		Misc. Frag. Total		32.8	0.2
207	34	Beech	4	49.1	0.3
207	34	0ak	1	9.8	
		Tulip Poplar	3	45.9	0.05
			3		0.4
		Misc. Frag. Total	8	6.5 111.3	0.05 0.8
207	35	Beech	7	98.3	0.7
207	33		1		0.7
		Dogwood	•	23.0	0.4
		Tulip Poplar Total	<u>3</u> 11	56.0 177.3	0.4
207	26	Dooch	1	22.0	
207	36	Beech	1 3	32.8	0.1
		Tulip Poplar	3	68.8	0.2
		Misc. Frag. Total	4	45.9 147.5	0.2
			1		
207	37	Tulip Poplar	1	49.1	0.2
		Misc. Frag.	-	9.8	0.01
		Total	ļ	58.9	0.21

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
207	38	Beech Virginia Pine Misc. Frag. Total	3 5 8	16.4 - 11.8 28.2	0.2 0.01 0.1 0.31
207	39	Beech Hickory Tulip Poplar Misc. Frag. Total	3 7 1 	62.2 91.7 16.4 29.5	1.0 1.1 0.1 0.5 2.7
207	40	Beech Tulip Poplar Misc. Frag.	2 1 -	13.1 19.7 6.5	0.01 0.1 0.01
211	1	Total Spanish Oak Tupelo Misc. Frag. Total	3 2 5 - 7	39.3 72.1 129.4 26.2 227.7	0.12 0.7 0.8 0.2
211	2	Spanish Oak Misc. Frag. Total] 	26.2 6.5 32.7	0.4 0.2 0.6
211	3	Spanish Oak Sweet Gum Total	2 1 3	32.8 26.2 59.0	0.6 0.3 0.9
211	4	Beech Tupelo Misc. Frag. Total	2 21 - 23	12.1 455.3 45.9 513.3	0.01 3.6 0.2 3.81
211	5	Red Maple Spanish Oak Tupelo White Oak Misc. Frag. Total	1 3 6 2 -	52.4 58.9 262.1 160.0 13.1 546.5	0.1 0.5 1.9 0.9 0.01 3.41
211	6	Tupelo White Oak Misc. Frag. Total	3 1 - 4	57.3 26.2 6.5 90.0	0.2 0.2 0.01 0.41

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
211	7	Beech Oak Red Maple Total	1 3 · 1 5	19.7 108.1 32.8 160.6	0.01 1.1 0.2 1.31
211	8	Red Maple White Oak Total	1 1 2	19.7 36.0 55.7	0.01 0.3 0.31
211	9	Beech Tupelo Misc. Frag.	2 13 -	26.2 324.3 39.3	0.2 1.9 0.2
211	10	Total Red Maple Tupelo Misc. Frag. Total	15 1 2 - 3	389.8 9.8 42.6 49.1 101.5	2.3 0.1 0.4 0.4 0.9
212	11	Dogwood Maple Tulip Poplar Misc. Frag. Total	1 2 5 -	36.0 39.3 150.7 27.8 253.8	0.1 0.2 1.1 0.2
212	12	Red Maple Tupelo Misc. Frag. Total	3 3 - - 6	55.7 68.8 13.1	0.2 0.2 0.2 0.2
212	13	American Holly Beech Dogwood Hickory Tulip Poplar Tupelo Total	1 1 3 5 10 1	9.8 16.4 32.8 72.1 235.8 19.7 386.6	0.01 0.01 0.01 0.9 1.3 0.2 2.43
212	14	White Oak Beech Total	2 4 6	42.6 32.8 75.4	0.4 0.3 0.7
212	15	Beech Red Maple White Oak Total	1 2 2 5	19.7 209.7 45.8 275.2	0.2 0.6 0.7

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
212	16	Oak Spanish Oak Sweet Gum White Oak]]]]	59.0 13.1 36.0 22.9	0.6 0.3 0.4 0.2
212	17	Total Beech Hornbeam Misc. Frag.	4 2 1 -	131.0 45.9 9.8 6.5	1.5 0.2 0.1 0.01
212	18	Total Pin Oak Red Maple Spanish Oak Misc. Frag. Total	3 1 1 1 - 3	62.2 16.4 9.8 36.0 32.8 95.0	0.31 0.15 0.2 0.5 0.7
212	19	White Oak Misc. Frag. Total	2 - 2	26.2 9.8 36.0	0.3 0.4 0.7
212	20	Beech Dogwood Red Maple Spanish Oak Tupelo Misc. Frag. Total	1 2 2 1 13 -	16.4 26.2 22.9 19.7 176.8 19.7	0.1 0.2 0.3 0.2 4.5 0.2
213	31	Beech	5	36.0	0.1
213	32	Beech Hickory Total	9 8 17	85.2 291.5 376.7	0.5 1.8 2.3
213	33	Beech Hickory Tulip Poplar Misc. Frag. Total	7 7 3 -	88.5 176.9 68.8 13.1 347.3	0.4 1.2 0.6 0.01 2.21
213	34	Beech Tulip Poplar Total	3 6 9	91.7 65.5 157.2	0.8 0.2 1.0

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
213	35	Tulip Poplar Tupelo Total	5 2 7	52.4 59.0 111.4	0.6 0.3 0.9
213	36	Beech Sweet Gum Tulip Poplar	14 1 11	222.7 16.4 186.7	1.2 0.2 1.9
		Total	26	425.8	3.3
213	37	Spanish Oak	13	314.6	8.0
213	38	Beech Tulip Poplar White Oak Misc. Frag. Total	1 8 1 -	6.5 226.0 3.3 1.6 237.4	0.1 2.0 0.1 0.01 2.21
213	39	Beech		19.7	0.3
213	40	Beech Misc. Frag. Total	3 - 3	22.9 3.3 26.2	0.1 0.01 0.11
214	21	American Elm	3	39.3	0.6
214	22	American Elm	14	137.6	1.4
214	23	American Elm	13	91.7	0.8
214	24	American Elm Cherry Total	94 5 99	511.1 32.8 543.9	6.8 0.5 7.3
214	25	American Elm	3	39.3	0.6
214	26	American Elm	23	163.8	1.5
214	27	American Elm	41	288.3	3.7
214	29	American Elm	20	137.6	2.3
214	30	American Elm	17	281.7	2.1
214	51	Misc. Frag.	118	33.0	0.2

Forest Ecology Litter Box Data - 1974

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
214	52	Misc. Frag.		65.5	0.2
214	54	Misc. Frag.		183.5	4.15
214	58	Sweet Gum Tupelo Misc. Frag. Total	1 2 	6.6 19.7 157.2 183.5	0.1 0.1 1.6
217	59	American Elm Cherry Sweet Gum Tupelo Misc. Frag. Total	2 1 2 2 - 7	39.3 19.7 32.8 39.3 39.3	0.2 0.15 0.4 0.3 0.5
218	1	Beech Hornbeam Oak Tupelo Misc. Frag. Total	1 2 2 7 -	9.8 36.0 32.8 140.8 6.5 225.9	0.01 0.1 0.3 1.1 0.1
218	2	Oak Tupelo White Oak Total	1 3 1 5	32.8 32.8 16.4 82.0	0.3 0.1 0.1 0.5
218	3	Oak Tupelo White Oak Misc. Frag. Total	2 2 2 - 6	36.0 49.1 29.5 72.0 186.6	0.4 0.4 0.01 0.6 1.41
218	4	Persimmon Red Maple Total	1 5 6	16.4 68.8 85.2	0.3 0.5 0.8
218	5	Tupelo White Oak Misc. Frag.	3 1	62.2 32.8 19.7	0.5 0.6 0.1
	, , , , , , , , , , , , , , , , , , ,	Total	4	114.7	1.2

Forest Ecology Litter Box Data - 1974

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
218	6	Oak Tupelo White Oak	3 5 4	78.6 81.9 52.4	0.5 0.7 0.6
		Misc. Frag. Total		88.4 301.3	0.9 2.7
218	7	Red Maple Tupelo White Oak Misc. Frag.	1 3 1	6.5 52.4 16.4 16.4	0.01 0.4 0.3 0.01
	42	Total	5	91.7	0.72
218	9	Beech Tupelo White Oak Misc. Frag. Total	4 13 2 - 19	19.7 229.3 29.5 88.4 366.9	0.01 2.8 0.01 0.3 3.12
218	10	Tupelo Misc. Frag. Total] 	9.8 59.0 68.8	0.01 0.5 0.51
218	11	Dogwood Red Maple Tulip Poplar Misc. Frag. Total	1 2 7 ——————————————————————————————————	26.2 26.2 154.0 19.7 226.1	0.01 0.1 1.2 0.4
218	12	Red Maple Tulip Poplar Tupelo Spanish Oak Total	5 4 7 3	81.9 98.3 104.8 52.4 337.4	0.2 0.7 0.5 0.5
218	13	Beech Dogwood Tulip Poplar Misc. Frag. Total	1 3 8 - 12	6.5 65.5 252.2 16.4 340.6	0.01 0.01 1.5 0.01
218	14	Beech Dogwood Tupelo White Oak Total	3 1 1 6	16.4 9.8 19.7 91.7	0.1 0.1 0.2 0.7

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
218	15	Dogwood Sweet Gum Virginia Pine	2 12 · 2 16	16.4 232.6 - 249.0	0.1 2.2 0.01 2.31
218	16	Total American Elm American Holly Dogwood Oak Hornbeam Red Maple Sweet Gum Misc. Frag.	1 1 2 8 1 2	32.8 6.5 13.1 39.3 55.7 3.3 95.0 26.2	0.4 0.01 0.01 0.5 0.2 0.1 1.1
218	17	Total Hornbeam Spanish Oak Misc. Frag. Total	16 1 2 - 3	271,9 3.3 45.9 13.1 62.3	2.62 0.01 0.5 0.05 0.56
218	18	Sweet Gum Misc. Frag. Total	1 	29.5 22.9 52.4	0.1 0.2 0.3
218	19	White Oak Misc. Frag. Total	1 - 1	23.0 9.8 32.8	0.2 0.01 0.21
218	20	Dogwood Oak Tupelo	1 1 37	26.2 9.8 504.6	0.3 0.01 3.3
219	31	Total . Beech Sweet Gum Total	39 - - -	540.6 - - -	3.61 0.3 0.01 0.31
219	32	Beech Spanish Oak Sweet Gum Tulip Poplar Misc. Frag. Total	- - - -	- - - -	0.1 0.1 0.3 0.01 0.1

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm²)	Dry Weight (g)
219	33	Beech Oak Red Maple	- -	- - -	0.6 0.2 0.01
219	34	Total Beech Tulip Poplar Misc. Frag.	- - -	- - -	0.81 0.3 1.4 0.4
219	35	Total Beech Tulip Poplar Misc. Frag. Total	- - -	- - - -	2.1 0.6 0.3 0.5
219	36	Beech Tulip Poplar Total	-	- - -	0.4 1.4 1.8
219	37	Beech Oak Tulip Poplar Misc. Frag. Total	- - - -	- - - -	0.5 0.2 0.01 0.1
219	38	Beech Tupelo Virginia Pine Misc. Frag. Total	- - - -	- - - - -	0.1 0.1 0.01 0.5 0.71
219	39	Beech Dogwood Tulip Poplar Misc. Frag. Total	- - - -	- - - -	0.1 0.4 0.7 0.5
219	40	Beech Sweet Gum Misc. Frag. Total	- - - -	- - -	0.5 0.3 0.1

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
219	61	Sweet Gum Tulip Poplar Virginia Pine Total	1 7 48 56	13.1 111.4 - 124.5	0.25 0.5 0.2 0.95
219	62	Tulip Poplar Tupelo Virginia Pine	6 1 62	157.3 16.4	0.5 0.02 0.5
219	63	Total Red Maple Tulip Poplar Virginia Pine Total	69 2 1 105 108	173.7 22.9 13.1 - 36.0	1.02 0.1 0.1 0.85 1.05
219	64	Hornbeam Tulip Poplar Virginia Pine Misc. Frag.	4 3 164 -	16.4 98.3 59.0 16.4	0.05 0.7 1.1 0.1
219	65	Total Loblolly Pine Virginia Pine Misc. Frag. Total	171 6 44 - 50	190.1 - - 16.4 16.4	1.95 0.13 0.24 0.1 0.47
219	66	Hor nb eam Tulip Poplar Total	111 8 119	786.1 104.8 890.9	3.8 0.8 4.6
219	67	Hornbeam Oak Tulip Poplar Misc. Frag. Total	13 1 2 -	65.5 29.5 16.4 13.1 124.5	0.4 0.2 0.3 0.1
219	68	Red Maple Tulip Poplar Virginia Pine Total	5 1 2	45.9 13.1 3.3 62.3	0.25 0.05 0.15 0.45
219	69	Sweet Gum Tupelo Virginia Pine Misc. Frag. Total	1 1 22 1 25	39.3 16.4 - 9.8 65.5	0.35 0.05 0.4 0.05 0.85

Forest Ecology Litter Box Data - 1974

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
219	70	Loblolly Pine Tulip Poplar	305 1	22.9	15.9 0.1
		Total	306	22.9	16.0
219	78	Red Maple	-	-	0.3
219	80	Red Maple	1	6.5	0.01
220	21	American Elm Persimmon Misc. Frag.	39 1 -	504.5 9.8 62.2	3.2 0.03 0.8
On 101 - 1		Total	40	576.5	4.03
220	22	American Elm Persimmon Misc. Frag.	19 15 -	193.3 88.4 121.2	1.4 0.5 1.6
		Total	34	402.9	1.6 3.5
220	23	American Elm Persimmon Misc. Frag.	23 13	321.1 32.8 59.0	2.1 0.3 0.8
	ascendido a comunicar y milloristante de la comunicación de la comunic	Total	36	412.9	0.8 3.2
220	24	American Elm Misc. Frag.	46 -	579.8 72.1	5.7 1.1
		Total	46	651.9	6.8
220	25	American Elm Misc. Frag.	173	2001.5 190.0	17.6 3.0
		Total	173	2191.5	20.6
220	26	American Elm Misc. Frag. Total	2 - 2	9.8 98.2 108.0	0.1 1.2 1.3
220	27	American Elm Misc. Frag. Total	30 - 30	324.3 36.0 360.3	2.0 0.4 2.4
220	28	American Elm	16	111.4	1.2
220	29	American Elm Misc. Frag. Total	24 - 24	245.7 45.9 291.6	2.9 0.8 3.7

D	D		Number	Leaf Surface	Dry
Day of 1974	Box Number	Species	of Leaves	Area (cm²)	Weight (g)
220	30	American Elm	25	386.6	2.9
		Beech	1	9.8	0.05
		Persimmon	3	13.1	0.1
		Misc. Frag.	- 29	52.4	0.2
		Total	29	461.9	3,25
220	52	Dogwood	2 2	26.2	0.41
		Sweet Gum	2	13.1	0.2
		Misc. Frag.	***	6.5	0.06
		Total	4	45.8	0.67
220	53	Sweet Gum	3	19.7	0.05
		Misc. Frag.	_	16.4	0.03
		Total	3	36.1	0.08
220	57	Sweet Gum	1	6.5	0.01
220	37	Misc. Frag.	_'	-	0.04
		Total		6.5	0.05
220	58	Misc. Frag.	_	45.9	0.6
000	50		7	2.2	0.01
220	59	Red Maple	ı	3.3	0.01
		Misc. Frag.		26.2	0.15
		Total	l	29.5	0.16
220	60	Tulip Poplar	10	239.2	1.1
225	1	Tupelo	11	203.1	1.4
LLO	•	Misc. Frag.	_	22.9	0.2
		Total	11	226.0	1.6
225	2	Tunolo	5	65.5	0.3
223	۷	Tupelo			0.3
		White Oak Misc. Frag.	ı	26.2 6.5	0.01
	· · · · · · · · · · · · · · · · · · ·	Total		98.2	0.41
225	2	Tunala	4		
225	3	Tupelo	4 3	45.9	0.3
		White Oak	3	176.9	1.1
		Misc. Frag.	-	26.2	0.01 1.41
		Total	/	249.0	1.41

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
225	4	Red Maple Tupelo Misc. Frag.	. 9	6.6 160.5 9.8	0.1 1.0 0.1
		Total	11	176.9	1.2
225	5	Tupelo White Oak Misc. Frag.	10 1 -	235.9 32.8 19.7	1.7 0.2 0.01
		Total	11	288.4	1.91
225	6	Spanish Oak Tupelo White Oak	1 8 2	49.1 114.7 52.4	0.6 0.8 0.6
		Total	TI	216.2	2.0
225	7	Beech Oak Red Maple Tupelo White Oak Misc. Frag. Total	1 3 3 6 2 -	13.1 45.9 19.7 117.9 42.6 13.1	0.01 0.9 0.1 0.9 0.6 0.1
225	8	Tupelo White Oak	1 1	13.1 6.5	0.01 0.1
225	9	Total Beech Tupelo Virginia Pine White Oak Misc. Frag.	2 1 22 6 4 -	19.6 - 6.5 396.4 - 32.8 42.6	0.11 0.01 2.6 0.1 0.3 0.3
225	10	Total Oak Tupelo White Oak Misc. Frag.	33 2 8 1 -	478.3 85.2 108.1 22.9 6.5	3.31 1.3 0.7 0.3 0.3
226	11	Total Tulip Poplar White Oak Misc. Frag.	11 4 1	222.7 55.7 16.4 6.5	2.6 0.5 0.1 0.3
**************************************		Misc. Frag. Total	5		

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
226	12	Beech Tulip Poplar Tupelo Misc. Frag. Total	2 5 4 - 11	29.5 98.3 55.7 9.8 193.3	0.1 0.6 0.4 0.1
226	13	Beech Dogwood Tulip Poplar Misc. Frag. Total	1 1 12 -	19.7 6.5 311.2 16.4 353.8	0.01 0.01 2.5 0.2 2.72
226	14	Beech Misc. Frag. Total	2 - 2	26.2 9.8 36.0	0.2 0.1 0.3
226	15	Dogwood Sweet Gum Misc. Frag. Total	1 6 - 7	22.9 104.8 22.9	0.3 0.8 0.3
226	16	Hornbeam Misc. Frag. Total	9 - 9	39.3 3.3 42.6	0.4 0.1 0.5
226	17	Oak Tulip Poolar Virginia Pine Misc. Frag. Total	1 1 10 -	9.8 19.7 - 3.3 32.8	0.3 0.4 0.2 0.1
226	18	Oak Misc. Frag. Total] 	26.2 6.5 32.7	0.7 0.1 0.8
226	19	Red Maple Sweet Gum Total	1 1 2	39.3 3.3 42.6	0.5 0.2 0.7
226	20	Tupelo	23	301.4	2.0
227	31	Beech	7	88.4	0.3
227	32	Beech	5	68.8	0.2

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
227	33	Beech Oak Misc. Frag.	5 1 · -	- 6.5 3.3	0.1 0.1 0.01
227	34	Total Beech Spanish Oak Tulip Poplar	6 2 2 2 6	9.8 45.9 55.7 49.1	0.21 0.4 0.9 0.6
227	35	Total Beech Tulip Poplar Tupelo Total	6 7 4 2 13	150.7 144.1 52.4 52.4 248.9	1.9 0.8 0.5 0.1
227	36	Sweet Gum Misc. Frag. Total	1 	6.5 6.5 13.0	0.1 0.1 0.2
227	37	Beech Oak Total	2 1 3	36.0 6.5 42.5	0.1 0.1 0.2
227	38	Beech Spanish Oak Tulip Poplar Total	4 1 2	114.7 9.8 19.7 144.2	0.7 0.1 0.6
227	39	Beech Dogwood Tulip Poplar Total	3 1 6	62.2 26.2 114.7 203.1	0.6 0.3 1.2 2.1
227	40	Beech Sweet Gum Total	3 1 4	75.3 36.0	0.5 0.2 0.7
228	21	American Elm Persimmon Total	9 7 16	144.1 45.9 190.0	1.4 0.2 1.6

Forest Ecology Litter Box Data - 1974

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
228	22	American Elm Black Cherry Persimmon	9 6 12	26.2 45.9 59.0	0.7 0.3 0.4
		Total	27	131.1	1.4
228	23	American Elm]	32.8	0.2
228	24	American Elm	104	648.6	9.9
228	25	American Elm Black Willow Hornbeam Total	1 4 2	39.3 59.0 52.4 150.7	0.1 0.3 0.1
228	26	American Elm Black Cherry Total	6 27 33	150.7 255.5 406.2	1.1 1.5 2.6
228	27	American Elm	45	321.0	5.1
228	28	American Elm	17	104.8	0.85
228	29	American Elm	13	117.9	0.9
228	30	American Elm	22	222.8	2.4
232	1	Oak Spanish Oak Tupelo	1 1 8	39.3 9.8 157.2	0.5 0.1 1.4
232	2	Total Spanish Oak Tupelo White Oak	10 2 6 -	206.3 59.0 78.6 3.3	2.0 0.6 0.55 0.04
		Total	8	140.9	1.19
232	3	Tupelo	ì	111.4	0.68
232	4	Red Maple Tupelo Total	3 13 16	59.0 222.8 281.8	0.22 1.9 2.12

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
000	5	Consider Only	2	52.4	0.6
232	5	Spanish Oak	2 6	117.9	0.8
		Tupelo			
erroriere reconstance de consumo lista erroriere.	er kaller i skierskie et saaro die konsterne alle de besteer verkoons besteere ook	White Oak Total	· <u>1</u>	26.2 196.5	0.1 1.6
		10001	J	130.0	
232	6	Tupelo	13	157.2	1.4
		White Oak	2	55.7	0.6
		Misc. Frag.	_	9.8	-
	The Control of the St. Williams of the Control of the St. St. Control of the Cont	Total	15	222.7	2.0
000	emp	D 1	a	có o	0.0
232	7	Dogwood	4 3 1	62.2	0.2
		0ak	3	39.3	0.6
		Red Maple		32.3	0.1
		Tupelo			0.1
woman new comments of the second		White Oak	0ak 1 9.8	0.1	
		Total	10	166.5	1.1
232	9	Tupelo	24	330.8	2.3
		White Oak	2	16.4	0.1
trackets and the second se		Total	26	347.2	2.4
232	10	Tunala	7	173.6	0.8
232	10	Tupelo White Oak	í	16.4	
		Total	<u> </u>	190.0	0.1 0.9
		Total	O	130.0	0.9
232	41	Black Cherry	27	197.6	1.01
		Pin Oak	1	19.7	0.05
	Decard de Correit est de la composition della c	Total	28	217.3	1.6
232	42	Pin Oak	1	13.1	0.01
202	-76-	Sour Cherry	3	39.3	0.05
		Misc. Frag.		19.7	
	ME MONTH BANKS AND THE TRANSPORT OF THE STATE OF THE STAT	Total	4	72.1	0.05 1.11
232	43	Sour Cherry	8	65.5	0.4
232	44	Sour Cherry	10	52.4	0.3
	0 0	Sweet Gum	3	19.7	0.2
		Tupelo	13	226.0	2.3
FALSE TRANSPORTER TO A STATE OF THE STATE OF		Total	26	298.1	0.2 2.3 2.8
000		0 01	^^	000 7	
232	45	Sour Cherry	30	203.1	1.8
		Sweet Gum	2	39.6	0.4
		Total	32	242.7	2.2

Forest Ecology Litter Box Data - 1974

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
232	46	Sweet Gum Misc. Frag.	8 2	111.1 26.2	1.0 0.01
		Total	10	137.3	1.01
232	47	Black Cherry Sweet Gum	12 6	78.6 78.6	0.6 0.9 1.5
232	48	Total Tulip Poplar	18 10	157.2 275.2	3.0
	40	Misc. Frag. Total	4 14	32.8 308.0	0.1 3.1
232	49	Sweet Gum Misc. Frag.	6 6 12	111.1 78.6 189.7	1.0 0.2 1.2
232	50	Total Sour Cherry Sweet Gum	5 1	52.4 26.2	0.2 0.2
234	11	Total Tulip Poplar Tupelo	6 3 2 5	78.6 163.8 32.8	0.4 1.5 0.2
234	12	Total Beech Black Willow Tulip Poplar Tupelo	5 1 1 8 7	196.6 19.7 6.5 216.2 72.1	1.7 0.1 0.01 1.4 0.8
		Spanish Oak Total	1 18	19.7 334.2	0.2 2.51
234	13	Beech Tulip Poplar Tupelo	3 4 3	32.8 72.1 39.3	0.1 1.0 0.2
234	14	Total Beech White Oak	10 1 1	144.2 6.5 13.1	1.3 0.05 0.1
234	15	Total Hornbeam Red Maple	2 2 5	19.6 19.7 59.0	0.15 0.01 0.35
		Sweet Gum Total	5 12	65.5 144.2	0.7 1.06

Forest Ecology Litter Box Data - 1974

Day of 1974	Box Nümber	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
234	16	American Elm Dogwood Hornbeam Red Maple Spanish Oak Sweet Gum Total	2 1 6 2 1 2	45.9 6.5 45.9 32.8 26.2 19.7	0.7 0.01 0.3 0.4 0.2 0.15
234	17	Dogwood Spanish Oak Yellow Oak Total	1 3 1 5	6.5 72.1 32.8 111.4	0.05 1.2 0.35 1.60
234	18	Beech Dogwood Spanish Oak Total	1 1 1 3	13.1 6.5 6.5 26.1	0.1 0.04 0.1 0.24
234	19	Beech Dogwood Red Maple White Oak Yellow Oak Total	1 1 2 1 1	13.1 32.8 314.5 26.2 6.5	0.15 0.2 0.05 0.6 0.05
234	20	Dogwood Spanish Oak Tupelo Total	1 1 27 29	26.2 13.1 262.1 301.4	0.1 0.3 3.6 4.0
234	31	Beech	3	45.9	0.3
234	32	Beech Dogwood Sweet Gum Total	2 1 3 6	45.9 19.7 39.3 104.9	0.2 0.15 0.4 0.75
234	33	Beech Dogwood Sweet Gum Total	9 1 1	124.5 32.8 19.7 177.0	0.1 0.05 0.15
234	34	Beech Tulip Poplar White Oak Total	1 2 1 4	32.8 32.8 32.8 98.4	0.2 0.3 0.45 0.95

Forest Ecology Litter Box Data - 1974

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
234	35	Beech Spanish Oak Tulip Poplar	. 1 1	45.9 13.1 13.1 26.2	0.4 0.15 0.1 0.2
der recommendation of the second records of	en di anno il l'anno del dissa anno quanti di anno del se constituto de sun que a descripción como	Misc. Frag. Total	6	98.3	0.85
234	36	Sweet Gum Tulip Poplar Total	1 4 5	13.1 98.3 111.4	0.15 1.0 1.15
234	37	Beech	2	19.7	0.17
234	38	Beech	4	59.0	0.6
234	39	Dogwood Hickory Tulip Poplar Total	1 9 3 13	13.1 104.8 39.3	0.1 0.1 0.5 0.7
234	40	Beech Oak Spanish Oak Sweet Gum	1 1 1 2 5	20.0 39.3 32.8 32.8	1.0 0.5 0.4 0.4
THE STATE OF THE PARTY OF THE P		Total	5	124.9	2.3
234	76	Black Willow	5	20.0	0.05
234	79	Black Willow	hayin Maraka Maraka mayan nayan ya sana filosoo ya maraka	32.8	0.3
235	21	American Elm	43	635.5	3.5
235	22	American Elm Sour Cherry	56 9 64	550.4 52.4	3.9 0.2
025	00	Total		602.8	4.1
235	23	American Elm	19	294.8	1.6
235	24	American Elm	191	2044.2	18.2
235	25	American Elm Elm Total	17 33 50	190.0 255.5	2.4 2.1
		Total	50	445.5	4.5

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
235	26	American Elm Black Cherry	94 78	1533.2 596.2	8.6 6.5
		Total	·172	2129.4	15.1
235	27	American Elm	102	1113.8	13.3
235	28	American Elm	62	727.3	5.8
235	29	American Elm	61	681.4	5.8
235	30	American Elm	68	1140.0	8.9
235	55	Persimmon Sour Cherry	30 2	439.0 6.5	4.9 0.01
		Total	32	445.5	4.91
235	57	Sweet Gum	4	39.3	0.5
235	58	Sweet Gum Tupelo	5 6	26.2 98.3	0.6
		Total	11	124.5	1.2
235	59	Sour Cherry Sweet Gum Tupelo Misc. Frag.	1 1 3	19.7 32.8 52.4 19.7	0.02 0.4 0.6 0.05
	Christian Christ	Total	5	124.6	1.07
235	60	American Elm Sweet Gum Tulip Poplar	4 8 8 20	19.7 117.9 150.7	0.03 1.1 1.0
		Total .		288.3	2.13
239	1	Tupelo Virginia Pine White Oak	30 2 1	517.6 - 19.7	5.69 0.01 0.25
		Total	33	537.3	5.95
239	2	Spanish Oak Tupelo White Oak	2 9 3	32.8 170.4 65.5	0.5 1.4 0.9
		Total	14	268.7	2.8
239	3	Spanish Oak	2	26.2	0.4

Forest Ecology Litter Box Data - 1974

Day of	Box		Number of	Leaf Surface	Dry Weight
Day of 1974	Number	Species	Leaves	Area (cm ²)	(g)
13/4	Number	Shecies	reave?	(CIII)	197
239	4	Red Maple	14	517.6	2.8
	,	Tupelo	8	176.9	1.6
		Total	22	694.5	4.4
239	5	Beech	1	26.2	0.1
		Blackjack Oak	3	85.2	1.49
		Tupelo	22	353.8	2.5
		White Oak	3 22 3	78.6	1.15
		Total	29	543.8	5.24
239	6	Tupelo	33	648.6	3.45
		White Oak	8	111.4	1.6
		Tota1	41	760.0	5.05
239	7	Black Oak	2	52.4	0.5
203	•	Dogwood	2	32.8	0.1
		Red Maple	3	39.3	0.2
		Spanish Oak	4	59.0	0.8
		Tupelo	2 2 3 4 3	45.9	0.3
		Total	14	229.4	1.9
239	8	Black Oak	1	26.2	0.4
	-	Red Maple	2	32.8	0.2
		Spanish Oak	2 1	19.7	0.1
		Total	4	78.7	0.7
239	9	Beech	13	170.4	0.9
	2	Red Maple	3	39.3	0.2
		Tupelo	27	511.1	2.9
		White Oak		39.3	0.6
		Misc. Frag.	3 7	91.7	0.7
		Total	53	851.8	5.3
239	10	Dogwood	1	32.8	0.1
		0ak	i	26.2	0.5
		Spanish Oak	6	85.2	1.1
		Tupelo	22	511.1	2.77
		Total	30	655.3	4.47
239	41	Cherry	15	203.1	1.0
	, ,	Tulip Poplar	i	32.8	0.2
		Tupelo	7	140.9	0.7
		Total	23	376.8	1.9

Forest Ecology Litter Box Data - 1974

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
239	42	American Elm Black Cherry Sweet Gum Tulip Poplar	2 4 56 1	13.1 26.2 530.7 6.5	0.03 0.1 4.9 0.01
239	43	Total Black Cherry Persimmon Sweet Gum	63 4 2 5	576.5 32.8 32.8 39.3	5.04 0.3 0.2 0.45
239	44	Total Black Cherry Persimmon Pin Oak Sweet Gum Total	11 30 43 1 11 85	104.9 203.1 563.5 32.8 85.2 884.6	0.95 1.3 4.6 0.3 1.0 7.2
239	45	Cherry Sweet Gum Tulip Poplar Total	77 13 15 105	432.4 163.8 301.4 897.6	2.9 2.1 2.7 7.7
239	46	Black Cherry Sweet Gum Tulip Poplar Total	3 35 1 39	32.8 386.6 19.7 439.1	0.2 3.2 0.1 3.5
239	47	Black Cherry Sweet Gum Tulip Poplar Total	15 14 2 31	170.4 78.6 26.2 275.2	1.0 0.9 0.1 2.0
239	48	Persimmon Sweet Gum Tulip Poplar Total	1 2 15 18	19.7 13.1 380.0 412.8	0.1 0.1 3.0 3.2
239	49	Black Cherry	5	32.8	0.4
239	50	Black Cherry Persimmon Pin Oak Sweet Gum Total	12 1 1 6 20	52.4 19.7 19.7 59.0	0.35 0.2 0.15 0.5

Forest Ecology Litter Box Data - 1974

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
240	31	Beech Pine Spanish Oak Tulip Poplar	7 6 2 2	78.6 6.5 19.7 13.1	0.5 0.1 0.3 0.2
240	32	Total Beech Dogwood Sweet Gum Total	9 1 3	111.4 19.7 65.5	0.6 0.1 0.8
240	33	Beech Dogwood Hornbeam Sweet Gum	9 2 1 1	176.9 39.3 6.5 32.8 255.5	1.0 0.2 0.01 0.4
240	34	Beech Oak Tulip Poplar Tupelo Total	7 2 6 1	117.9 6.5 196.6 13.1 334.1	0.5 0.1 1.3 0.1 2.0
240	35	Beech Hornbeam Sweet Gum Tulip Poplar Misc. Frag. Total	4 4 2 2 -	45.9 19.7 32.8 19.7 19.7	0.5 0.1 0.4 0.3 0.3
240	36	Tulip Poplar Misc. Frag. Total	13 - 13	406.2 45.9 452.1	2.5 0.6 3.1
240	37	Beech Dogwood Tulip Poplar Misc. Frag.	6 3 1	104.8 59.0 6.5 26.2	0.8 0.3 0.04 0.1
240	38	Total Beech Pine Misc. Frag. Total	10 5 8 - 13	196.5 131.0 6.6 32.8 170.4	1.24 1.55 0.1 0.3 1.95

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
240	39	Beech Tulip Poplar Tupelo	7 12 · 1	78.6 307.9 19.7	0.3 1.6 0.05
240	40	Total Beech Dogwood Total	20 9 1 10	406.2 196.6 19.7 216.3	1.95 1.15 0.1 1.25
240	72	Black Willow	2	6.5	0.12
240	73	Black Willow	2	6.5	0.05
240	76	Black Willow Misc. Frag. Total	5 - 5	13.1 6.5 19.6	0.2 0.05 0.25
240	79	Black Willow	18	32.8	0.7
240	80	0ak	-	13.1	0.01
241	11	Beech Red Maple Sweet Gum Tulip Poplar Total	2 3 5 15 25	39.3 39.3 72.1 373.5 524.2	0.1 0.1 0.5 3.0
241	12	Beech Dogwood Red Maple Spanish Oak Tulip Poplar Tupelo White Oak Total	5 1 1 1 11 8 1	98.3 19.7 39.3 45.9 288.3 144.1 6.5	0.2 0.05 0.3 0.3 2.0 0.8 0.01
241	13	Beech Dogwood Oak Red Maple Sweet Gum Sycamore Tulip Poplar Misc. Frag.	9 3 1 1 3 5 19 -	180.2 52.4 6.5 6.5 45.9 170.3 432.4 85.2	1.06 0.1 0.01 0.01 0.4 1.5 3.4 1.2

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
241	14	American Holly	2	13.1	0.1
		Beech	4	59.0	0.55
		Red Maple	. 2	26.2	0.2
		White Oak	18	229.3	2.3
		Total	26	327.6	3.15
241	15	Dogwood	4	91.7	9.4
		Hickory	1	59.0	0.2
		Hornbeam	1	19.7	0.01
		Persimmon	_]	39.3	0.2
		Sweet Gum	14	150.7	2.25
		White Oak Total	2 23	59.0 419.4	0.2 3.26
		10 ca 1	23	713.7	3.20
241	16	Beech	6	59.0	0.75
		Spanish Oak	1	52.4	0.1
		Sweet Gum	5	104.8	1.0
		White Oak	2	52.4	0.25
		Yellow Birch	45	190.0	0.48
		Misc. Frag. Total	<u>-</u> 59	39.3 497.9	0.01 2.59
241	17	Beech]	13.1	0.02
		Black Cherry	1	13.1	0.1
		Blackjack Oak	2 7	52.4	0.7
		Spanish Oak		65.5	0.75
		Sweet Gum Tupelo]	6.5 26.2	0.08 0.1
		White Oak	2 1	13.1	0.1
		Yellow Birch	9	45.9	0.05
		Total	24	235.8	1.9
241	18	Oak	1	32.8	0.3
4T1	10	Spanish Oak	i	26.2	0.2
		Sweet Gum	į	26.2	0.4
		Total	3	85.2	0.9
241	19	Beech	٦	59.0	0.18
© T	19	Spanish Oak	1 7	13.1	0.13
		Sweet Gum	3	59.0	1.0
		Red Maple	3 5	124.5	0.6
		White Öak	1	26.2	0.15
		Total	11	281.8	1.96

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
241	20	Cherry Oak Spanish Oak Sweet Gum Tupelo	1 1 · 3 4 96	13.1 6.5 26.2 19.7 1303.8	0.01 0.1 0.4 0.3 11.3
		Total	105	1369.3	12.11
242	21	American Elm Black Locust Cherry	56 1 1	425.9 6.5 13.1	5.5 0.04 0.1
		Total	58	445.5	5.64
242	22	American Elm Black Locust Cherry Total	41 12 4 57	262.1 19.7 19.7 301.5	3.4 0.3 0.3 4.0
242	23	American Elm	63	871.4	7.3
242	24	American Elm	91	923.8	8.6
242	25	American Elm	20	301.4	3.6
242	26	American Elm Cherry	43 71	445.5 366.9	4.1 2.9
		Total	114	812.4	7.0
242	27	American Elm	85	1028.7	11.6
242	28	American Elm Black Locust Total	73 10 83	812.4 52.4 864.8	8.2 0.2 8.4
242	29	American Elm Black Locust Hickory Total	99 3 1 103	1120.4 13.1 19.7 1153.2	10.8 0.1 0.2 11.1
242	30	American Elm Cherry Misc. Frag. Total	55 2 - 57	1035.2 6.5 19.7 1061.4	8.9 0.1 0.1 9.1
242	52	Dogwood Persimmon Sweet Gum Total	11 20 1 32	124.5 131.0 13.1 268.6	1.05 1.9 0.2 3.15

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
242	53	Pine Sassafras Sweet Gum	1 27 . 3	6.5 452.1 6.5	0.02 3.3 0.2
		Total	31	465.1	3.52
242	54	Persimmon	4	26.2	0.5
242	55	Persimmon	62	602.8	6.7
242	57	Sweet Gum	4	13.1	0.2
242	58	Persimmon Sweet Gum Tupelo Total	7 3 2 12	59.0 19.7 39.3	0.9 0.2 0.4
242	59	American Elm Cherry Persimmon Spanish Oak Sweet Gum Total	2 4 7 1 2	13.1 19.7 32.8 6.5 19.7	0.2 0.2 1.0 0.1 0.2
242	60	American Elm Red Maple Sweet Gum Tulip Poplar Total	2 8 14 35	19.7 78.6 117.9 570.0	0.2 0.7 1.4 5.9
246	1	Persimmon Tupelo Misc. Frag. Total	5 11 - 16	117.9 242.4 19.7 380.0	1.35 2.1 0.25 3.7
246	2	Black Oak Tupelo White Oak Misc. Frag. Total	1 3 3 - 7	52.4 59.0 26.2 39.3	0.75 0.45 0.25 0.4
246	3	Dogwood Spanish Oak Tupelo White Oak Total	1 3 19 2 25	13.1 32.8 314.5 6.5 366.9	0.1 0.65 2.15 0.2 3.1

Forest Ecology Litter Box Data - 1974

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
246	4	Black Oak Persimmon Pine Red Maple Tupelo White Oak Misc. Frag.	1 3 3 3 14 4 -	19.7 39.3 3.3 111.4 235.9 59.0 72.1	0.3 0.4 0.1 0.75 1.75 0.75 0.5 4.55
246	5	Black Oak Persimmon Tupelo White Oak Misc. Frag. Total	1 3 16 1 -	45.9 39.3 288.3 33.8 65.5	0.6 0.3 2.0 0.35 0.5 3.75
246	6	Black Oak Tupelo White Oak Misc. Frag. Total	1 29 2 - - 32	26.2 563.5 39.3 85.2 714.2	0.35 3.15 0.5 0.85 4.85
246	7	Dogwood Red Maple Tupelo White Oak Misc. Frag. Total	1 1 4 1 -	6.5 19.7 59.0 19.7 13.1	0.1 0.2 0.55 0.3 0.2
246	8	Black Oak Chestnut Oak Pine Red Maple Tupelo Total	2 1 3 1 1	33.0 19.7 3.3 3.3 6.5	0.47 0.3 0.1 0.02 0.1 0.99
246	9	Beech Red Maple Tupelo White Oak Misc. Frag. Total	5 1 27 1 - 34	32.8 13.1 465.2 6.5 65.5	0.35 0.2 2.8 0.2 0.7 4.25

			Number	Leaf Surface	Dry
Day of 1974	Box Number	Spacias	of Leaves	Area (cm²)	Weight
13/4	Maniner	Species	Leave3	(CIII-	(g)
246	10	Beech	1	13.1	0.1
		Spanish Oak	1	13.1	0.45
		Tupelo	13	150.7	1.25
		0ak	·	. 19.7	0.3
		Total	15	196.6	2.10
246	41	Cherry	64	471.7	2.35
		Sweet Cherry	59	897.6	5.7
		Sweet Gum	2	19.7	0.3
		Misc. Frag.	रक	39.3	0.5
		Total	125	1428.3	8.85
246	42	Sweet Gum	62	465.2	5.3
		Misc. Frag.		19.7	0.25
		Total	62	484.9	5.55
246	43	Cherry	9 1 1	59.0	0.4
		Persimmon]	13.1	0.05
		Red Maple		13.1	0.01
(among the control of		Sweet Gum	9	59.0	0.65
		Total	20	144.2	1.11
246	44	Cherry	25	131.0	0.8
		Persimmon	130	1539.7	11.25
		Sweet Gum	17	183.5	2.2
		Misc. Frag.		163.8	1.8
		Total	172	2018.0	16.05
246	45	Cherry	64	307.9	2.25
		Sweet Gum	12	98.3	1.5
		Tulip	21	864.9	6.15
		Misc. Frag. Total	97	13.1 1284.2	0.2
246	46	Cherry	Л	32.8	0.2
240	40	Persimmon	4 7	26.2	
		Sweet Gum	61	746.9	0.3
	World Christian State of the Commission of the C	Total	72	805.9	6.6 7.1
246	47	Cherry	14	216.2	2.0
270	7/	Sweet Gum	8	216.2 144.1	1.8
		Tulip	1	6.5	0.01
		Misc. Frag.	0)	26.2	0.5
		Total	23	393.0	4.31
		10041	20	333.0	7.31

Forest Ecology Litter Box Data - 1974

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
246	48	Sweet Gum Tulip Total	4 25 29	26.2 524.2 550.4	0.5 4.8 5.3
246	49	Cherry Persimmon Sweet Gum Misc. Frag. Total	3 3 12 -	6.5 13.1 98.3 19.7	0.01 0.2 1.6 0.2 2.01
246	50	Cherry Sweet Gum Total	41 4 45	183.5 39.3 222.8	1.1 0.4 1.5
247	31	Beech Spanish Oak Tulip Poplar Misc. Frag. Total	12 1 2 - 15	190.0 26.2 32.8 19.7 268.7	1.1 0.4 0.2 0.2
247	32	Beech Dogwood Sweet Gum Tulip Poplar Misc. Frag.	4 1 2 1	52.4 26.2 19.7 9.8 19.7	0.2 0.01 0.1 0.05 0.2
247	33	Total Beech Spanish Oak Sweet Gum Tulip Poplar Total	8 15 1 1 7 24	127.8 176.9 19.7 59.0 176.9 432.5	0.56 0.85 0.2 0.4 1.0 2.45
247	34	Beech Tulip Poplar Tupelo Misc. Frag. Total	9 9 1 -	163.8 262.0 13.1 45.9 484.8	0.8 0.6 0.05 0.8 2.25
247	35	Beech Hornbeam Sweet Gum Tulip Poplar Misc. Frag. Total	6 2 1 11 - 20	91.7 13.1 13.1 137.6 85.2 340.7	0.7 0.01 0.1 0.7 0.7 2.21

Forest Ecology Litter Box Data - 1974

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm²)	Dry Weight (g)
247	36	Beech Sweet Gum Tulip Poplar	1 1 14	32.8 19.7 543.8	0.2 0.2 3.0
		Total	16	596.3	3.4
247	37	Beech Tulip Poplar Misc. Frag.	4 3 -	91.7 144.1 22.9	0.65 1.25 0.3
		Total	7	258.7	2.20
247	38	Beech Virginia Pine Misc. Frag.	7 2 -	85.2 3.3 19.7	0.55 0.01 0.1
	•	Total	9	108.2	0.66
247	39	Beech Dogwood Tulip Poplar Tupelo Misc. Frag.	3 4 9 3	52.4 72.1 203.1 45.9 65.5	0.25 0.2 1.0 0.1 0.5
		Total	19	439.0	2.05
247	40	Beech Quercus heterophyll Sweet Gum Tulip Poplar Misc. Frag. Total	3 a 5 5 1 -	65.5 242.4 150.7 13.1 39.3	0.5 1.55 1.6 0.1 0.3 4.05
247	72	Black Willow	1	3.3	0.01
247	76	Black Willow	1	3.3	0.01
247	79	Black Willow Red Maple	16 2	52.4 26.2	0.5 0.1
		Total	18	78.6	0.6
247	80	Black Oak Misc. Frag. Total] 	6.5 6.5 13.0	0.01 0.1 0.11
248	11	Dogwood Red Maple Tulip Poplar Misc. Frag.	2 3 19 -	16.4 13.1 458.6 26.2	0.01 0.1 3.65 0.2
		Misc. Frag. Total	- 24	26.2 514.3	3.

Forest Ecology Litter Box Data - 1974

Day of 1974	- Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
248	12	Beech Tulip Poplar Tupelo	1 15 7	6.5 452.1 98.3	0.01 2.6 0.65
· · · · · · · · · · · · · · · · · · ·		Misc. Frag. Total	23	59.0 615.9	0.4 3.66
248	13	Beech Pin Oak Red Maple Sweet Gum	3 1 1 3	26.2 26.2 9.8 39.3	0.1 0.5 0.01 0.6
		Sycamore Tulip Poplar Misc. Frag. Total	1 15 - 24	16.4 301.4 32.8 452.1	0.1 3.2 0.55 5.06
248	14	Tupelo White Oak Misc. Frag. Total	2 7 - 9	13.1 78.6 32.8 124.5	0.1 1.3 0.25
248	15	Dogwood Hornbeam Sweet Gum Virginia Pine Misc. Frag.	6 3 7 13	163.8 39.3 157.2 6.5 65.5	0.73 0.09 1.65 0.15 0.5
248	16	Total Black Oak Dogwood Hornbeam Sweet Gum White Oak Misc. Frag.	29 10 5 45 9 1 -	432.3 596.2 78.6 127.8 235.9 26.2 39.3	3.12 10.6 0.3 0.35 2.55 0.2 0.2
248	17	Dogwood Hornbeam Spanish Oak Sweet Gum Tupelo Virginia Pine White Oak Misc. Frag.	2 25 1 3 1 48 2	39.3 59.0 32.8 36.0 19.7 26.2 39.3	0.2 0.1 0.55 0.4 0.1 0.6 0.6
		Total	82	72.1 324.4	0.9 3.45

Forest Ecology Litter Box Data - 1974

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
248	18	Dogwood Spanish Oak Sweet Gum Misc. Frag. Total	3 . 3 . 1 	72.1 52.4 26.2 59.0 209.7	0.35 0.55 0.3 0.55
248	19	Dogwood Sweet Gum White Oak Misc. Frag. Total	4 4 3 -	36.0 39.3 32.8 39.3	0.1 0.85 0.3 0.4
248	20	Spanish Oak Sweet Gum Tupelo Misc. Frag. Total	3 2 63 - 68	39.3 19.7 910.7 131.0	0.6 0.2 6.9 1.5
248	61	Persimmon Red Maple Misc. Frag. Total	5 2 - 7	42.6 29.5 39.3 111.4	0.47 0.45 0.7
248	62	Pin Oak Misc. Frag. Total	5 - 5	52.4 13.1 65.5	0.65 0.25 0.90
248	63	Black Cherry	1	13.1	0.15
248	64	Black Cherry Persimmon Red Maple Sweet Gum Misc. Frag. Total	2 2 2 5 -	19.7 26.2 22.9 85.2 13.1	0.2 0.4 0.4 1.1 0.3 2.4
248	66	Black Cherry Cherry Persimmon Sweet Cherry Total	18 - 2 2 2	91.7 9.8 32.8 19.7	0.8 0.2 0.5 0.25

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
248	67	Persimmon Red Maple Misc. Frag.	6 . 3	85.2 26.2 65.5	0.75 0.3 0.7
		Total	9	176.9	1.75
248	68	Black Cherry Red Maple Misc. Frag.	36 8 -	196.5 111.4 45.9	1.1 0.9 0.45
		Total	44	353.8	2.45
248	70	American Elm Black Cherry Sweet Gum Total	2 4 5 11	6.5 19.7 26.2 52.4	0.15 0.3 0.5 0.95
249	21	American Elm Black Cherry	27 1	455.4 3.3	3.55 0.01
***************************************		Total	28	458.7	3.56
249	22	American Elm Black Cherry Misc. Frag.	13 9 -	101.6 49.1 163.8	0.75 0.45 1.3
(1-00-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-		Total	22	314.5	2.50
249	23	American Elm Black Walnut Misc. Frag.	26 1 	550.4 6.5 163.8	3.2 0.05 0.85
		Total	27	720.7	4.10
249	24	American Elm Black Cherry Misc. Frag.	60 4 -	671.6 26.2 91.7	5.8 2.45 1.2
		Total	64	789.5	9.45
249	25	American Elm Black Walnut Misc. Frag.	6 13 -	75.3 127.8 173.6	0.65 1.35 1.85
		Total	19	376.7	3.85
249	26	American Elm Black Cherry Sweet Gum Tulip Poplar Misc. Frag.	9 57 2 1	212.9 412.8 49.1 13.1 72.1	1.2 2.4 0.3 0.05 0.5
		Total	69	760.0	4.45

Forest Ecology Litter Box Data - 1974

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
249	27	American Elm Misc. Frag. Total	45 - 45	550.4 157.2 707.6	3.3 0.9 4.2
249	28	American Elm Misc. Frag. Total	19 - 19	235.9 36.0 271.9	1.9 0.45 2.35
249	29	American Elm Black Walnut Misc. Frag. Total	45 2 - 47	589.7 13.1 167.1 769.9	3.5 0.1 1.25 4.85
249	30	American Elm Black Walnut Chestnut Oak Misc. Frag. Total	21 10 1 -	491.4 111.4 22.9 249.0 874.7	3.35 1.0 0.2 1.75 6.3
249	51	Cherry	8	36.0	0.35
249	52	Dogwood Persimmon Misc. Frag. Total	2 49 - 51	29.5 314.5 60.0 404.0	0.2 2.4 0.65 3.25
249	53	Sassafras Sweet Gum Total	12 4 16	275.2 16.4 291.6	1.7 0.15 1.85
249	54	Sweet Gum Tree of Heaven Total	2 1 3	6.5 13.1 19.6	0.01 0.2 0.21
249	55	Persimmon Sweet Gum Misc. Frag. Total	53 1 - 54	763.3 3.3 117.9 884.5	5.0 0.05 1.4 6.45
249	57	Sweet Gum Misc. Frag. Total	9 - 9	26.2 6.5 32.7	0.35 0.1 0.45

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
249	58	Black Cherry Persimmon Sweet Gum Misc. Frag.	1 5 · 3	3.3 36.0 16.4 19.7	0.1 0.3 0.15 0.15
249	59	Total American Elm Black Cherry Persimmon	9 3 1 11	75.4 22.9 3.3 78.6	0.7 0.3 0.01 0.7
		Misc. Frag. Total	- 15 -	60.0 164.8	0.7 1.71
249	60	American Elm Cherry Red Maple Sassafras Sweet Gum Tulip Misc. Frag. Total	7 1 4 1 9 33 - 55	26.2 3.3 36.0 29.5 104.8 950.0 72.1	0.2 0.01 0.3 0.4 0.9 5.8 0.9 8.51
253	1	Chestnut Oak Tupelo Misc. Frag. Total	1 14 - 15	32.8 216.2 72.1 321.1	0.55 2.1 0.8 3.45
253	2	Tupelo White Oak Misc. Frag. Total	8 3 - 11	75.3 42.6 6.5 124.4	0.7 0.55 0.05 1.30
253	3	Spanish Oak Tupelo Misc. Frag. Total	2 11 - 13	19.7 104.8 29.5 154.0	0.3 0.85 0.2 1.35
253	4	Pin Oak Red Maple Tupelo White Oak Misc. Frag.	1 2 7 2	32.8 49.1 111.4 39.3 45.9	0.5 0.4 0.9 0.45 0.5
**************************************		Total	12	278.5	2.7

Forest Ecology Litter Box Data - 1974

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
253	5	Beech Tupelo Misc. Frag.	2 8 ·-	19.7 88.4 29.5	0.1 1.0 0.3
feer and having the property of the second points of the	entiference per magazinatelyken onliker vill reliktion om like sellige se <u>st</u> ionel visige in kenne en	Total	10	137.6	1.4
253	6	Tupelo White Oak Misc. Frag.	24 3 -	347.3 39.3 45.9	2.8 0.5 0.5
		Total	27	432.5	3.8
253	7	Black Oak Dogwood Tupelo Misc. Frag.	1 1 12 -	42.6 26.2 190.0 39.3	0.5 0.2 1.8 0.4
		Total	14	298.1	2.9
253	8	Black Oak Tupelo Virginia Pine White Oak Misc. Frag. Total	2 2 14 1 -	55.7 13.1 9.8 13.1 13.1	0.8 0.1 0.2 0.2 0.3
253	9	Red Maple Tupelo White Oak Misc. Frag. Total	1 21 3 - 25	26.2 262.1 45.9 62.2 396.4	0.05 2.3 0.45 0.65 3.45
253	10	Tupelo Misc. Frag. Total	7 - 7	78.6 32.8 111.4	0.55 0.3 0.85
253	41	Sour Cherry Sweet Cherry Misc. Frag.	74 16 -	386.6 232.6 52.4	2.5 1.4 0.35
253	42	Total American Elm Sour Cherry	90 1 2	671.6 3.3 3.3	4.25 0.01 0.06
OHO Managarana		Sweet Cherry Tulip Poplar Misc. Frag. Total	33 1 - - 37	183.5 19.7 26.2 236.0	2.7 0.35 0.25 3.37

Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
43	Persimmon Sour Cherry Sweet Cherry Misc. Frag.	2 22 · 9	13.1 114.7 91.7 65.5	0.15 0.8 0.85 0.7
	Total	33	285.0	2.5
44	Persimmon Sour Cherry Sweet Cherry Misc. Frag.	54 30 11	363.6 137.6 75.3 111.4	3.9 1.02 0.9 1.4 7.22
	10 (90	007.9	1.22
45	Black Cherry Sweet Gum Tulip Poplar Misc. Frag.	84 3 2	373.5 32.8 49.1 45.9	3.45 0.6 0.56 0.6
	Total	89	501.3	5.21
46	Black Cherry Persimmon Sweet Gum Misc. Frag.	1 9 29 -	13.1 65.5 307.9 65.5	0.2 0.7 3.6 0.8
47	Black Cherry Sweet Gum Misc. Frag.	28 11 -	176.9 85.2 45.9	5.3 1.45 1.1 0.7
	Total	39	308.0	3.25
48	Sweet Gum Tulip Poplar Misc. Frag.	5 21 -	52.4 622.4 19.7	0.5 6.6 0.25
	Total	26	694.5	7.35
49	Black Cherry Persimmon Sweet Gum Misc. Frag. Total	7 4 2 -	39.3 36.0 19.7 59.0	0.4 0.3 0.2 0.8
50	Sour Cherry Sweet Gum Tulip Poplar Misc. Frag.	109 4 1	298.1 45.9 9.8 39.3	2.5 0.6 0.1 0.4 3.6
	44 45 46 47 48	A3 Persimmon Sour Cherry Sweet Cherry Misc. Frag. Total 44 Persimmon Sour Cherry Sweet Cherry Misc. Frag. Total 45 Black Cherry Sweet Gum Tulip Poplar Misc. Frag. Total 46 Black Cherry Persimmon Sweet Gum Misc. Frag. Total 47 Black Cherry Sweet Gum Misc. Frag. Total 48 Sweet Gum Tulip Poplar Misc. Frag. Total 48 Sweet Gum Tulip Poplar Misc. Frag. Total 49 Black Cherry Persimmon Sweet Gum Misc. Frag. Total 50 Sour Cherry Sweet Gum Tulip Poplar	Number Species Leaves	Number Species Leaves (cm²) 43 Persimmon 2 13.1 Sour Cherry 29 114.7 Sweet Cherry 9 91.7 Misc. Frag. - 65.5 Total 33 285.0 44 Persimmon 54 363.6 Sour Cherry 30 137.6 Sweet Cherry 11 75.3 Misc. Frag. - 111.4 Total 95 687.9 45 Black Cherry 84 373.5 Sweet Gum 3 32.8 Tulip Poplar 2 49.1 Misc. Frag. - 45.9 Total 89 501.3 46 Black Cherry 1 13.1 Persimmon 9 65.5 Sweet Gum 29 307.9 Misc. Frag. - 45.9 Total 39 307.9 Misc. Frag. - 45.9

Day of 1974	Box Number	Sp e cies	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
254	31	Beech Pin Oak Tulip Poplar	9 1 · 1	163.8 13.1 26.2	1.1 0.1 0.15
		Total	11	203.1	1.35
254	32	Beech	5	62.2	0.65
254	33	Beech Spanish Oak Tulip Poplar Misc. Frag.	5 1 1	68.8 9.8 26.2 26.2	0.5 0.15 0.3 0.2
254	34	Total Beech Spanish Oak Tulip Poplar Misc. Frag.	8 1 4	131.0 108.1 13.1 91.7 16.4	1.15 0.8 0.2 0.8 0.2
254	35	Total Beech Hornbeam Tulip Poplar	13 3 2 6	229.3 49.1 6.5 62.2	2.0 0.3 0.01 0.4
254	36	Total Beech Tulip Poplar Misc. Frag. Total	11 2 11 - 13	117.8 45.9 340.7 85.2 471.8	0.71 0.3 2.2 0.8 3.3
254	37	Beech Oak Spanish.Oak Total	3 - 2 - 5	22.9 26.2 39.3 88.4	0.1 0.7 0.6
254	38	Virginia Pine Misc. Frag. Total	24 - 24	6.5 29.5 36.0	0.3 0.25 0.55
254	39	American Elm Dogwood Spanish Oak Tulip Poplar Misc. Frag. Total	1 2 1 10 -	6.5 26.2 19.7 167.1 6.5 226.0	0.05 0.1 0.2 0.9 0.01

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
254	40	Beech Misc. Frag.	2	9.8 36.0	0.01 0.3 0.31
		Total	2	45.8	0.31
254	79	Black Willow	4	6.5	0.05
255	11	Dogwood Hickory Sweet Gum Tulip Poplar Misc. Frag. Total	2 3 1 7	62.2 42.6 26.2 281.7 32.8 445.5	0.25 0.49 0.1 1.7 0.35
255	12	Beech Dogwood Tulip Poplar Tupelo Misc. Frag. Total	1 1 2 6 -	19.7 6.5 91.7 101.6 52.4 271.9	0.06 0.05 0.5 0.7 0.65
255	13	Beech Sycamore Tulip Poplar Misc. Frag. Total	1 - 8 - 9	13.1 9.8 157.2 13.1 193.2	0.05 0.01 1.0 0.2
255	14	Beech Tulip Poplar Misc. Frag. Total	4 1 - 5	45.9 6.5 49.1 101.5	0.35 0.01 0.4 0.76
255	15	Dogwood Hornbeam Sweet Gum	2 2 2 3	22.9 19.7 65.5	0.02 0.1 0.8
255	16	Total Dogwood Hornbeam Spanish Oak Sweet Gum Misc. Frag.	7 1 36 1 2	108.1 9.8 104.8 3.3 39.3 26.2	0.92 0.06 0.45 0.01 0.7 0.25
		Total	40	183.4	1.47

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
255	17	Dogwood Hornbeam Sweet Gum	2 . 4 . 2 16	36.0 16.4 6.5 9.8	0.15 0.01 0.01 0.25
-	1	Virginia Pine Misc. Frag.	_	9.8	0.15
		Total	24	78.5	0.57
255	18	Dogwood Misc. Frag. Total	- - -	9.8 49.1 58.9	0.01 0.6 0.61
			'		
255	19	Dogwood Tulip Poplar White Oak Misc. Frag.	2 1 2 -	29.5 13.1 32.8 19.7	0.05 0.02 0.3 0.1
***************************************		Total	5	95.1	0.47
255	20	Cherry Dogwood Sweet Gum Tupelo Misc. Frag. Total	1 1 4 51 - 57	6.5 3.3 32.8 743.6 65.5	0.1 0.01 0.25 5.75 1.0 7.11
255	61	Persimmon Red Maple Sweet Gum Virginia Pine Misc. Frag. Total	11 1 2 4 -	59.0 6.5 6.5 3.3 39.3	0.65 0.05 0.02 0.04 0.5
255	62	0ak	_	49.1	0.5
255	63	Black Cherry Black Walnut Virginia Pine	1 20 1	6.5 68.8 3.3	0.01 1.3 0.01
255	64	Total Sour Cherry Sweet Gum Virginia Pine Total	22 4 3 2 9	78.6 19.7 13.1 3.3 36.1	0.1 0.15 0.01 0.26

B	A .		Number	Leaf Surface	Dry
Day of	Box	Cnooine	of	Area (cm ²)	Weight
1974	Number	Species	Leaves	(CIII-)	(g)
255	66	Black Cherry	14	78.6	0.6
		Persimmon	-	32.8	0.25
		Total	·14	111.4	0.85
255	67	Persimmon	4	16.4	0.15
		Sweet Gum	1	22.9	0.2
		Total	• 5	39.3	0.35
255	68	Red Maple	5	55.7	0.3
		Sour Cherry	40	176.9	0.8
		Virginia Pine	2	3.3	0.01
		Misc. Frag.	<u>-</u>	29.5	0.1
		Total	47	265.4	1.21
255	70	American Elm	1	9.8	0.01
		Sour Cherry	3 5	9.8	0.01
		Sweet Gum	5	59.0	0.75
		Virginia Pine	4	9.8	0.48
		Misc. Frag. Total	_ 13	13.1 101.5	0.25 1.5
256	21	American Elm	11	91.7	0.9
256	22	American Elm	13	173.6	2.3
		Black Cherry	1	9.8	0.1
		Total	14	183.4	2.4
256	23	American Elm	23	347.3	2.6
256	24	American Elm	24	235.9	2.9
200		Black Walnut	4	22.9	0.5
		Misc. Frag.	_	85.2	1.3
		Total	28	344.0	4.7
256	25	American Elm	3	39.3	0.6
		Black Walnut	17	114.7	2.3
		Total	20	154.0	2.9
256	26	American Elm	5	68.8	0.6
		Black Cherry	29	170.3	1.4
		Sweet Gum	1	9.8	0.2
		Misc. Frag.	_	29.5	0.35
		Total	35	278.4	2.55

Forest Ecology Litter Box Data - 1974

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
256	27	American Elm Misc. Frag. Total	33 - - 33	317.8 13.1 330.9	3.15 0.3 3.45
256	28	American Elm Black Walnut Total	15 2 17	147.4 9.8 157.2	1.6 0.05
256	29	American Elm	25	209.7	1.9
256	30	American Elm Black Walnut Total	6 5 11	68.8 19.7 88.5	0.9 0.3 1.2
256	51	Black Cherry]	3.3	0.01
256	52	Dogwood Persimmon Misc. Frag. Total	5 28 - - 33	81.9 193.3 85.2 360.4	0.7 2.55 1.4 4.65
256	53	Sassafras	2	29.5	0.3
256	55	Persimmon Sweet Gum Misc. Frag. Total	52 1 - 53	727.3 3.3 85.2 815.8	6.2 0.1 1.1 7.4
256	57	Sweet Gum	4	6.5	0.2
256	58	Sweet Gum]	3.3	0.01
256	59	American Elm Persimmon Misc. Frag. Total	1 25 - 26	13.1 219.5 81.9 314.5	0.05 2.0 0.9 2.95
256	60	American Elm Sweet Gum Tulip Poplar Misc. Frag. Total	1 9 12 - 22	3.3 91.7 298.1 6.5 399.6	0.01 0.75 2.2 0.07 3.03

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
260	1	Tupelo	34	455.4	5.3
		White Oak	, 1	19.7	0.5
		Misc. Frag.	25	68.8	0.85
		Total	35	543.9	6.65
260	2	0ak	_	13.1	0.2
		Tupelo	13	137.6	1.4
		Total	13	150.7	1.6
260	3	Pin Oak	1	42.6	0.8
200	3	Spanish Oak	4	52.4	1.1
		Tupelo	28	321.0	3.1
		White Oak	4	52.4	0.6
and the same of th		Total	37	468.4	5.6
260	4	Black Oak	3	121.2	1.6
200	•	Red Maple	ĭ	3.3	0.05
		Tupelo	23	396.4	3.8
		White Oak	2	16.4	0.4
•		Misc. Frag.	_	117.9	1.4
	a mirjakayakin gigaya jima ki kirjen mengunan paparang menana kamangaran menyang	Total	29	655.2	7.25
260	5	Tupelo	19	245.7	2.1
		Misc. Frag.	_	62.2	0.65
		Total	19	307.9	2.75
260	6	Black Oak	2	72.1	1.8
200	•	Tupelo	35	399.7	3.5
		White Oak	10	327.6	4.6
		Misc. Frag.	_	88.4	1.1
		Total	47	887.8	11.0
260	7	Dogwood	5	65.5	0.5
200	,	Black Oak	ĭ	32.8	0.5
		Blackjack Oak	i	16.4	0.3
		0ak	_	45.9	0.1
		Red Maple	1	32.8	0.5
		Tupelo	1	6.5	0.15
«Пайніна інфиценція нафілітууння руктенця», спира сп		Virginia Pine]	3.3	0.1
		Total	10	203.2	2.15
260	8	Tupelo	5	59.0	0.6
		Misc. Frag.	-	19.7	0.4
		Total	5	78.7	1.0

Forest Ecology Litter Box Data - 1974

Day of	Вох		Number of	Leaf Surface Area	Dry Weight
1974	Number	Species	Leaves	(ċm²)	(g)
260	9	Tupelo	28	376.7	3.3
		White Oak	. 1	26.2 55.7	0.45 0.8
		Misc. Frag. Total	- 29	458.6	4.55
260	10	Tupelo	17	183.4	1.8
	. •	White Oak	1	6.5	0.1
		Misc. Frag.	_	52.4	0.9
		Total	18	242.3	2.8
260	41	Black Cherry	51	278.5	2.4
		Sweet Cherry	27	288.3	2.3
		Misc. Frag. Total	- 78	95.0 661.8	1.0 5.7
		10001			
260	42	Sweet Gum	71	478.2	8.5
0.00					
260	43	Black Cherry	21	124.5	8.0
		Red Maple Sweet Gum	1 15	3.3 124.5	0.01 1.6
		Misc. Frag.	-	22.9	0.2
		Total	37	275.2	2.61
260	44	Black Cherry	28	131.0	0.8
		Black Oak	1	9.8	0.05
		Persimmon	80	658.5	5.6
		Sweet Gum Misc. Frag.	2	19.7 275.2	0.1 3.6
Marrie de la companya de compa		Total	1111	1094.2	10.15
260	45	Black Cherry	121	737.1	6.3
		Sweet Gum	6	32.8	0.6
		Tulip Poplar	1	45.9	0.5
-		Misc. Frag.	700	65.5	1.0
		Total	128	881.3	8.4
260	46	Black Cherry	1	6.5	0.01
		Persimmon	4	29.5	0.45
		Sweet Gum Misc. Frag.	63	520.9 42.6	6.75 0.7
مر مرب می در این		Total	<u>-</u> 68	599.5	7.91

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
260	47	Black Cherry Sweet Gum Tulip Poplar Misc. Frag. Total	46 19 · 1 - 66	435.7 101.6 13.1 95.0 645.4	4.5 1.8 0.01 2.0 8.31
260	48	Sweet Gum Tulip Poplar Total	9 14 23	65.5 285.0 350.5	0.75 3.6 4.35
260	49	Black Cherry Sweet Gum Misc. Frag. Total	8 10 - 18	45.9 39.3 49.1	0.3 0.5 0.7
260	50	Black Cherry Sweet Gum Misc. Frag. Total	192 8 - 202	658.5 55.7 22.9 737.1	6.0 0.8 0.2 7.0
261	31	Beech Misc. Frag. Total	22	19.7 6.5 26.2	0.3 0.2 0.5
261	32	Beech Dogwood Sweet Gum Tulip Poplar Misc. Frag. Total	6 1 2 1 -	55.7 9.8 22.9 6.5 13.1 108.0	0.75 0.05 0.4 0.1 0.2
261	33	Beech Hickory Sweet Gum Tulip Poplar Misc. Frag. Total	3 1 1 1 -	32.8 26.2 26.2 26.2 22.9	0.2 0.4 0.5 0.45 0.4
261	34	Beech Tulip Poplar Tupelo Total	7 8 1 16	140.9 209.7 19.7 370.3	0.8 2.0 0.2 3.0

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
261	35	Beech Hornbeam Tulip Poplar Misc. Frag. Total	3 3 · 3 - 9	32.8 9.8 68.8 9.8 121.2	0.3 0.1 0.8 0.1
261	36 .	Beech Tulip Poplar Misc. Frag. Total	2 10 - 12	13.1 180.2 39.3 232.6	0.05 1.65 0.3 2.00
261	37	Sweet Gum Tulip Poplar Misc. Frag. Total	1 2 - 3	16.4 72.1 19.7 108.2	0.2 0.5 0.1
261	38	Beech	3	59.0	0.6
261	39	Dogwood Tulip Poplar Misc. Frag.	4 3 -	32.8 26.2 32.8	0.25 0.3 0.4
261	40	Total Beech Sweet Gum Misc. Frag.	7 2 3 -	91.8 13.1 19.7 6.5	0.95 0.1 0.35 0.15
0.63		Total	5	39.3	0.60
261	74 76	Red Maple	1 3	6.5	0.1
261	77	Black Willow Black Cherry Red Maple]]	3.3 6.5 19.7	0.15 0.01 0.3
262	11	Total Dogwood Red Maple Sweet Gum Tulip Poplar Misc. Frag. Total	2 1 1 2 10 -	26.2 13.1 9.8 3.3 311.2 32.8 370.2	0.31 0.1 0.1 0.05 3.1 0.4 3.75

Forest Ecology Litter Box Data - 1974

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
262	12	Dogwood Sweet Gum Tulip Poplar Tupelo Misc. Frag. Total	2 1 2 12 -	13.1 6.5 88.4 111.4 22.9 242.3	0.05 0.05 0.7 1.2 0.3
262	13	Dogwood Tulip Poplar Total	2 7 9	13.1 124.5 137.6	0.1 1.5 1.6
262	14	Dogwood Tulip Poplar White Oak Misc. Frag. Total	1 2 4 - 7	13.1 52.4 55.7 29.5 150.7	0.09 0.7 0.8 0.6 2.19
262	15	Dogwood Hornbeam Red Maple Sweet Gum Virginia Pine Misc. Frag. Total	4 6 3 25 8 -	68.8 29.5 36.0 327.6 3.3 36.0	0.7 0.2 0.4 4.0 0.1 0.6
262	16	Dogwood Hornbeam Sweet Gum White Oak Misc. Frag. Total	9 22 4 4 - 39	144.1 81.9 68.8 45.9 72.1 412.8	0.9 0.4 1.5 0.75 0.75
262	17	Black Oak Dogwood Hornbeam Sweet Gum Tupelo White Oak Misc. Frag.	7 11 21 2 3 2 -	239.1 124.5 52.4 22.9 36.0 26.2 29.5	3.4 0.8 0.25 0.4 0.3 0.65 0.6
262	18	Dogwood Spanish Oak Sweet Gum Total	62 3 6 71	1035.2 42.6 91.7 1169.5	6.4 9.1 0.75 1.5 11.35

Forest Ecology Litter Box Data - 1974

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
262	19	Dogwood Spanish Oak Tulip Poplar Misc. Frag. Total	9 1 1 - 11	104.8 13.1 9.8 32.8 160.5	0.9 0.35 0.2 0.5
262	20	Dogwood Spanish Oak Sweet Gum Tupelo Misc. Total	1 2 2 68 - 73	13.1 13.1 13.1 697.8 42.6 779.7	0.01 0.3 0.2 8.9 0.75
262	61	Persimmon Misc. Frag. Total	22 - 22	144.1 180.2 324.3	2.2 2.8 5.0
262	62	Black Oak Pin Oak Red Maple Misc. Frag.	8 12 1	111.4 111.4 22.9 85.2	1.3 1.5 0.2 1.1
262	63	Total Black Cherry Black Walnut Total	21 9 18 27	330.9 65.5 65.5 131.0	4.1 0.6 1.65 2.25
262	64	Black Cherry Sweet Gum Total	3 22 25	42.6 239.1 281.7	0.5 2.8 3.3
262	66	Black Cherry Misc. Frag. Total	16 - 16	88.4 19.7 108.1	1.0 0.4 1.4
262	67	American Elm Persimmon Red Maple Misc. Frag. Total	1 13 15 - 29	9.8 59.0 219.5 127.8 416.1	0.1 0.9 2.0 2.75 5.75

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
262	68	Black Cherry	18	95.0	0.65
		Black Oak	2	52.4	0.45
		Spanish Oak	٠ ٦	9.8	0.05
		Misc. Frag. Total	<u>-</u> 21	29.5 186.7	0.3 1.45
		IULAI	21	100.7	1.45
262	69	Black Cherry	5	39.3	0.6
262	70	Black Cherry	5 2	19.7	0.2
		Sweet Gum	2	16.4	0.2
	to COMMISSION OF THE PARTY OF T	Misc. Frag. Total	- 7	6.5 42.6	0.05 0.45
		Ισται	,	42.0	0.45
263	21	American Elm	19	206.4	2.85
263	22	American Elm	51	560.2	6.9
		Black Cherry	16	65.5	0.7
		Total	67	625.7	7.6
263	23	American Elm	49	583.1	4.9
		Misc. Frag.	- 49	124.5	1.2
		Total	49	707.6	6.1
263	24	American Elm	64	507.8	6.9
		Black Walnut	43	222.8	4.35
		Misc. Frag.	-	111.4	2.4
		Total	107	842.0	13.65
263	25	American Elm	10	124.5	1.8
		Black Walnut	25	134.3	3.7
		Misc. Frag.		39.3	0.9
		Total	35	298.1	6.4
263	26	American Elm	8	81.9	1.1
		Black Cherry	38	265.4	2.45
		Misc. Frag.	-	39.3	0.6
		Total	46	386.6	4.15
263	27	American Elm	74	688.0	9.2
263	28	American Elm	22	209.7	2.4
		Black Walnut	3	6.5	0.25
		Total	25	216.2	2.65

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
263	29	American Elm Black Walnut	158 2	1382.5 6.5	15.8 0.2
ST to All Indiana Brown and a second decimal party of the second		Total	760	1389.0	16.0
263	30	American Elm Black Walnut	32 1	406.2 6.5	5.1 0.2
		Total	33	412.7	5.3
263	52	Dogwood Persimmon Misc. Frag.	44 53	399.7 344.0 160.5	5.1 6.3 3.45
Weening over the and order provided understanding to		Total	97	904.2	14.85
263	53	Persimmon	105	940.2	3.7
263	54	Tree of Heaven]	16.4	0.3
263	57	Sweet Gum	9	26.2	0.5
263	58	Black Cherry Persimmon Sweet Gum	2 11 5	9.8 127.8 13.1	0.1 1.9 0.3
		Total	18	150.7	2.3
263	59	American Elm Black Cherry Persimmon Sweet Gum Misc. Frag.	15 2 32 1	75.3 6.5 180.2 9.8 59.0	1.3 0.1 2.6 0.1 1.0
		Total	50	330.8	5.1
263	60	American Elm Sassafras Sweet Gum Tulip Poplar Total	4 2 37 25 68	13.1 32.8 304.7 507.8 858.4	0.25 0.5 3.68 5.8 10.23
267	1	Black Oak Chestnut Oak Tupelo White Oak Misc. Frag. Total	2 1 16 2 -	65.5 19.7 216.2 22.9 55.7 380.0	1.0 0.55 2.9 0.5 1.15

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
267	2	Spanish Oak Tupelo White Oak Misc. Frag.	2 10 · 2	19.7 111.4 19.7 176.9	0.45 1.35 0.45 4.4
267	3	Total Dogwood Spanish Oak	14 3 6	327.7 26.2 85.2	0.2 1.7
THE STATE OF THE S		Tupelo White Oak Total	44 4 57	380.0 42.6 534.0	4.4 0.75 7.05
267	4	Black Oak Tupelo White Oak Misc. Frag. Total	3 26 1 - - 30	147.4 406.2 13.1 62.2 628.9	2.6 4.0 0.2 0.9
267	5	Beech Black Oak Pin Oak Sweet Gum Tupelo White Oak Misc. Frag.	2 2 1 2 18 1 -	29.5 52.4 39.3 13.1 163.8 16.4 91.7	0.3 1.0 1.1 0.2 1.7 0.4 1.5
267	6	Beech Black Oak Sweet Gum Tupelo White Oak Misc. Frag. Total	1 1 36 2 -	9.8 49.1 6.5 389.8 9.8 81.9	0.05 0.7 0.1 4.1 0.2 1.55 6.7
267	7	Black Oak Dogwood Tupelo White Oak Misc. Frag. Total	3 9 5 1 -	124.5 111.4 42.6 13.1 75.3 366.9	2.1 0.85 0.7 0.4 1.5
267	8	Black Oak Tupelo Virginia Pine Total	4 6 23 33	68.8 85.2 6.5 160.5	1.1 1.0 0.5 2.6

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
267	9	Beech Red Maple Tupelo	1 3 . 29	13.1 26.2 366.9	0.1 0.45 3.45
		White Oak Misc. Frag.	2 -	13.1 4 2.6	0.3 0.6
		Total	35	461.9	4.9
267	10	Chestnut Oak Tupelo White Oak Misc. Frag.	1 25 1 -	6.5 307.9 13.1 52.4	0.2 2.75 0.2 0.8
		Total	27	379.9	3.95
267	41	Black Cherry Persimmon Sweet Cherry Sweet Gum Misc. Frag. Total	61 10 37 2 -	294.8 32.8 458.6 6.5 170.3	3.0 0.75 4.2 0.2 2.4 10.55
267	42 ·	Black Cherry Sweet Gum Total	2 95 97	6.5 586.4 592.9	0.2 10.65 10.85
267	43	Black Cherry Persimmon Sweet Gum Misc. Frag.	14 7 10 -	65.5 52.4 52.4 36.0 206.3	0.9 0.9 0.9 0.9
267	44	Black Cherry Black Oak Persimmon Sweet Gum Tulip Poplar Misc. Frag.	39 2 126 21 1 -	144.1 19.7 927.1 134.3 13.1 226.0	3.6 1.6 0.35 17.0 2.8 0.1 4.65
267	45	Black Cherry Black Oak Sweet Gum Tulip Poplar Misc. Frag.	148 2 15 4 -	825.5 22.9 88.4 42.6 95.0	8.8 0.5 1.8 0.7 1.9

Forest Ecology Litter Box Data - 1974

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
267	46	Black Cherry Persimmon	2 25	9.8 160.5	0.1 2.8
		Sweet Gum Tulip Poplar Misc. Frag.	60 1	386.6 55.7 160.5	7.4 0.7 3.55
		Total	88	773.1	14.55
267	47	Black Cherry Sweet Gum Tulip Poplar	105 41 3	783.0 275.2 22.9	8.5 5.65 0.3
		Misc. Frag. Total	- 149	111.4 1192.5	2.7 17.15
267	48	Persimmon Sweet Gum Tulip Poplar Misc. Frag.	2 13 17	16.4 117.9 242.4 19.7	0.35 1.7 3.35 0.4
		Total	32	369.4	5.8
267	49	Black Cherry Persimmon Sweet Gum Misc. Frag.	29 2 22 -	131.0 19.7 101.6 78.6	1.55 0.3 2.23 2.15
267	50	Total Black Cherry Persimmon Sweet Gum	53 374 6 22	330.9 1294.0 52.4 140.9	6.23 14.5 0.9 3.3
		Total	402	1487.3	18.7
268	31	Beech Spanish Oak Sweet Gum Tulip Poplar Misc. Frag.	13 1 2 2	154.0 9.8 29.5 13.1 42.6	1.2 0.15 0.5 0.1 0.75
		Total	18	249.0	2.7
268	32	Beech Dogwood Spanish Oak Sweet Gum Tulip Poplar White Oak Misc. Frag.	9 3 3 2 1	114.7 36.0 22.9 16.4 55.7 36.0 16	1.55 0.35 0.55 0.3 0.45 0.75
	The state of the s	Total	21	298.1	4.2

Forest Ecology Litter Box Data - 1974

			Number	Leaf Surface	Dry
Day of	Box		0f	Area	Weight
1974	Number	Species	Leaves	(cm ²)	(g)
268	33	Beech	7	88.4	0.6
		Dogwood	7	6.5	0.05
		Hickory	٠ ٦	26.2	0.45
		Tulip Poplar	2	42.6	0.35
		Misc. Frag.	_	32.8	0.7 2.15
		Total	11	196.5	2.15
268	34	Beech	2 1	13.1	0.1
		Dogwood	1	9.8	0.05
		Spanish Oak	2	39.3	0.75
		Tulip Poplar	1	9.8	0.1
		Misc. Frag.	-	72.1	1.0
		Total	6	144.1	2.0
268	35	Beech	6	78.6	0.8
		Hornbeam	7	22.9	0.06
		Sweet Gum	6 7 3 3	45.9	0.9
		Tulip Poplar	3	9.8	0.2
		Misc. Frag.	-	42.6	0.7
		Total	19	199.8	2.66
26 8	36	Beech	5	72.1	0.45
		Tulip Poplar	13	186.7	2.55
		Tupelo	1	9.8	0.1
		Misc. Frag.		36.0	1.0
		Total	19	304.6	4.1
268	37	Beech	12	131.0	1.2
		Spanish Oak	3	26.2	0.45
		Sweet Gum	4	95.0	1.2
		Total	19	252.2	2.85
268	38	Beech	8	85.2	0.8
		White Oak	5	68.8	1.3
		Misc. Frag.	_	13.1	.0.3
		Total	13	167.1	2.4
26 8	39	Beech	2	39.3	0.4
		Dogwood	2 1 4 6	9.8	0.05
		Tulip Poplar	4	55.7	0.55
		Tupelo_	6	75.3	0.65
		Misc. Frag.	-	22.9	0.4
		Total	13	203.0	2.05

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
268	40	Beech Sweet Gum Tupelo	4 . 4 . 4	42.6 49.1 42.6	0.45 0.8 0.7
		Total	12	134.3	1.95
268	73	Black Willow	-	3.3	0.01
268	74	Misc. Frag.		6.5	0.1
268	76	Black Willow	-	3.3	0.1
268	77	Spanish Oak	1	13.1	0.3
268	79	Black Willow	8	6.5	0.25
268	80	Black Oak	2	9.8	0.2
269	11	Dogwood Red Maple Sweet Gum Tulip Poplar Misc. Frag. Total	3 2 2 15 -	42.6 19.7 9.8 311.2 26.2	0.2 0.2 0.2 3.8 0.65 5.05
269	12	Loblolly Pine Spanish Oak Sweet Gum Tupelo Virginia Pine Misc. Frag.	3 4 7 43 3 -	6.5 42.6 95.0 317.8 3.3 49.1	0.1 1.0 1.85 4.5 0.1 1.0 8.55
269	13	Beech Dogwood Sweet Gum Tulip Poplar Misc. Frag. Total	5 9 1 4 -	32.8 104.8 22.9 147.4 16.4 324.3	0.25 0.8 0.3 1.9 0.4 3.65
269	14	Beech Spanish Oak Tulip Poplar White Oak Misc. Frag. Total	3 1 2 5 -	29.5 9.8 29.5 45.9 9.8 124.5	0.5 0.2 0.2 0.6 0.3

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
269	15	Beech Dogwood Sweet Gum Misc. Frag.	5 4 · 14 -	59.0 52.4 163.8 42.6	0.7 0.6 2.75 0.65
		Total	23	317.8	4.7
269	16	Beech Black Oak Black Walnut Dogwood Hornbeam	5 1 5 7 33	65.5 32.8 16.4 52.4 59.0	0.6 0.4 0.4 0.4 0.5
		Spanish Oak Sweet Gum Virginia Pine Misc. Frag.	2 5 14 -	39.3 39.3 3.3 26.2	0.85 0.6 0.25 1.2
		Total	72	334.2	5.2
269	17	Dogwood Hornbeam Spanish Oak Sweet Gum Tupelo White Oak Misc. Frag.	6 21 14 2 2 8	52.4 45.9 232.6 13.1 9.8 98.3 59.0	0.5 0.4 4.85 0.2 0.2 1.5
269	18	Total Dogwood Spanish Oak Sweet Gum Misc. Frag.	53 23 10 3	511.1 307.9 111.4 45.9 29.5	9.35 2.8 2.4 0.75 0.65
		Total	36	494.7	6.6
269	19	Dogwood Spanish Oak Sweet Gum Tupelo	13 1 5 1	183.5 13.1 59.0 9.8	2.4 0.3 0.85 0.15
		Total	20	265.4	3.7

Forest Ecology Litter Box Data - 1974

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
269	20	Beech Black Oak Dogwood Spanish Oak Tulip Poplar Tupelo White Oak Misc. Frag.	2 1 · 5 1 2 6 2	13.1 19.7 72.1 6.5 52.4 88.4 22.9 32.8	0.15 0.6 0.5 0.1 0.5 1.55 0.5
269	61	Total Persimmon Red Maple Sweet Gum Misc. Frag.	19 23 1 2	307.9 137.6 13.1 19.7 65.5	5.0 2.85 0.2 0.4 1.4
269	62	Total Black Oak Oak Pin Oak Sycamore Total	26 13 - 5 1	235.9 108.1 59.0 49.1 62.2 278.4	4.85 2.0 1.0 0.85 1.0 4.85
269	63	Black Cherry Black Walnut Total	8 10 18	32.8 19.7 52.5	0.5 0.7 1.2
269	64	Black Cherry Red Maple Sweet Gum Misc. Frag.	4 1 10 - 15	9.8 13.1 101.6 22.9	0.2 0.2 1.9 0.57
269	66	Black Cherry Persimmon Total	25 6 31	124.5 42.6 167.1	1.7 0.8 2.5
269	67	American Elm Black Oak Persimmon Pin Oak Red Maple Sweet Gum Misc. Frag.	7 2 18 2 8 2 -	91.7 45.9 117.9 26.2 91.7 6.5 29.5	2.0 0.7 2.5 0.4 1.0 0.3 0.7

Day of	Box		Number of	Leaf Surface Area	Dry Weight
1974	Number	Species	Leaves	(cm ²)	(g)
269	68	Black Cherry	41	150.7	1.3
		Black Oak	3	13.1	0.3
		Red Maple	· 24 68	252.2 416.0	3.8 5.4
		Total	00	410.0	5.4
269	69	Black Cherry	4	29.5	0.65
269	70	American Elm	2	3.3	0.2
		Black Cherry	11	42.6	0.6
		Persimmon	1	6.5	0.15
		Sweet Gum	15	85.2	2.2
		Total	29	137.6	3.15
270	21	American Elm	60	409.5	6.8
		Misc. Frag.		32.8	1.0
		Total	60	442.3	7.8
270	22	American Elm	35	163.8	3.55
		Black Cherry	5	32.8	0.4
		Misc. Frag.	_	68.8	1.4
		Total	40	265.4	5.35
270	23	American Elm	41	553.6	5.05
270	24	American Elm	70	583.1	8.65
2.0		Black Walnut	32	163.8	7.6
Total Control of the		Total	102	746.9	16.25
270	25	American Elm	7	68.8	1.3
		Black Walnut	62	294.8	4.6
		Total	69	363.6	5.9
270	26	American Elm	14	167.1	2.7
		Black Cherry	36	216.2	2.4
		Sweet Gum	2	6.5	0.05
		Tulip Poplar	1	6.5	0.05
		Total	53	396.3	5.2
270	27	American Elm	60	527.4	8.2
270	28	American Elm	34	262.1	3.35
270	29	American Elm	76	615.9	8.35
					

Day of	Box		Number of	Leaf Surface Area	Dry Weight
1974	Number	Species	Leaves	(cm ²)	(g)
070	20	Amousiana Film	5 1	412.8	5.9
270	30	American Elm Black Walnut	51 10	412.0 45.9	
		Total	61	458.7	1.3 7.2
070		03 1 01	•	2.2	
270	51	Black Cherry	2 1	3.3 6.5	0.1 0.15
		Sweet Gum Total	<u>1</u> 3	9.8	0.15
		10001	3	3.0	0.20
270	52	Dogwood	19	104.8	2.1
		Persimmon	56	366.9	7.1
. 1		Sassafras	4	45.9	0.6
		Misc. Frag. Total	- 79	72.1 589.7	1.9
		Ιθίαι	79	309.7	11.7
270	53	Sassafras	17	288.3	2.6
270	54	Sweet Gum	1	3.3	0.05
	•	Tree of Heaven	9	72.1	2.1
	parani ara dipunci di muliji da ipungana zuma di mandu undi mu	Total	10	75.4	2.15
270	55	Persimmon	69	861.6	10.5
		Sweet Gum	1	3.3	0.01
		Total	70	864.9	0.51
270	56	Persimmon]	3.3	0.15
270	57	Sweet Gum	_	26.2	0.7
270	58	Black Cherry	9	49.1	0 0
270	30	Persimmon	5	58.7	0.8 1.4
		Sweet Gum	8	108.1	1.0
		Misc. Frag.	_	36.0	0.65
Township and the section 200 (1997) 179/19 199/19		Total	22	251.9	3.85
270	59	American Elm	1	13.1	0.35
		Black Cherry	10	39.3	0.5
		Persimmon	31	203.1	2.6
		Spanish Oak	1	13.1	0.2
		Misc. Frag.	_	32.8	0.85
		Total	43	301.4	4.5
270	60	American Elm	5	36.0	0.5
		Sweet Gum	13	117.9	1.55
		Tulip Poplar	8	183.5	2.0
		Misc. Frag.		29.5	0.55
		Total	26	366.9	4.6

Forest Ecology Litter Box Data - 1974

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
274	1	Black Oak Tupelo White Oak Misc. Frag.	31 . 4 -	26.2 419.3 45.9 26.2	0.5 5.3 0.9 0.4
		Total	36	517.6	7.1
274	2	Spanish Oak Tupelo White Oak Misc. Frag.	1 10 9 -	13.1 108.1 68.8 52.4	0.7 1.5 1.2 0.75
		Total	20	242.4	4.15
274	3	Black Oak Dogwood Spanish Oak Tupelo White Oak Misc. Frag.	1 4 1 40 3	16.4 52.4 16.4 442.3 49.1 52.4	0.2 0.65 0.7 4.6 0.6 0.8
	······································	Total	49	629.0	7.55
274	4	Beech Black Oak Tupelo White Oak Total	2 2 28 3	13.1 32.8 393.1 19.7 458.7	0.1 0.5 4.1 0.4
274	5	Black Oak Red Maple Tupelo White Oak Misc. Frag.	8 1 21 1	101.6 3.3 206.4 6.5 29.5	1.8 0.1 3.1 0.1 0.7
274	6	Total Beech Red Maple Sweet Gum Tupelo White Oak Misc. Frag.	31 1 1 1 50 1	347.3 3.3 9.8 26.2 514.3 62.2 45.9	5.8 0.02 0.6 0.3 6.3 0.9 0.9
		Total	- 54	661.7	9.02

Day of	Box		Number of	Leaf Surface Area	Dry Weight
1974	Number	Species	Leaves	(cm ²)	(g)
274	7	Dogwood	13	131.0	1.2
		0ak	_	19.7	0.5
		Spanish Oak	· 4	108.1	1.5
		Tupelo	1	3.3	0.15
		White Oak	4	52.4	-
		Total	22	314.5	3.35
2 7 4	8	Red Maple	1	26.2	0.3
		Tupelo	7	65.5	1.0
		Virginia Pine	6	3.3	0.2
		White Oak	3	26.2	0.5
		Total	17	121.2	2.0
274	9	Beech	1	13.1	0.1
		Chestnut Oak	2	39.3	0.65
		Tupelo	30	255.5	3.4
		Virginia Pine	7	3.3	0.1
		White Oak	3	32.8	1.2
		Misc. Frag. Total	- 43	65.5 409.5	1.1 6.55
274	10	Black Oak	4	131.0	2.3
		Chestnut Oak	1	16.4	0.3
		Spanish Oak	2	26.2	0.5
		Tupelo	21	183.6	2.6
		Misc. Frag. Total	<u>-</u> 28	26.2 383.4	0.6 6.3
074					
274	41	Black Cherry	30	170.3	2.3
		Choke Cherry	12	78.6	0.8
		Persimmon	3 42	22.9	0.55
		Sweet Cherry	• –	399.7	4.7
		Sweet Gum Tulip Poplar	5 1	26.2 19.7	0.6
		Misc. Frag.	_ '	29.5	0.15 0.55
		Total	93	746.9	9.65
274	42	Plack Channy	E	10 1	0.0
<i>4</i> 4	46	Black Cherry Sweet Gum	5 83	13.1 330.9	0.2 8.7
-		Total	88	344.0	8.9
		10641	00	J44.U	0.9

Forest Ecology Litter Box Data - 1974

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
274	43	Black Cherry Persimmon	25 6	91.7 75.3	1.1 1.45
* *		Red Maple Sweet Gum Misc. Frag.	· 1 5 -	6.5 22.9 52.4	0.05 0.5 1.0
		Total	37	248.8	4.1
274	44	Black Cherry Persimmon Sweet Gum	16 175 11	78.6 1238.3 65.5	0.7 25.9 2.2
		Total	202	1382.4	28.8
274	45	Black Cherry Pin Oak Sweet Gum Tulip Poplar Misc. Frag. Total	149 1 14 2 - 166	936.9 13.1 72.1 45.9 16.4 1084.4	10.7 0.25 1.85 0.7 0.2
274	46	Persimmon Sweet Gum Misc. Frag. Total	37 55 - 92	196.7 393.1 101.6 691.4	3.6 8.3 2.05
274	47	Black Cherry Sweet Gum Tulip Poplar Misc. Frag. Total	105 22 1 - 128	838.7 121.2 6.5 55.7	10.0 3.1 0.05 1.15
274	48	Black Cherry Persimmon Sweet Gum Tulip Poplar Misc. Frag. Total	3 7 13 38 - 61	13.1 78.6 104.8 537.3 36.0	0.4 1.15 2.0 7.5 0.8
274	49	Black Cherry Persimmon Sweet Gum Misc. Frag. Total	27 8 14 - 49	108.1 52.4 95.0 68.8 324.3	1.3 0.85 2.5 1.8 6.45

Forest Ecology Litter Box Data - 1974

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
274	50	Black Cherry Sweet Gum Tulip Poplar Total	187 15 1 203	596.2 91.7 16.4 704.3	7.65 1.9 0.2 9.75
275	31	Beech Spanish Oak Sweet Gum Tulip Poplar Virginia Pine Misc. Frag.	14 1 11 2 15 -	140.9 6.5 176.9 39.3 9.8 59.0	1.5 0.1 3.7 0.3 0.3 1.0
275	32	Beech Dogwood Spanish Oak Sweet Gum Tulip Poplar White Oak Misc. Frag.	13 3 2 4 4 1	163.8 42.6 26.2 39.3 124.5 19.7 26.2	1.3 0.3 0.35 0.9 1.9 0.5 0.4
275	33	Beech Spanish Oak Tulip Poplar Misc. Frag.	8 2 1	49.1 32.8 26.2 78.6	0.4 0.7 0.4 1.1
275	34	Total Beech Dogwood Tulip Poplar Tupelo Misc. Frag. Total	11 15 1 6 3 - 25	186.7 183.4 9.8 65.5 36.0 39.3	2.6 1.5 0.01 0.8 0.45 0.7 3.46
275	35	Beech Hornbeam Tulip Poplar Virginia Pine Misc. Frag. Total	16 5 2 5 -	176.9 9.8 39.3 3.3 45.9	1.5 0.1 0.45 0.1 0.8 2.95

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
275	36	Beech Chestnut Oak Spanish Oak Sweet Gum Tulip Poplar Misc. Frag. Total	7 1 · 3 3 23 - 37	101.6 22.9 42.6 32.8 514.3 42.6	1.0 0.4 1.1 0.65 5.6 0.7 9.45
275	37	Beech Spanish Oak Sweet Gum Tulip Poplar Misc. Frag. Total	14 9 1 2 - 26	111.4 124.5 6.5 22.9 39.3 304.6	0.9 2.1 0.1 0.45 0.7 4.25
275	38	Beech Virginia Pine Misc. Frag. Total	12 9 - 21	111.4 3.3 26.2 140.9	1.3 0.15 0.9 2.35
275	39	Beech Black Oak Dogwood Spanish Oak Tulip Poplar Tupelo Misc. Frag. Total	6 7 5 4 5 8 - 35	45.9 442.3 52.4 85.2 88.4 114.7 42.6	0.45 8.7 0.45 1.6 0.8 1.1 0.75
275	40	Beech Hickory Spanish Oak Sweet Gum Tulip Poplar Tupelo White Oak Misc. Frag.	19 2 1 1 1 6 2 -	249.0 45.9 13.1 22.9 13.1 68.8 29.5 26.2	2.2 0.85 0.1 0.5 0.2 1.2 0.8 0.5 6.35
275	72	Black Willow	18	19.7	0.7
275	73	Black Willow	27	45.9	0.9

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
275	74	Choke Cherry Red Maple Total	1 10	6.5 108.1 114.6	0.01 1.4 1.41
275	76	Black Willow Sweet Gum Total	20 1 21	39.3 3.3 42.6	0.7 0.01 0.71
275	77	Choke Cherry Red Maple Sweet Gum Misc. Frag.	2 2 2 1 -	9.8 16.4 6.5 13.1	0.05 0.1 0.2 0.1
275	79	Total Black Willow Persimmon Red Maple Total	5 57 1 1 59	45.8 150.7 13.1 3.3 167.1	0.45 2.9 0.1 0.01 3.01
275	80	Persimmon	6	42.6	0.25
276	11	Black Oak Red Maple Sweet Gum Tulip Poplar Misc. Frag. Total	1 4 2 9 -	42.6 45.9 16.4 173.6 29.5 308.0	1.0 0.52 0.2 2.1 0.45
276	12	Beech Dogwood Hickory Red Maple Sweet Gum Tulip Poplar Tupelo White Oak Total	3 6 8 1 2 4 19 3	19.7 62.2 42.6 3.3 13.1 121.2 131.0 49.1	0.15 0.7 1.3 0.01 0.25 1.7 2.1 1.3
276	13	Beech Black Oak Dogwood Sweet Gum Tulip Poplar Misc. Frag.	5 1 20 7 7 -	65.5 22.9 176.9 42.6 104.8 29.5	0.5 0.6 1.9 1.5 1.8 0.6

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
276	14	Beech	14	163.8	2.3
		Black Oak	1	29.5	0.5
		Spanish Oak	· 2 7	26.2	0.55
		Tupelo		52.4	0.75
		White Oak	8	65.5	1.2
		Misc. Frag.	_	68.8	1.4
	erkklommingstere den karijkense som er minne i krept spelle en gilden en ikke	Total	32	406.2	6.7
276	15	Beech	2 2	19.7	0.3
		Black Cherry	2	9.8	0.1
		Dogwood	9	91.7	1.0
		Hornbeam	9	29.5	0.3
		Red Maple	1	26.2	0.35
		Sweet Gum	17	167.1	3.]
•		Tupelo	2	6.5	0.1
		Virginia Pine	45	19.7	0.65
		White Oak	5	52.4	1.1
		Misc. Frag. Total	92	52.4 475.0	1.5 8.5
276	16	Dlack Oak	2	45.9	1.25
2/0	10	Black Oak Dogwood	2 2	19.7	0.2
		Hornbeam	51	117.9	0.8
		Spanish Oak	1	13.1	0.3
		Sweet Gum	6	72.1	1.7
		White Oak	4	49.1	1.1
		Misc. Frag.	600	39.3	0.75
	ool City Committee (Carlotte Brown and Al-Women block and American	Total	66	357.1	6.1
276	17	Beech	4	26.2	0.55
		Black Oak	4	75.3	1.5
		Dogwood	21	262.1	2.4
		Hornbeam	14	26.2	0.25
		Spanish Oak	9	154.0	3.2
		Sweet Gum	8	68.8	1.2
		White Oak	2	13.1	0.35
	eranders AAP (Carnos anno meioric production and the Aaron Aappers a	Misc. Frag. Total	62	49.1 674.8	1.1 10.55
076	10				
276	18	Black Oak	3	95.0	. 2.2
		Dogwood	22	249.0	2.6
		Spanish Oak	17	157.2	2.8
		Sweet Gum Total	<u>2</u> 44	13.1 514.3	0.2 7.8

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm²)	Dry Weight (g)
276	19	Beech Dogwood Sweet Gum Tupelo White Oak Misc. Frag.	1 7 7 2 3	6.5 85.2 95.0 16.4 32.8 36.0	0.1 0.9 2.0 0.3 0.6 0.75
276	20	Total Dogwood Spanish Oak Sweet Gum Tupelo Misc. Frag.	20 4 1 5 51	271.9 42.6 3.3 22.9 455.4 39.3	4.65 0.5 0.1 0.5 6.5 1.0
276	61	Total Persimmon Red Maple Sweet Gum Total	61 51 3 2 56	563.5 494.7 13.1 19.7 527.5	8.6 11.2 0.3 0.4 11.9
276	62	Black Cherry Black Oak Pin Oak Red Maple Sweet Gum	1 17 25 2 1	16.4 147.4 226.0 19.7 6.5	0.45 2.8 4.3 0.4 0.15
276	63	Black Cherry Black Walnut Pin Oak Total	5 11 1	22.9 45.9 13.1 81.9	0.4 1.2 0.4 2.0
276	64	Black Cherry Red Maple Sweet Gum Misc. Frag. Total	4 11 10 - 25	26.2 91.7 98.3 16.4 232.6	0.35 1.55 2.3 0.6 4.8
276	65	Persimmon Sweet Gum Total	5 2 7	42.6 6.5 49.1	1.0 0.2 1.2
276	66	Black Cherry Persimmon Total	44 6 50	190.0 49.1 239.1	2.75 1.7 4.45

Forest Ecology Litter Box Data - 1974

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
276	67	American Elm Black Oak Persimmon Pin Oak Red Maple Sweet Gum Misc. Frag.	3 2 4 2 9	19.7 29.5 16.4 13.1 111.4 9.8 104.8	0.55 0.6 0.4 0.3 2.1 0.2 3.5
		Total	21	304.7	7.65
276	68	American Elm Black Cherry Black Oak Red Maple Total	1 72 1 16 90	3.3 311.2 6.5 140.9 461.9	0.2 3.4 0.2 2.5 6.3
276	69	Black Cherry	5	45.9	0.8
276	70	American Elm Black Cherry Sweet Cherry Total	6 10 18 34	9.8 36.0 91.7	0.4 0.6 2.5 3.5
277	21	American Elm Black Cherry Black Locust Total	114 2 66 182	1045.0 9.8 131.0	16.5 0.1 2.7
277	22	American Elm Black Cherry Black Locust Total	70 8 47 125	406.2 39.3 81.9 527.4	8.2 0.5 2.1
277	23	American Elm Black Locust	111 28	1077.8 55.7	15.0 1.1
277	24	Total American Elm Black Walnut	139 135 22	1133.5 792.8 85.2	16.1 17.5 2.55
277	25	Total American Elm Black Locust Black Walnut	157 49 45 20	878.0 435.7 104.8	20.05 10.45 2.25 3.35
		Black Locust Black Walnut Total	45 20 114	104.8 88.4 628.9	

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
277	26	American Elm Black Cherry Black Locust	69 . 29 _18	363.6 150.7 -32.8	6.2 1.9 0.7
277	27	Total American Elm Black Locust	116 115 69	547.1 805.9 121.2	8.8 14.9 3.1
277	28	Total American Elm Black Locust	184 59 81	927.1 583.1 114.7	18.0 9.4 3.2
277	29	Total American Elm Black Locust	140 206 72	697.8 1565.9 124.5	12.6 27.8 3.4
277	30	Total American Elm	278 93	1690.4 855.0	31.2 13.85
277	51	Black Cherry Sassafras Total	3 2 5	6.5 26.2 32.7	0.3 0.5 0.8
277	52	Dogwood Persimmon Pin Oak Misc. Frag. Total	21 44 2 - 67	137.6 278.5 19.7 157.2 593.0	3.2 7.05 0.5 5.1 15.85
277	53	Sassafras Sweet Gum Total	19 4 23	222.8 9.8 232.6	2.4 0.65 3.05
277	54	Sweet Gum Tree of Heaven Total	3 6 9	6.5 39.3 45.8	0.45 1.4 1.85
277	55	Black Cherry Persimmon Sweet Gum	2 129 6	3.3 1130.2 32.8	0.25 20.3 1.0
		Misc. Frag. Total	137	52.4 1218.7	1.9 23.45

Forest Ecology Litter Box Data - 1974

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
277	57	Sweet Gum	6	19.7	0.7
277	58	Black Cherry Persimmon Sweet Gum Misc. Frag.	. 36 13 26 -	163.8 108.1 98.3 91.7	5.25 2.4 3.0 2.8
		Total	75	461.9	13.45
277	59	American Elm Black Cherry Persimmon Misc. Frag. Total	13 93 57 - 163	114.7 304.7 304.7 19.7 743.8	2.45 4.5 6.7 0.6 14.25
277	60	American Elm Sassafras Sweet Gum Tulip Poplar Total	9 5 9 26 49	65.5 91.7 49.1 439.0 645.3	1.5 1.5 1.1 7.65
281	1	Beech Black Oak Chestnut Oak Red Maple Spanish Oak Tupelo White Oak Total	1 3 3 5 1 26 14	6.5 65.5 65.5 36.0 16.4 321.0 190.0	0.01 1.2 1.45 0.25 0.3 4.05 3.9
281	2	Spanish Oak Tupelo White Oak Misc. Frag. Total	5 62 10 - 77	75.3 727.3 91.7 29.5	1.5 8.2 1.8 0.65
281	3	Black Oak Dogwood Spanish Oak Sweet Gum Tupelo White Oak Total	2 3 3 1 49 18 76	42.6 29.5 22.9 6.4 435.7 239.1	0.7 0.25 0.6 0.1 4.8 3.65

Forest Ecology Litter Box Data - 1974

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
281	4	Beech Black Oak Red Maple Tupelo White Oak Total	12 7 2 22 23 66	111.4 173.6 26.2 232.6 275.2 819.0	1.3 2.8 0.5 3.5 4.85
281	5	Beech Black Oak Hickory Red Maple Sweet Gum Tupelo White Oak Total	9 16 1 1 23 4	78.6 504.5 19.7 16.4 3.3 235.9 26.2	0.7 8.7 0.4 0.15 0.1 3.4 0.5
281	6	Black Oak Sweet Gum Tupelo White Oak Total	5 15 36 17	108.1 114.7 334.1 232.6 789.5	2.3 1.45 3.85 4.55
281	7	Black Oak Dogwood Post Oak Red Maple Spanish Oak Sweet Gum White Oak Total	8 4 1 3 3 1 12 32	111.4 26.2 19.7 19.7 45.9 13.1 180.1	2.1 0.3 0.35 0.2 1.0 0.2 2.75
281	8	Black Oak Chestnut Oak Spanish Oak Tupelo White Oak Misc. Frag.	5 2 2 11 2	78.6 19.7 32.8 111.4 26.2 16.4	1.3 0.25 0.6 1.45 0.5 0.5
- 1904 Winning was - 2 - Milesce was		Total	22	285.1	4.6
281	9	Beech Chestnut Oak Tupelo White Oak Misc. Frag.	3 4 34 6	19.7 62.2 311.2 59.0 45.9	0.1 0.9 4.7 1.45 1.0
	Service and the control of the contr	Total	47	498.0	8.15

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
281	10	Black Oak Chestnut Oak Pin Oak Tupelo	2 15 1 41	59.0 344.0 16.4 455.4	0.9 5.6 0.2 6.5
		White Oak Total	<u>2</u> 61	13.1 887.9	0.45 13.65
		Ισται	01	007.9	13.03
281	41	Black Cherry Persimmon Sweet Cherry Sweet Gum Tulip Poplar Total	21 3 10 7 2 43	88.4 16.4 114.7 45.9 6.5 271.9	1.3 0.55 1.6 0.85 0.01 4.31
	Ω				
281	42	Black Cherry Dogwood Sweet Gum Total	3 2 62 67	13.1 19.7 419.3 452.1	0.2 0.3 10.5
_. 281	43	Black Cherry Persimmon Sweet Gum Misc. Frag.	17 15 15 -	65.5 108.1 98.3 29.5	0.8 1.8 2.0 0.8
		Total	47	301.4	5.4
281	44	Black Cherry Black Oak Persimmon Sweet Gum	28 1 77 9	114.7 9.8 1297.3 72.1	1.45 0.2 9.7 1.7
	· · · · · · · · · · · · · · · · · · ·	Total	115	1493.9	13.05
281	45	Black Cherry Sweet Gum	100 16	553.6 127.8	7.45 2.7 10.15
		Total	116	681.4	10.15
281	46	Persimmon Sweet Gum Total	20 41 61	137.6 324.3 461.9	3.2 6.55 9.75
		ιυιαι	ΟI	401.9	9.75
281	47	Black Cherry Sweet Gum Total	23 45 68	226.0 298.1 524.1	3.1 6.1 9.2
		ισται	00	324.1	9.2

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
281	48	Black Cherry Black Oak Persimmon	3 1 . 6	13.1 9.8 49.1	0.2 0.1 1.0
	, .	Sweet Gum Tulip Poplar Total	17 14 41	134.3 255.5 461.8	2.6 3.55 7.4
281	49	Black Cherry Persimmon Sweet Gum	13 2 20	55.7 13.1 124.5	0.7 0.35 2.8
281	50	Total Black Cherry Sweet Gum Tulip Poplar Total	35 77 23 2 102	193.3 376.7 183.5 85.2 645.4	3.85 5.0 3.6 1.4 10.0
282	31	Beech Spanish Oak Sweet Gum White Oak Total	14 2 2 1	81.9 13.1 39.3 6.5	1.1 0.4 0.8 0.2
282	32	Beech Dogwood Tulip Poplar Misc. Frag. Total	3 1 1 - 5	36.0 9.8 19.7 19.7 85.2	0.5 0.15 0.5 0.4
282	33	Beech Spanish Oak Sweet Gum Tulip Poplar Total	2 3 1 7	22.9 19.7 3.3 137.6	0.2 0.45 0.01 1.8 2.46
282	34	Beech Spanish Oak	6 3 3	39.3 26.2 55.7	0.4 0.75
- Augusta proper		Tulip Poplar Misc. Frag. Total	12	32.8 1 54. 0	0.65 0.7 2.5
282	35	Beech Hornbeam Tulip Poplar Misc. Frag. Total	26 6 3 - 35	212.9 6.5 26.2 26.2 271.8	2.7 0.1 0.5 0.7

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
282	36	Beech Spanish Oak Tulip Poplar Tupelo	15 14 2 1	160.5 275.2 52.4 6.5	1.65 4.4 0.9 0.15
		Total	32	494.6	7.1
282	37	Beech Spanish Oak Misc. Frag. Total	23 8 - 31	242.4 101.6 16.4 360.4	2.0 2.2 0.4 4.6
282	38	Beech Black Oak White Oak	10 1 1	101.6 22.9 9.8	1.4 0.4 0.15
		Total	12	134.3	1.95
282	39	Beech Dogwood Spanish Oak Tulip Poplar Tupelo Sweet Gum	6 2 4 1 2 1	65.5 16.4 65.5 9.8 19.7 3.3	0.7 0.2 1.6 0.2 0.25 0.1
		Total	16	180.2	3.05
282	40	Beech Sweet Gum White Oak Misc. Frag. Total	1 3 4 8	26.2 19.7 36.0 26.2	0.2 0.5 0.9 0.5
282	72		7		
		Black Willow		13.1	0.4
282	73	Black Willow	16	39.3	0.75
282	74	Red Maple	11	85.2	1.2
282	76	Black Willow	23	45.9	0.7_
282	77	Black Cherry Red Maple	2 1 3	6.5 6.5	0.1 0.15
		Total	3	13.0	0.25
282	79	Black Willow Sweet Gum Sycamore	51 1 1	203.1 6.5 16.4	3.0 0.15 0.3
		Total	53	226.0	3.45

Forest Ecology Litter Box Data - 1974

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
282	80	Persimmon Pin Oak	4 1	29.5 13.1	0.35 0.3
	(Timber of vertical forms of vertical for the an	Total	. 5	42.6	0.65
283	11	Dogwood Red Maple Sweet Gum	2 1 11	36.0 6.5 59.0	0.4 0.1 0.85
. 0		Tulip Poplar White Oak	3 2	88.4 26.2	1.4 0.4
		Total	19	216.1	3.15
283	12	Beech Black Oak Dogwood Red Maple Tupelo White Oak Total	10 3 2 3 28 7 53	114.7 62.2 19.7 26.2 340.7 140.9 704.4	0.65 1.0 0.15 0.4 3.2 2.5 7.9
283	13	Beech Dogwood Hickory Spanish Oak Tupelo Tulip Poplar Total	3 8 5 1 1 1	22.9 108.1 45.9 3.3 6.5 42.6 229.3	0.2 0.8 0.5 0.1 0.2 0.6
283	14	Beech Black Oak Tulip Poplar Tupelo White Oak Total	8 3 2 5 8 26	78.6 91.7 19.7 29.5 85.2 304.7	1.5 1.6 0.3 0.45 1.4 5.25
283	15	Dogwood Red Maple Sweet Gum Tulip Poplar Misc. Frag. Total	1 3 19 1 -	9.8 49.1 190.0 3.3 45.9 298.1	0.2 0.5 3.5 0.1 0.6 4.9

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²	Dry Weight (g)
283	16	Beech	5	42.6	0.5
203	10	Black Oak	5 3 · 2 2	193.3	2.5
			, ,	22.9	0.3
		Dogwood	2	36.0	0.6
		Hickory	27	98.3	0.6
		Hornbeam		19.7	0.5
		Sweet Gum	1 3	26.2	
***************************************		White Oak Total	<u> </u>	439.0	0.4 5.4
		1000.		10010	
283	17	Beech	1	16.4	0.3
		Black Oak	5	104.8	2.25
		Dogwood	6	45.9	0.6
		Hornbeam	10	19.7	0.15
		Spanish Oak	2	68.8	1.3
		Sweet Gum	5	45.9	0.8
		Tupelo	2 5 3 3	19.7	0.25
		White Oak	3	29.5	0.5
Control of the second of the s		Total	35	350.7	6.15
283	18	Black Oak	ı	29.5	0.7
200	10	Dogwood	14	183.5	1.75
		Spanish Oak	8	88.4	1.7
		Sweet Gum	8 2	13.1	0.3
		White Oak	ī	6.5	0.1
hammana para series ang manggan mga at ang ang ang		Total	26	321.0	4.55
283	19	Dogwood	27	321.0	3.4
203	19	Dogwood Sweet Gum	2	22.9	0.4
		White Oak	6	88.4	1.4
	Espektoon Start V-01 to contribution of F-1800 coins and to	Total	35	432.3	5.2
283	20	Black Oak	1	16.4	0.6
		Dogwood	Ί	6.5	0.1
		Spanish Oak	4	36.0	0.7
		Sweet Gum	7	6.5	0.2
×		Tupelo	56	452.1	7.0
		Total	හි	517.5	8.6
283	61	Persimmon	219	2538.9	35.8
-		Red Maple		29.5	0.6
		Sweet Gum	2	19.7	0.4
		Tulip Poplar	2 2 3	75.3	0.9 37.7
		Total	226	2663.4	37.7

Forest Ecology Litter Box Data - 1974

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
283	62	Black Oak Pin Oak Total	9 28 37	72.1 324.3 396.4	0.9 4.9 5.8
283	63	Black Cherry Black Walnut Total	9 20 29	75.3 62.2 137.5	0.7 0.75 1.45
283	64	Persimmon Red Maple Sweet Gum Total	2 1 29 32	29.5 16.4 488.1 534.0	0.3 0.3 6.55 7.15
_ 283	65	Sweet Gum	2	29.5	0.4
283	66	Black Cherry Persimmon Total	26 48 74	190.0 914.0 1104.0	2.1 13.2 15.3
283	67	American Elm Persimmon Pin Oak Red Maple Sweet Gum	3 18 1 4 1	52.4 304.7 9.8 45.9 13.1	0.9 5.3 0.1 0.7 0.2
283	68	Black Cherry Red Maple Sweet Gum Total	14 18 1	75.3 186.7 19.7 281.7	0.7 3.1 0.45 4.25
283	69	Black Cherry	2	13.1	0.3
283	70	American Elm Black Cherry Sweet Gum	5 17 18	29.5 111.4 157.2	0.4 1.0 2.15
284	21	Total American Elm Black Cherry Black Locust Total	40 56 4 103 163	298.1 697.8 13.1 173.6 884.5	3.55 9.15 0.15 3.6 12.9

Number Species Leaves Cm2 Cg				Number	Leaf Surface	Dry
284 22 American Elm 71 642.1 8.7 Black Cherry 19 91.7 0.9 Black Locust 47 91.7 1.8 Total 137 825.5 11.4 284 23 American Elm 60 776.4 8.7 Black Locust 66 111.4 2.0 Total 126 887.8 10.5 284 24 American Elm 114 1048.3 17.5 Black Walnut 3 9.8 0.3 Total 117 1058.1 17.8 284 25 American Elm 12 170.3 3.6 Black Locust 56 144.1 2.2 8 1.4 284 25 American Elm 12 170.3 3.6 6.2 284 26 American Elm 29 222.8 2.9 8 Black Locust 11 19.7 1.1 19.7 0.4 <th>Day of</th> <th></th> <th></th> <th>of</th> <th></th> <th>Weight</th>	Day of			of		Weight
Black Cherry	1974	Number	Species	Leaves	(cm ²)	(ġ)
Black Cherry	284	22	American Elm	71	642.1	8.7
Black Locust 47 91.7 1.8						
Total						
Black Locust 126 887.8 10.59						11.4
Black Locust 126 887.8 10.59	284	23	American Elm	60	776.4	8.55
Total 126 887.8 10.59 284 24 American Elm 114 1048.3 17.59 Black Walnut 3 9.8 0.3 Total 117 1058.1 17.89 284 25 American Elm 12 170.3 3.60 Black Locust 56 144.1 2.2 Black Walnut 3 13.1 0.4 Total 71 327.5 6.20 284 26 American Elm 29 222.8 2.9 Black Cherry 23 91.7 1.1 Black Locust 11 19.7 0.4 Tulip Poplar 1 19.7 0.4 Tulip Poplar 1 19.7 0.2 Total 64 353.9 4.6 284 27 American Elm 145 1215.4 17.3 Black Locust 83 98.3 3.0 Total 228 1313.7 20.3 284 28 American Elm 38 386.6 5.0 Black Locust 58 81.9 1.8 Total 96 468.5 6.8 284 29 American Elm 199 1949.2 29.00 Black Locust 226 327.6 6.9 Total 425 2276.8 35.90 284 30 American Elm 84 858.3 12.80 284 52 Dogwood 81 838.7 13.60 Persimmon 52 488.1 10.0 Sassafras 2 39.3 0.5 Sweet Gum 1 6.5 0.1						
Black Walnut 3 9.8 0.3 Total 117 1058.1 17.8						10.55
Black Walnut 3 9.8 0.3 Total 117 1058.1 17.8	284	24	American Flm	114	1048.3	17.55
Total 117 1058.1 17.8 284 25 American Elm 12 170.3 3.6 Black Locust 56 144.1 2.2 Black Walnut 3 13.1 0.4 Total 71 327.5 6.2 284 26 American Elm 29 222.8 2.9 Black Cherry 23 91.7 1.1 Black Locust 11 19.7 0.4 Tulip Poplar 1 19.7 0.2 Total 64 353.9 4.6 284 27 American Elm 145 1215.4 17.3 Black Locust 83 98.3 3.0 Total 228 1313.7 20.3 284 28 American Elm 38 386.6 5.0 Black Locust 58 81.9 1.8 Total 96 468.5 6.8 284 29 American Elm 199 1949.2 29.0 Black Locust 226 327.6 6.9 Total 425 2276.8 35.9 284 30 American Elm 84 858.3 12.8 284 52 Dogwood 81 838.7 13.6 Persimmon 52 488.1 10.0 Sassafras 2 39.3 0.5 Sweet Gum 1 6.5 0.1						
Black Locust 56						17.85
Black Locust 56	284	25	American Elm	12	170.3	3.65
Black Walnut 3 13.1 0.4						
Total 71 327.5 6.28 284 26 American Elm 29 222.8 2.9 Black Cherry 23 91.7 1.1 Black Locust 11 19.7 0.4 Tulip Poplar 1 19.7 0.2 Total 64 353.9 4.6 284 27 American Elm 145 1215.4 17.3 Black Locust 83 98.3 3.0 Total 228 1313.7 20.3 284 28 American Elm 38 386.6 5.0 Black Locust 58 81.9 1.8 Total 96 468.5 6.8 284 29 American Elm 199 1949.2 29.00 Black Locust 226 327.6 6.9 Total 425 2276.8 35.90 284 30 American Elm 84 858.3 12.80 284 52 Dogwood 81 838.7 13.60 Persimmon 52 488.1 10.0 Sassafras 2 39.3 0.5 Sweet Gum 1 6.5 0.1						
Black Cherry 23 91.7 1.1 Black Locust 11 19.7 0.4 Tulip Poplar 1 19.7 0.2 Total 64 353.9 4.6 284 27 American Elm 145 1215.4 17.3 Black Locust 83 98.3 3.0 Total 228 1313.7 20.3 284 28 American Elm 38 386.6 5.0 Black Locust 58 81.9 1.8 Total 96 468.5 6.8 284 29 American Elm 199 1949.2 29.0 Black Locust 226 327.6 6.9 Total 425 2276.8 35.9 284 30 American Elm 84 858.3 12.8 284 52 Dogwood 81 838.7 13.6 Persimmon 52 488.1 10.0 Sassafras 2 39.3 0.5 Sweet Gum 1 6.5 0.1						6.25
Black Cherry 23 91.7 1.1 Black Locust 11 19.7 0.4 Tulip Poplar 1 19.7 0.2 Total 64 353.9 4.6 284 27 American Elm 145 1215.4 17.3 Black Locust 83 98.3 3.0 Total 228 1313.7 20.3 284 28 American Elm 38 386.6 5.0 Black Locust 58 81.9 1.8 Total 96 468.5 6.8 284 29 American Elm 199 1949.2 29.0 Black Locust 226 327.6 6.9 Total 425 2276.8 35.9 284 30 American Elm 84 858.3 12.8 284 52 Dogwood 81 838.7 13.6 Persimmon 52 488.1 10.0 Sassafras 2 39.3 0.5 Sweet Gum 1 6.5 0.1	284	26	American Elm	29	222.8	2.9
Black Locust 11 19.7 0.4						
Tulip Poplar 1 19.7 0.2 Total 64 353.9 4.6 284 27 American Elm 145 1215.4 17.3 Black Locust 83 98.3 3.0 Total 228 1313.7 20.3 284 28 American Elm 38 386.6 5.0 Black Locust 58 81.9 1.8 Total 96 468.5 6.8 284 29 American Elm 199 1949.2 29.0 Black Locust 226 327.6 6.9 Total 425 2276.8 35.9 284 30 American Elm 84 858.3 12.8 284 52 Dogwood 81 838.7 13.69 284 52 Dogwood 81 838.7 13.69 284 52 Dogwood 81 838.7 13.69 285 239.3 0.5 0.5						
Total 64 353.9 4.6 284 27 American Elm 145 1215.4 17.3 Black Locust 83 98.3 3.0 Total 228 1313.7 20.3 284 28 American Elm 38 386.6 5.0 Black Locust 58 81.9 1.8 Total 96 468.5 6.8 284 29 American Elm 199 1949.2 29.09 Black Locust 226 327.6 6.9 Total 425 2276.8 35.99 284 30 American Elm 84 858.3 12.89 284 52 Dogwood 81 838.7 13.69 Persimmon 52 488.1 10.0 Sassafras 2 39.3 0.5 Sweet Gum 1 6.5 0.1						
Black Locust 83 98.3 3.0 Total 228 1313.7 20.3 284 28 American Elm 38 386.6 5.0 Black Locust 58 81.9 1.8 Total 96 468.5 6.8 284 29 American Elm 199 1949.2 29.0 Black Locust 226 327.6 6.9 Total 425 2276.8 35.9 284 30 American Elm 84 858.3 12.8 284 52 Dogwood 81 838.7 13.6 Persimmon 52 488.1 10.0 Sassafras 2 39.3 0.5 Sweet Gum 1 6.5 0.1				64		4.6
Black Locust 83 98.3 3.0 Total 228 1313.7 20.3 284 28 American Elm 38 386.6 5.0 Black Locust 58 81.9 1.8 Total 96 468.5 6.8 284 29 American Elm 199 1949.2 29.0 Black Locust 226 327.6 6.9 Total 425 2276.8 35.9 284 30 American Elm 84 858.3 12.8 284 52 Dogwood 81 838.7 13.6 Persimmon 52 488.1 10.0 Sassafras 2 39.3 0.5 Sweet Gum 1 6.5 0.1	284	27	American Elm	145	1215.4	17.3
Total 228 1313.7 20.3 284 28 American Elm 38 386.6 5.0 Black Locust 58 81.9 1.8 Total 96 468.5 6.8 284 29 American Elm 199 1949.2 29.09 Black Locust 226 327.6 6.9 Total 425 2276.8 35.99 284 30 American Elm 84 858.3 12.89 284 52 Dogwood 81 838.7 13.69 Persimmon 52 488.1 10.0 Sassafras 2 39.3 0.5 Sweet Gum 1 6.5 0.1						
Black Locust 58 81.9 1.8						
Black Locust 58 81.9 1.8	284	28	American Elm	38	386.6	5.0
Total 96 468.5 6.8 284 29 American Elm 199 1949.2 29.09 Black Locust 226 327.6 6.9 Total 425 2276.8 35.99 284 30 American Elm 84 858.3 12.89 284 52 Dogwood 81 838.7 13.69 Persimmon 52 488.1 10.0 Sassafras 2 39.3 0.5 Sweet Gum 1 6.5 0.1			Black Locust		81.9	1.8
Black Locust 226 327.6 6.9			Total		468.5	6.8
Total 425 2276.8 35.99 284 30 American Elm 84 858.3 12.89 284 52 Dogwood 81 838.7 13.69 Persimmon 52 488.1 10.0 Sassafras 2 39.3 0.5 Sweet Gum 1 6.5 0.1	284	29	American Elm	199	1949.2	29.05
Total 425 2276.8 35.99 284 30 American Elm 84 858.3 12.89 284 52 Dogwood 81 838.7 13.69 Persimmon 52 488.1 10.0 Sassafras 2 39.3 0.5 Sweet Gum 1 6.5 0.1			Black Locust	226	327.6	6.9
284 52 Dogwood 81 838.7 13.69 Persimmon 52 488.1 10.0 Sassafras 2 39.3 0.5 Sweet Gum 1 6.5 0.1			Total	425	2276.8	35.95
Persimmon 52 488.1 10.0 Sassafras 2 39.3 0.5 Sweet Gum 1 6.5 0.1	284	30	American Elm	84	858.3	12.85
Persimmon 52 488.1 10.0 Sassafras 2 39.3 0.5 Sweet Gum 1 6.5 0.1	284	52	Dogwood	81	838.7	13.65
Sassafras 2 39.3 0.5 Sweet Gum 1 6.5 0.1						
Sweet Gum 1 6.5 0.1						
				136		24.25

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
284	53	Sassafras Sweet Gum Total	10 3 13	157.2 13.1 170.3	1.45 0.1 1.55
284	54	Black Cherry Sweet Gum Tree of Heaven Total	1 7 3	6.5 36.0 29.5 72.0	0.15 0.9 1.0 2.05
284	55	Persimmon Sweet Gum Total	110 5 115	1117.1 22.9 1140.0	17.5 0.4 17.9
284	56	Black Cherry Persimmon Total	1 2 3	3.3 11.7 15.0	0.01 0.4 0.41
284	57	Sweet Gum	21	98.3	1.8
284	58	Black Cherry Box Elder Persimmon Sweet Gum Total	3 29 8 41	13.1 186.7 91.7 239.1 530.6	0.25 3.3 1.6 7.2 12.35
284	59	American Elm Black Cherry Persimmon Sweet Gum Total	16 48 75 2	271.9 170.3 504.5 6.5 953.2	4.3 2.25 8.1 0.25
284	60	Sassafras Sweet Gum Tulip Poplar	5 2 34	75.3 9.8 789.5	0.9 0.1 9.6
288	1	Total Beech Black Oak Chestnut	41 3 52 2	874.6 42.6 1500.4 42.6	10.6 0.7 32.9 0.8
to the transmission of the state of the stat	Martin - Marie - 18 - en alemanier aus architectur de Assante manifest archite	Tupelo White Oak Total	161 36 254	2807.5 727.3 5120.4	32.8 9.85 77.05

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
288	2	Beech Black Oak Spanish Oak Tupelo White Oak	1 16 · 2 185 14	13.1 461.9 42.6 3223.6 281.7	0.2 8.45 0.35 21.25 3.4
288	3	Total Black Oak Dogwood Northern Red Oak Red Maple Spanish Oak Sweet Gum Tupelo White Oak	218 15 9 1 1 9 6 133 33	4022.9 432.4 101.6 85.2 9.8 170.3 98.3 2319.4 665.0	33.65 10.0 1.0 1.0 0.05 2.35 0.2 19.85 11.7
288	4	Total Beech Black Oak Northern Red Oak Red Maple Spanish Oak Tupelo White Oak Total	207 12 29 4 49 7 208 59	3882.0 121.2 835.4 117.9 874.7 147.4 3118.7 1189.2 6404.5	46.15 1.3 13.4 2.0 6.5 1.75 36.4 3.45 64.8
288	,	Beech Black Oak Chestnut Oak Hickory Red Maple Tupelo White Oak Total	21 35 1 15 1 95 13	281.7 1009.0 19.7 186.7 6.5 1130.2 262.1	2.7 14.7 0.3 3.6 0.1 15.9 8.4 45.7
288	6	Black Oak Chestnut Chestnut Oak Spanish Oak Sweet Gum Tupelo White Oak Total	19 5 10 2 6 102 53 197	547.1 117.9 219.5 19.7 36.0 1418.5 704.3 3063.0	10.6 1.9 2.85 0.45 0.6 16.3 13.0 45.7

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
288	7	Beech Black Oak Dogwood Red Maple Spanish Oak Sweet Gum Tupelo White Oak Total	3 43 16 10 4 6 16 44	16.4 1392.3 186.7 117.9 104.8 98.3 278.5 609.3	0.1 23.7 1.7 1.0 1.35 1.8 2.6 10.4 42.65
288	8	Black Oak Chestnut Chestnut Oak Dogwood Tupelo Virginia Pine White Oak	28 1 4 1 21 16 38	805.9 22.9 88.4 9.8 222.8 6.5 766.6	14.5 0.25 2.2 0.15 3.1 0.4 10.1
288	9	Beech Black Oak Chestnut Oak Red Maple Spanish Oak Tupelo White Oak Total	21 3 7 6 2 149 105	288.3 68.8 167.1 72.1 42.6 2597.9 2119.6	2.3 1.2 2.25 0.85 0.75 22.1 24.8 54.25
288	10	Beech Black Oak Chestnut Oak Spanish Oak Sweet Gum Tupelo White Oak Total	12 41 57 7 9 68 64	124.5 1182.6 1248.2 147.4 55.7 835.4 825.5	1.25 20.75 16.8 2.3 0.85 11.25 14.6
288	41	Black Cherry Sweet Cherry Sweet Gum Tulip Poplar Total	59 18 14 3	389.8 235.9 127.8 65.5 819.0	4.1 2.2 2.4 0.7 9.4

Forest Ecology Litter Box Data - 1974

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
288	42	Black Cherry Dogwood Persimmon Sweet Gum Tulip Poplar Total	4 1 8 241 2 256	13.1 9.8 65.5 2250.6 39.3 2378.3	0.2 0.1 1.1 51.9 0.3 53.6
288	43	Black Cherry Persimmon Sweet Gum Total	22 23 34 79	127.8 288.3 298.1 714.2	1.3 5.5 5.9 12.7
288	44	Black Cherry Black Oak Persimmon Sweet Gum Total	44 6 87 29 166	167.1 75.3 871.4 190.0	1.7 0.8 15.85 4.3 22.65
288	45	Black Cherry Black Oak Dogwood Pin Oak Sweet Gum Tulip Poplar Total	95 6 3 3 55 21 183	681.4 78.6 29.5 42.6 330.9 448.8	9.55 1.6 0.3 0.7 6.8 4.9
288	46	Black Cherry Persimmon Sweet Gum Total	3 2 114 119	22.9 19.7 1431.6 1474.2	0.3 0.55 22.45 23.3
288	47	Black Cherry Sweet Gum Tulip Poplar Total	54 110 5 169	537.3 1097.5 85.2 1720.0	6.1 16.9 0.6 23.6
288	48	Persimmon Sweet Gum Tulip Poplar Total	22 34 151 207	278.5 327.6 4694.5 5300.6	3.3 5.1 48.25 56.65
288	49	Black Cherry Persimmon Sweet Gum Tulip Poplar Total	33 5 48 1 87	212.9 55.7 478.3 9.8 756.7	1.8 0.65 6.4 0.2 9.05

			Number	Leaf Surface	Dry
Day of	Box		of	Area	Weight
1974	Number	Species	Leaves	(cm ²)	(g)
288	50	Black Cherry	271	1212.1	12.6
		Sweet Gum	58	612.6	9.4
		Tulip Poplar	5	196.7	1.7
		Total	334	2021.4	23.7
289	31	Beech	471	6172.0	49.65
	٥.	Black Oak	7	203.1	2.9
		Spanish Oak	8 -	167.1	1.89
		Sweet Gum		114.7	1.7
		Tulip Poplar	6 6	216.2	2.4
		White Oak	3	59.0	0.3
		Total	501	6932.1	58.8
000	0.0				
289	32	Beech	330	4324.3	36.19
		Dogwood	14	255.5	1.15
		Spanish Oak	4	85.2	1.45
		Sweet Gum	21	439.0	4.9
		Tulip Poplar	2	75.3	0.35
		White Oak	1	19.7	0.35
		Total	372	5199.0	44.5
289	33	Beech	73	956.6	6.35
		Black Oak	42	1212.1	13.59
		Dogwood	3	52.4	0.3
		Reď Maple	3 1 8	16.4	0.19
		Spanish Oak	8	167.1	2.2
		Tulip Poplar	5	180.2	1.75
		Total	132	2584.8	24.3
289	34	Beech	80	1048.3	7.4
		Dogwood	2	16.4	0.1
		Spanish Oak	37	773.1	11.3
		Tulip Poplar	25	897.6	5.5
		White Oak	6	121.2	1.29
		Total	150	2856.6	25.5
289	35	Beech	//20	5624 7	EE O
203	33		430	5634.7	55.8
		Chestnut Oak	Ī	22.9	0.15
		Hornbeam	5	16.4	0.05
		Spanish Oak	5	104.8	1.8
		Sweet Gum	5 5 2 14	39.3	0.6
		Tulip Poplar		501.2	2.6
		Total	457	6319.3	61.00

Forest Ecology Litter Box Data - 1974

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
289	36	Beech Black Oak Chestnut Oak Hickory Spanish Oak Sweet Gum Tulip Poplar White Oak	150 1 6 15 24 3 36 1	1965.6 29.5 131.0 461.9 501.2 59.0 1294.0 19.7	13.7 0.5 1.0 4.0 5.15 0.55 8.2 0.2 33.3
289	37	Beech Dogwood Spanish Oak Sweet Gum Tulip Poplar Total	476 1 91 14 8 590	6237.5 19.7 1903.4 268.6 288.3 8717.5	46.6 0.2 24.3 3.8 2.7 77.6
289	38	Beech Pin Oak Spanish Oak Virginia Pine White Oak Total	240 11 4 16 16 287	3145.0 229.3 85.2 6.5 324.3 3790.3	33.35 6.15 1.7 0.3 2.9
289	39	Beech Black Oak Dogwood Hickory Spanish Oak Sweet Gum Tupelo Tulip Poplar	79 1 13 11 24 1 5 46	1035.2 29.5 222.8 147.4 501.2 19.7 88.4 1651.1	8.5 1.0 1.0 1.2 6.3 0.2 1.0 10.85
289	40	Beech Black Jack Oak Black Oak Dogwood Northern Red Oak Sweet Gum Tulip Poplar White Oak	202 1 3 3 2 21 8 57	2647.0 88.4 85.2 52.4 186.7 402.9 288.3 1149.9	21.55 0.6 2.05 0.4 1.85 5.1 1.5 19.85

Forest Ecology Litter Box Data - 1974

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
289	71	Red Maple	1	16.4	0.2
289	72	Black Oak Black Willow Total	1 10 11	6.5 36.0 42.5	0.1 0.4 0.5
289	73	Black Willow Persimmon Total	27 2 29	78.6 26.2 104.8	0.9 0.3 1.2
289	74	Red Maple	57	1015.6	10.55
289	76	Black Oak Black Willow Sweet Gum Sycamore Total	1 18 1 1 21	13.1 45.9 19.7 13.1 91.8	0.2 0.5 0.25 0.2
289	77	Persimmon Red Maple Spanish Oak Total	3 11 11 25	62.2 196.6 229.3 488.1	0.6 1.25 2.5 4.35
289	79	Black Willow Red Maple Sycamore Total	51 2 10 63	222.8 45.9 416.0 684.7	2.5 0.7 4.8 8.0
289	80	Black Oak Sweet Gum Total	11 1 12	317.8 29.5 347.3	1.3 0.3
290	11	Beech Dogwood Hickory Hornbeam Red Ash Red Maple Sweet Gum Tulip Poplar	3 48 9 2 3 15 28 70	39.3 825.5 114.7 16.4 26.2 268.6 537.3 2512.7	0.1 4.9 1.05 0.15 0.8 1.2 3.2
AMERICAN CONTRACTOR OF THE CON		White Oak Total	186	160.5 4501.2	1.0

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
290	12	Beech Black Oak Dogwood Hickory Red Maple	61 69 · 32 22 9	799.3 1988.5 550.4 275.2 160.5	5.2 47.1 2.8 3.25 2.05
		Sweet Gum Tulip Poplar Tupelo White Oak Total	9 22 80 14 318	173.6 798.5 1395.6 281.7 6423.3	2.0 3.65 12.0 2.2 80.25
290	13	Beech Black Oak Dogwood Hickory Spanish Oak Sweet Gum Sycamore Tulip Poplar Tupelo	103 8 10 133 2 49 4 58 20	1349.7 229.3 173.6 1654.4 42.6 936.9 173.6 2083.5 347.3	9.6 4.2 0.7 11.3 0.55 4.45 1.8 14.5 3.3
290	14	Beech Black Oak Dogwood Hickory Red Maple Spanish Oak Tulip Poplar Tupelo White Oak	209 8 8 1 5 5 10 20 86 352	2738.7 229.3 137.6 13.1 88.4 104.8 360.4 347.3 1736.3	31.2 5.2 1.0 0.25 0.7 0.7 2.3 2.3 12.4 56.05
290	15	Beech Black Oak Dogwood Hickory Hornbeam Post Oak Red Maple Spanish Oak Sweet Gum Tulip Poplar Tupelo White Oak Virginia Pine	25 1 50 3 26 12 27 1 259 1 1 26 12	327.6 29.5 861.6 36.0 147.4 301.4 481.6 19.7 4956.6 39.3 16.4 524.2 3.3	2.1 1.4 7.2 0.3 0.7 4.2 5.5 0.2 56.35 0.05 0.15 4.9 0.1

Day of	Вох		Number of	Leaf Surface Area	Dry Weight
1974	Number	Species	Leaves	(cm ²)	(g)
290	16	Beech	94	1231.8	12.4
230	10	Black Oak	18	517.6	12.85
		Box Elder	20	121.2	1.35
		Dogwood	22	380.0	2.4
		Hickory	35	435.7	8.55
		Hornbeam	319	1798.5	6.85
		Spanish Oak	29	606.1	7.0
		Sweet Gum	26	497.9	5.3
		Virginia Pine	3	0.3	0.01
		White Oak	59	1189.2	13.0
		Total	625	6778.3	69.71
290	17	Beech	8	104.8	1.0
		Black Oak	33	950.0	17.9
		Dogwood	5]	878.0	6.35
		Hickory	5	62.2	0.9
		Hornbeam	5]	288.3	0.8
		Red Maple	2	36.0	0.3
		Spanish Oak	109	2283.4	39.75
		Sweet Gum	71	1359.5	15.9
		Tupelo	7	121.2	1.2
		Virginia Pine	-	3.3	0.8
		White Oak Total	87 424	1755.9 7842.6	26.3 111.2
		10641	747	7072.0	111.6.
290	18	Black Oak	27	779.7	13.55
		Dogwood	142	2443.9	17.7
		Hickory	2	26.2	0.02
		Spanish Oak	101	2113.0	24.75
		Sweet Gum	23	439.0	4.9
		White Oak	12	242.4	3.65
		Total	307	6044.2	64.57
290	19	Beech	2	26.2	0.2
		Black Oak	3	85.2	1.1
		Chestnut Oak	2 3 7	376.7	3.5
		Dogwood	87	1497.1	11.0
		Hickory	6	75.3	1.0
		Red Maple	5	88.4	0.45
		Spanish Oak	14	291.6	3.75
		Sweet Gum	23	439.0	6.0
		Tulip Poplar	5	180.2	1.1
		Tupelo	11	193.3	1.8
		White Oak	140	2823.9	28.45
		Total	303	6076.9	58.35

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
290	20	Beech Black Cherry Dogwood Hickory Spanish Oak Sweet Gum Tupelo Virginia Pine	11 1 27 5 68 58 541 16	144.1 6.5 465.2 62.2 1425.1 1110.6 9428.3 1.6	2.1 0.02 2.7 0.5 12.45 9.25 67.55 0.2
290	61	Black Oak Box Elder Persimmon Red Maple Sweet Gum Tulip Poplar Total	5 4 100 5 44 2	144.1 22.9 1795.2 88.4 841.9 72.1	0.85 0.25 18.2 0.25 10.1 0.25 29.9
290	62	Black Cherry Box Elder Persimmon Pin Oak Red Maple Sweet Gum Sycamore	35 12 2 228 62 12 1	307.9 154.0 36.0 4720.7 1104.0 229.3 55.7	1.0 0.88 0.1 5.55 5.55 2.75 0.5
290	63	American Elm Black Cherry Black Walnut Box Elder Persimmon Red Maple Total	2 12 30 6 3 2	22.9 88.5 95.0 52.4 52.4 36.0 347.2	0.25 0.9 1.5 0.5 0.4 0.85
290	64	Black Cherry Box Elder Persimmon Red Maple Sweet Gum Willow Oak Total	6 109 6 37 212 114 484	52.4 665.0 108.1 658.5 4055.7 1254.7 6794.4	0.3 5.1 1.35 4.05 7.9 16.2 34.9

Forest Ecology Litter Box Data - 1974

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm²)	Dry Weight (g)
290	65	American Elm	1	19.7	0.2
and 00 00	W	Sweet Gum	35	668.3	7.65
		Total	36	688.0	7.85
290	66	Black Cherry	192	1887.0	12.5
		Persimmon	60	1077.8	9.25
		Sweet Gum	1	19.7	0.85
**************************************	aliti kan kepangaharakan (Militana atau apan atau kepancala kepancan	Total	253	2984.5	22.6
290	67	American Elm	38	760.0	5.75
		Black Oak	2	59.0	0.6
		Persimmon	3	52.4	0.3
		Pin Oak	2 3 3 25	62.2	0.7
		Red Maple	25	445.5	3.65
		Sweet Gum	5	95.0	0.45
an directo accinicado de la competença d	an antono de minimento que este el que este el constituir de la constituir de la constituir de la constituir d	Total	76	1474.1	11.45
290	68	American Elm	2	39.3	0.01
	•	Black Cherry	143	1405.4	6.2
		Red Maple	251	4471.7	31.85
		Sweet Gum	6	114.7	1.4
		Total	402	6031.1	39.46
290	70	American Elm	39	779.7	2.1
		Black Cherry	65	638.8	5.9
		Sweet Gum	192	3672.4	4.5
	inadiga, mi jim mi ili ili miili qarii qarii qaadi ili mada ili mada ili mada ili mada ili mada ili mada ili mad	Total	296	5090.9	12.5
291	21	American Elm	191	3816.5	34.6
		Black Cherry	51	501.2	2.7
		Black Locust	687	1801.8	17.0
The control of the co		Total ·	929	6119.5	54.3
291	22	American Elm	173	3456.2	26.4
		Black Cherry	57	560.2	10.3
		Black Locust	377	989.3	13.5
dayandar iyo da		Total	607	5005.7	50.2
291	23	American Elm	199	3977.1	36.0
		Black Locust	481	1261.3	14.1
	ACCUSED CLEROCIC	Total	680	5238.4	50.1
291	24	American Elm	287	5736.3	51.15
		Black Locust	76	203.1	3.5
		Black Walnut	29	209.7	4.75
		Total	392	6149.1	59.4

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
291	25	American Elm	42	838.7	10.5
231	23	Black Locust	292	766.6	12.6
		Black Walnut	· 15	108.1	1.65
		Tulip Poplar	2	72.1	0.45
	Columbia (Columbia) or region specific promisione region regione regione regione residente de specific resugue	Total	351	1785.5	25.2
291	26	American Elm	111	2217.9	18.45
231	20	Black Cherry	313	3076.2	23.4
		Black Locust	72	190.0	2.3
		Spanish Oak	3	62.2	1.0
		Sweet Gum	9	173.6	2.0
		Tulip Poplar	14	501.2	5.3
		Total	522	6221.1	52.45
291	27	American Elm	365	7295.6	60.2
201	_,	Black Locust	270	707.6	9.55
The same of the sa		Total	635	8003.2	69.75
291	28	American Elm	212	4235.9	31.4
		Black Locust	730	1913.2	19.45
		Black Walnut	18	131.0	2.3
		Total	960	6280.1	53.15
291	29	American Elm	433	8651.9	72.35
		Black Locust	841	2204.7	29.6
		Black Oak	Ţ	29.5	0.3
		Total	1275	10886.1	102.25
291	30	American Elm	336	6715.8	66.3
		Black Locust	276	724.0	8.2
		Chestnut Oak	9	196.6	0.8
		Total	621	7636.4	75.3
291	51	American Elm	2 7	39.3	0.7
		Black Cherry	7	68.8	0.5
		Sassafras	13	288.3	2.35
		Sweet Gum	6	114.7	1.25
		Total	2 8	511.1	4.8
291	52	Black Oak	2	59.0	0.55
		Dogwood	238	4095.0	51.75
		Sassafras	5	111.4	1.0
		Sweet Gum	1	19.7	0.35
		Total	246	4285.1	53.65

1974 Number Species Leaves (cm²) 291 53 Sassafras Sweet Gum 102 2273.5 227.1 299 553.6 299 553.6 299 291 54 Black Cherry 1 2827.1 28	e Dry Weight
Sweet Gum 29 553.6 Total 131 2827.1 291 54 Black Cherry 1 9.8 Sweet Gum 17 324.3 Total 18 334.1 291 55 Black Cherry 40 393.1 Persimmon 613 11004.1 Sweet Gum 49 936.9 Total 702 12334.1	(g)
Sweet Gum 29 553.6 Total 131 2827.1 291 54 Black Cherry 1 9.8 Sweet Gum 17 324.3 Total 18 334.1 291 55 Black Cherry 40 393.1 Persimmon 613 11004.1 Sweet Gum 49 936.9 Total 702 12334.1	21.5
Total 131 2827.1 291 54 Black Cherry 1 9.8	5.0
Sweet Gum 17 324.3 Total 18 334.1 291 55 Black Cherry 40 393.1 Persimmon 613 11004.1 Sweet Gum 49 936.9 Total 702 12334.1	26.5
Total 18 334.1 291 55 Black Cherry 40 393.1 Persimmon 613 11004.1 Sweet Gum 49 936.9 Total 702 12334.1	0.2
291 55 Black Cherry 40 393.1 Persimmon 613 11004.1 Sweet Gum 49 936.9 Total 702 12334.1	4.2
Persimmon 613 11004.1 Sweet Gum 49 936.9 Total 702 12334.1	4.4
Sweet Gum 49 936.9 Total 702 12334.1	3.3
Total 702 12334.1	96.7
	8.6
291 56 Black Cherry 16 157.2	108.6
	1.3
Persimmon 4 72.1	0.75
Red Maple 5 88.4	0.8
Total 25 317.7	2.85
291 57 Persimmon 9 160.5	1.45
Sweet Gum 85 1624.9	12.6
Total 94 1785.4	14.05
291 58 Black Cherry 3 29.5	0.6
Box Elder 316 1926.3	32.65
Persimmon 232 4163.8	27.0
Sweet Gum 131 2506.1	34.15
Total 682 8625.7	94.4
291 59 American Elm 18 360.4	6.2
Black Cherry 191 1877.1	14.9
Persimmon 491 8815.7	42.95
Spanish Oak 1 19.7	0.1
Sweet Gum 102 1952.5 Total 803 13025.4	24.5 88.65
291 60 American Elm 10 199.8	
Red Maple 20 357.1	1.8 1.5
Sassafras 11 245.7	2.5
Sweet Gum 78 1493.9	11.55
Tulip Poplar 224 8042.6	78.65
Total 343 10339.1	96.0

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
295	1	Beech Black Oak	74 28	969.7 805.9	5.7 18.5
		Red Maple	24	429.2	2.5
		Spanish Oak Tupelo	21 73	439.0 1271.1	5.15 13.5
		White Oak	59	1189.2	14.2
		Total	279	5104.1	59.55
295	2	Black Oak	30	864.9	16.6
		Spanish Oak	51	1068.0	14.8
		Tupelo	74 74	1290.7 1493.9	11.2
		White Oak Total	229	4717.5	15.8 58.4
205	3	Dinak Onk	2.5	1000 0	22.0
295	3	Black Oak Spanish Oak	35 78	1009.0 1631.4	22.0 19.5
		Tupelo	96	1674.0	15.4
		White Oak	92	1857.5	22.1
		Total	301	6171.9	79.0
295	4	Beech	118	1546.3	11.8
		Black Oak	26	750.2	20.6
		Red Maple	35	622.4	6.6
		Spanish Oak	2 101	42.6 1759.2	1.0 19.7
		Tupelo White Oak	23	465.2	5.2
		Total	305	5185.9	64.9
295	5	Beech	239	3131.9	26.5
		Black Oak	105	302 7. 0	71.0
		Red Maple	13	232.6	2.5
		Tupelo	61	1064.7	11.1
		White Oak Total	41 459	828.8 8285.0	11.1 122.2
005	-				
295	6	Beech	59	773.1	6.1
		Black Oak Chestnut Oak	61 19	1759.2 416.0	39.7 8.5
		Spanish Oak	2	42.6	0.3
		Sweet Gum	22	419.3	3.75
		Tupelo	123	2142.5	22.7
		White Oak	100	2018.0	29.1
		Total	386	7570.7	110.15

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
295	7	Beech Black Oak Dogwood Hickory Red Maple Spanish Oak	7 115 12 15 38 51	91.7 3315.3 206.4 186.7 678.1 1068.0	1.0 68.6 1.5 3.7 4.6 12.0
		Sweet Gum Tupelo White Oak Total	17 12 97 364	324.3 209.7 1959.0 8039.2	3.4 1.8 27.4 124.0
295	8	Black Oak Chestnut Oak Red Maple Spanish Oak Tupelo White Oak Total	53 12 15 6 75 46	1526.6 262.0 268.6 124.4 1307.1 927.1	28.2 5.1 1.9 1.7 13.5 9.6
295	9	Beech Black Oak Chestnut Oak Red Maple Spanish Oak Tupelo White Oak Total	43 21 22 11 5 52 78 232	563.4 606.1 481.6 196.7 104.8 907.4 1572.5	5.7 10.2 7.9 1.4 1.7 12.0 19.1 58.0
295	10	Beech Black Oak Chestnut Oak Spanish Oak Tupelo White Oak Total	15 29 38 2 95 87 266	196.6 835.4 832.1 42.6 1654.4 1755.9 5317.0	1.2 18.5 14.1 0.5 39.5 18.2
295	41	Black Cherry Sweet Cherry Sweet Gum Tulip Poplar Total	78 30 25 6	766.6 491.4 478.3 216.2	7.1 4.0 3.2 0.9

Forest Ecology Litter Box Data - 1974

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
295	42	Black Cherry	3	29.5	0.1
233	74.	Persimmon	12	216.2	1.4
		Sweet Gum	· 254	4858.3	53.55
		Tulip Poplar	4	144.1	0.5
		Total	273	5248.1	55.55
295	43	Black Cherry	29	285.0	1.6
		Persimmon	26	465.2	5.65
		Sweet Gum	41	783.0	6.3
		Total	96	1533.2	13.55
295	44	Black Cherry	52	511.1	2.0
		Black Oak	5	144.1	0.75
		Persimmon	92	1651.1	16.2
		Sweet Gum	32	612.6	4.45
		Total	181	2918.9	23.4
295	45	Black Cherry	100	982.8	10.39
		Black Oak	. 9	258.8	1.7
		Dogwood	2	36.0	0.2
		Pin Oak	4	81.9	0.75
		Sweet Gum	59	1130.2	7.1
		Tulip Poplar	25	897.6	5.15
		Total	199	3387.3	25.25
295	46	Black Cherry	5	49.1	0.5
		Persimmon	1	16.4	0.3
		Sweet Gum	123	2352.2	23.9
		Total	129	2417.7	24.7
295	47	Black Cherry	60	589.7	6.7
		Sweet Gum	110	2103.2	18.3
		Tulip Poplar Total	<u>7</u> 177	252.2 2945.1	0.75 25.75
295	48	Persimmon	29	520.9	4.0
430	40	Sweet Gum	29 49	936.9	6.9
		Tulip Poplar	169	6067.1	52.3
		Total	247	7524.9	63.2
295	49	Black Cherry	43	422.6	2.7
	.5	Persimmon	3	52.4	0.25
		Sweet Gum	60	1146.6	7.7
		Total	106	1621.6	10.65

295 50 Black Cherry 305 2997.5 15.9 Sweet Gum 70 1339.9 11.1 Tulip Poplar 8 288.3 2.0 Total 383 4625.7 29.0 296 31 Beech 312 6234.2 35.9 Black Oak 20 576.6 10.7 Hickory 20 439.0 3.6 Spanish Oak 49 1025.4 11.7 Sweet Gum 68 1670.8 28.75 Tulip Poplar 3 117.9 0.55 Total 472 10063.9 91.2 296 32 Beech 283 5654.4 38.9	Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm2)	Dry Weight (g)
Sweet Gum						
Tulip Poplar	295	50				
Total 383 4625.7 29.0						
296 31 Beech 312 6234.2 35.9 Black Oak 20 576.6 10.7 Hickory 20 439.0 3.6 Spanish Oak 49 1025.4 11.7 Sweet Gum 68 1670.8 28.75 Tulip Poplar 3 117.9 0.55 Total 472 10063.9 91.2 296 32 Beech 283 5654.4 38.9 Black Oak 5 144.1 1.65 Dogwood 5 65.5 0.5 Spanish Oak 20 419.3 5.7 Sweet Gum 54 1326.8 16.35 Tulip Poplar 13 507.8 4.0 White Oak 11 222.8 3.35 Total 392 8370.2 71.0 296 33 Beech 131 2617.5 11.5 Black Oak 28 805.9 13.3 Hickory 5 111.4 1.85 Spanish Oak 61 1277.6 16.15 Sweet Gum 11 271.9 2.8 Tulip Poplar 38 1480.7 17.05 Total 274 6565.0 62.65 296 34 Beech 166 3318.6 18.2 Black Oak 4 114.7 1.7 Spanish Oak 35 733.8 13.6 Tulip Poplar 73 2846.8 20.0 Tupelo 3 52.4 0.55 White Oak 16 324.3 4.0						
Black Oak			Ισται	383	4625.7	29.0
Hickory	296	31	Beech			
Spanish Oak						
Sweet Gum						
Tulip Poplar 3 117.9 0.55 Total 472 10063.9 91.2 296 32 Beech 283 5654.4 38.9 Black Oak 5 144.1 1.65 Dogwood 5 65.5 0.5 Northern Red Oak 1 29.5 0.55 Spanish Oak 20 419.3 5.7 Sweet Gum 54 1326.8 16.35 Tulip Poplar 13 507.8 4.0 White Oak 11 222.8 3.35 Total 392 8370.2 71.0 296 33 Beech 131 2617.5 11.5 Black Oak 28 805.9 13.3 Hickory 5 111.4 1.85 Spanish Oak 61 1277.6 16.15 Sweet Gum 11 277.9 2.8 Tulip Poplar 38 1480.7 17.05 Total 274 6565.0 62.65 296 34 Beech 166 3318.6 18.2 Black Oak 4 114.7 1.7 Spanish Oak 35 733.8 13.6 Tulip Poplar 73 2846.8 20.0 Tupelo 3 52.4 0.55 White Oak 16 324.3 4.0						
Total 472 10063.9 91.2 296 32 Beech 283 5654.4 38.9 Black Oak 5 144.1 1.65 Dogwood 5 65.5 0.5 Northern Red Oak 1 29.5 0.55 Spanish Oak 20 419.3 5.7 Sweet Gum 54 1326.8 16.35 Tulip Poplar 13 507.8 4.0 White Oak 11 222.8 3.35 Total 392 8370.2 71.0 296 33 Beech 131 2617.5 11.5 Black Oak 28 805.9 13.3 Hickory 5 111.4 1.85 Spanish Oak 61 1277.6 16.15 Sweet Gum 11 271.9 2.8 Tulip Poplar 38 1480.7 17.05 Total 274 6565.0 62.65 296 34 Beech 166 3318.6 18.2 Black Oak 4 114.7 1.7 Spanish Oak 35 733.8 13.6 Tulip Poplar 73 2846.8 20.0 Tupelo 3 52.4 0.55 White Oak 16 324.3 4.0						
Beech 283 5654.4 38.9						0.55
Black Oak 5			Total	472	10063.9	91.2
Dogwood 5 65.5 0.5 Northern Red Oak 1 29.5 0.55 Spanish Oak 20 419.3 5.7 Sweet Gum 54 1326.8 16.35 Tulip Poplar 13 507.8 4.0 White Oak 11 222.8 3.35 Total 392 8370.2 71.0 296 33 Beech 131 2617.5 11.5 Black Oak 28 805.9 13.3 Hickory 5 111.4 1.85 Spanish Oak 61 1277.6 16.15 Sweet Gum 11 271.9 2.8 Tulip Poplar 38 1480.7 17.05 Total 274 6565.0 62.65 296 34 Beech 166 3318.6 18.2 Black Oak 4 114.7 1.7 Spanish Oak 35 733.8 13.6 Tulip Poplar 73 2846.8 20.0 Tupelo 3 52.4 0.55 White Oak 16 324.3 4.0	296	32	Beech	283	5654.4	38.9
Northern Red Oak			Black Oak	5	144.1	1.65
Northern Red Oak			Dogwood	5	65.5	0.5
Sweet Gum			Northern Red Oak	7	29.5	0.55
Tulip Poplar 13 507.8 4.0 White Oak 11 222.8 3.35 Total 392 8370.2 71.0 296 33 Beech 131 2617.5 11.5 Black Oak 28 805.9 13.3 Hickory 5 111.4 1.85 Spanish Oak 61 1277.6 16.15 Sweet Gum 11 271.9 2.8 Tulip Poplar 38 1480.7 17.05 Total 274 6565.0 62.65 296 34 Beech 166 3318.6 18.2 Black Oak 4 114.7 1.7 Spanish Oak 35 733.8 13.6 Tulip Poplar 73 2846.8 20.0 Tupelo 3 52.4 0.55 White Oak 16 324.3 4.0			Spanish Oak		419.3	5.7
White Oak 11 222.8 3.35 Total 392 8370.2 71.0 296 33 Beech 131 2617.5 11.5 Black Oak 28 805.9 13.3 Hickory 5 111.4 1.85 Spanish Oak 61 1277.6 16.15 Sweet Gum 11 271.9 2.8 Tulip Poplar 38 1480.7 17.05 Total 274 6565.0 62.65 296 34 Beech 166 3318.6 18.2 Black Oak 4 114.7 1.7 Spanish Oak 35 733.8 13.6 Tulip Poplar 73 2846.8 20.0 Tupelo 3 52.4 0.55 White Oak 16 324.3 4.0			Sweet Gum		1326.8	16.35
Total 392 8370.2 71.0 296 33 Beech 131 2617.5 11.5 Black Oak 28 805.9 13.3 Hickory 5 111.4 1.85 Spanish Oak 61 1277.6 16.15 Sweet Gum 11 271.9 2.8 Tulip Poplar 38 1480.7 17.05 Total 274 6565.0 62.65 296 34 Beech 166 3318.6 18.2 Black Oak 4 114.7 1.7 Spanish Oak 35 733.8 13.6 Tulip Poplar 73 2846.8 20.0 Tupelo 3 52.4 0.55 White Oak 16 324.3 4.0						4.0
296 33 Beech 131 2617.5 11.5 Black Oak 28 805.9 13.3 Hickory 5 111.4 1.85 Spanish Oak 61 1277.6 16.15 Sweet Gum 11 271.9 2.8 Tulip Poplar 38 1480.7 17.05 Total 274 6565.0 62.65 296 34 Beech 166 3318.6 18.2 Black Oak 4 114.7 1.7 Spanish Oak 35 733.8 13.6 Tulip Poplar 73 2846.8 20.0 Tupelo 3 52.4 0.55 White Oak 16 324.3 4.0						
Black Oak 28 805.9 13.3 Hickory 5 111.4 1.85 Spanish Oak 61 1277.6 16.15 Sweet Gum 11 271.9 2.8 Tulip Poplar 38 1480.7 17.05 Total 274 6565.0 62.65 296 34 Beech 166 3318.6 18.2 Black Oak 4 114.7 1.7 Spanish Oak 35 733.8 13.6 Tulip Poplar 73 2846.8 20.0 Tupelo 3 52.4 0.55 White Oak 16 324.3 4.0			Total	392	8370.2	71.0
Black Oak 28 805.9 13.3 Hickory 5 111.4 1.85 Spanish Oak 61 1277.6 16.15 Sweet Gum 11 271.9 2.8 Tulip Poplar 38 1480.7 17.05 Total 274 6565.0 62.65 296 34 Beech 166 3318.6 18.2 Black Oak 4 114.7 1.7 Spanish Oak 35 733.8 13.6 Tulip Poplar 73 2846.8 20.0 Tupelo 3 52.4 0.55 White Oak 16 324.3 4.0	296	33	Beech	131	2617.5	11.5
Hickory 5 111.4 1.85 Spanish Oak 61 1277.6 16.15 Sweet Gum 11 271.9 2.8 Tulip Poplar 38 1480.7 17.05 Total 274 6565.0 62.65 296 34 Beech 166 3318.6 18.2 Black Oak 4 114.7 1.7 Spanish Oak 35 733.8 13.6 Tulip Poplar 73 2846.8 20.0 Tupelo 3 52.4 0.55 White Oak 16 324.3 4.0			Black Oak	28		
Sweet Gum			Hickory	5	111.4	
Tulip Poplar 38 1480.7 17.05 Total 274 6565.0 62.65 296 34 Beech 166 3318.6 18.2 Black Oak 4 114.7 1.7 Spanish Oak 35 733.8 13.6 Tulip Poplar 73 2846.8 20.0 Tupelo 3 52.4 0.55 White Oak 16 324.3 4.0			Spanish Oak	61	1277.6	16.15
Total 274 6565.0 62.65 296 34 Beech 166 3318.6 18.2 Black Oak 4 114.7 1.7 Spanish Oak 35 733.8 13.6 Tulip Poplar 73 2846.8 20.0 Tupelo 3 52.4 0.55 White Oak 16 324.3 4.0			Sweet Gum		271.9	2.8
296 34 Beech 166 3318.6 18.2 Black Oak 4 114.7 1.7 Spanish Oak 35 733.8 13.6 Tulip Poplar 73 2846.8 20.0 Tupelo 3 52.4 0.55 White Oak 16 324.3 4.0					1480.7	17.05
Black Oak 4 114.7 1.7 Spanish Oak 35 733.8 13.6 Tulip Poplar 73 2846.8 20.0 Tupelo 3 52.4 0.55 White Oak 16 324.3 4.0			Total	274	6565.0	62.65
Black Oak 4 114.7 1.7 Spanish Oak 35 733.8 13.6 Tulip Poplar 73 2846.8 20.0 Tupelo 3 52.4 0.55 White Oak 16 324.3 4.0	296	34	Beech ·	166	3318.6	18 2
Spanish Oak 35 733.8 13.6 Tulip Poplar 73 2846.8 20.0 Tupelo 3 52.4 0.55 White Oak 16 324.3 4.0		- •				
Tulip Poplar732846.820.0Tupelo352.40.55White Oak16324.34.0						
Tupelo 3 52.4 0.55 White Oak 16 324.3 4.0						
White Oak 16 324.3 4.0			·			
					7390.6	

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm2)	Dry Weight (g)
296	35	Beech Hickory Hornbeam Spanish Oak Tulip Poplar Virginia Pine White Oak	642 5 3 15 19 39 2	12828.8 111.4 16.4 314.5 740.4 127.8 39.3	75.55 1.55 0.05 4.05 4.35 0.7 0.45
296	36	Total Beech	725 265	14178.6 5297.3	86.7 31.0
		Black Oak Hickory Spanish Oak Sweet Gum Tulip Poplar Total	7 15 89 21 46 443	203.1 330.9 1864.0 517.6 1792.0	4.0 3.85 29.45 5.85 14.9 89.05
296	37	Beech Black Oak Spanish Oak Sweet Gum Tulip Poplar Total	410 2 129 17 18 576	8193.3 59.0 2699.4 419.3 701.1	46.15 0.8 32.95 5.0 5.35 90.25
296	38	Beech Black Oak Hickory Tulip Poplar Virginia Pine White Oak Total	555 8 4 3 46 15	11092.5 229.3 88.4 117.9 150.7 301.4	77.5 4.5 1.4 1.1 0.75 4.25
296	39	Beech Black Oak Dogwood Hickory Spanish Oak Sweet Gum Tulip Poplar Tupelo White Oak	207 12 3 20 82 7 43 2 3	4137.6 340.7 39.3 439.0 1716.6 173.6 1677.3 36.0 59.0	24.8 8.5 0.25 5.2 28.9 2.9 13.1 0.35 0.55

Danas	Day		Number of	Leaf Surface Area	Dry Weight
Day of 1974	Box Number	Species	Leaves	(cm ²)	(g)
		almand the first of the major of the control of the control of the first of the control of the c		5007.0	
296	40	Beech	285	5697.0	33.45
		Black Oak	8	229.3	4.0
		Hickory	22	481.6	6.4
		Sweet Gum	72	1769.0	19.8
		Tulip Poplar	9	350.5	2.8
		White Oak	43	868.1	20.55
		Total	439	9395.5	87.0
296	71	Red Maple]	19.7	0.1
296	72	Black Willow	13	144.1	0.5
296	73	Beech	1	19.7	0.01
230	/3	Black Willow	14	154.0	0.6
		Pin Oak]	19.7	0.05
		Sycamore	1	16.4	0.03
	Salatti oli Malainellan millö 44 Canale Consustita maleni maleni massa saale m	Total	17	209.8	0.86
296	74	Black Cherry	2	16.4	0.15
234	8 1	Red Maple	46	828.8	6.65
		Tulip Poplar	i	39.3	0.05
		Total	49	884.5	6.85
296	77	Black Cherry	3	22.9	0.1
		Red Maple	20	360.4	3.6
		Spanish Oak	6	124.5	2.0
		Sweet Gum	3	75.3	1.7
		Tulip Poplar	3 3	117.9	0.75
	остория образования в построине в пост Построине в построине в по	Total	35	701.0	8.15
296	78	Black Oak	1	29.5	0.2
		Persimmon	1	13.1	0.1
		Sweet Gum	2	49.1	0.65
	Commission of the Commission o	Total	4	91.7	0.95
296	79	Black Oak	1	29.5	0.3
		Black Willow	13	144.1	0.4
		Red Maple	7	127.8	1.4
		Sweet Gum	13 7 3	75.3	0.4
The second control of		Sycamore	3	154.0	. 2.1
		Total	27	530.7	4.6

Day of 1974	Box Númber	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
296	80	Black Oak	7	203.1 81.9	1.15
		Pin Oak Red Maple	. 4	36.0	0.2
		Sweet Gum	2	49.1	0.4
		Total	15	370.1	3.05
297	11	Black Oak	2	59.0	0.7
		Dogwood	6	78.6	0.9
		Red Maple	16	288.3	1.1
		Sweet Gum	57	1402.1	10.0
		Tulip Poplar	79	3079.4	24.4
		White Oak	6	121.2 5028.6	0.8
		Total	166	5028.6	37.9
297	12	Beech	49	979.5	4.9
		Black Oak	14	402.9	9.4
		Dogwood	15	196.6	2.2
		Hickory	25	550.4	5.4
		Sweet Gum	34	835.4	7.4
		<u>T</u> ulip Poplar	21	819.0	6.7
		Tupelo	3	52.4	0.5
	N-7-7-14-4-1	White Oak Total	11 172	222.8 4059.0	3.8 40.3
207	10	Dt-	27	740.4	
297	13	Beech	37	740.4	4.4
		Black Oak	9 5	258.8 65.5	5.4
		Dogwood Hickory	10	219.5	0.7 1.6
		Sweet Gum	50	1228.5	9.4
		Sycamore	1	42.6	0.5
		Tulip Poplar	96	3741.2	27.5
		Tupelo	5	88.4	
		Total	213	6384.9	1.0 50.5
297	14	Beech	83	1657.7	25.2
		Black Oak	15	432.4	8.4
		Dogwood	15 2 2 4	26.2	0.2
		Red Maple	2	36.0	0.3
		Spanish Oak		85.2	1.2
		Tulip Poplar	21	819.0	6.5
		Tupelo	4	68.8	0.5
		White Oak	69	1392.3	11.8
		Total	200	4517.6	54.1

			Number	Leaf Surface	Dry
Day of	Box		of	Area	Weight
1974	Number	Species	Leaves	(cm ²)	(g)
297	15	Beech	33	658.5	4.4
		Black Cherry	3	22.9	0.2
		Dogwood	· 30	393.1	4.9
		Hickory	26	570.0	5.8
		Hornbeam	11	62.2	0.5
		Red Maple	22	396.4	5.9
		Spanish Oak	2	42.6	0.7
		Sassafras	7	59.0	0.6
		Sweet Gum	401	9854.2	137.1
		<u>T</u> ulip Poplar	6	232.6	2.3
		Tupelo	8	140.9	1.0
		Virginia Pine	23	75.3	0.6
· · · · · · · · · · · · · · · · · · ·		White Oak	29	586.4	8.3
		Total	595	13094.1	172.3
297	16	Beech	125	2499.6	14.5
		Black Oak	27	779.7	18.4
		Dogwood	14	183.5	1.5
		Hickory	26	570.0	5.9
		Hornbeam	54	304.7	1.7
		Spanish Oak	54	1130.2	15.2
		Sweet Gum	25	615.9	5.6
		Tupelo	2	36.0	0.7
		Virginia Pine	14	45.9	0.3
		White Oak	16	324.3	3.7
		Total	357	6489.8	67.5
297	17	Beech	42	238.7	6.3
		Black Oak	36	1038.5	27.0
		Black Cherry	12	95.0	0.4
		Dogwood	21	275.2	2.0
		Hickory	13	285.0	2.0
		Hornbeam	14	78.6	0.3
		Post Oak	3	117.9	1.9
		Spanish Oak	83	1736.3	31.3
		Sweet Gum	170	4176.9	45.8
		Tupelo	6	104.8	1.1
		Virginia Pine	47	154.0	0.7
		White Oak	14	281.7	3.9
		Total	461	9182.6	122.7

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
297	18	Black Oak	31	894.3	12.3
291	10		38	497.9	5.6
		Dogwood	750		39.7
		Spanish Oak	42	3141.7 1031.9	11.5
		Sweet Gum White Oak	22	445.5	5.3
		Total	283	6011.3	74.4
297	19	Beech	11	219.5	1.4
		Black Oak	7	203.1	5.5
		Chestnut Oak	8	173.6	3.8
		Dogwood	45	589.7	7.2
		Hickory	11	242.4	2.9
		Red Maple	5	91.7	0.7
		Spanish Oak	68	1425.1	16.5
		Sweet Gum	53	1303.8	9.6
		Tulip Poplar	10	389.8	3.8
		Tupelo	2	36.0	0.6
		White Oak	63	1271.1	15.8
Access to the second se		Total	283	5945.8	67.8
297	20	Beech	108	2158.9	15.3
G. J. I	20	Black Oak	1	29.5	0.9
		Dogwood	7	91.7	0.8
		Hickory	8	176.9	1.7
		Spanish Oak	44	920.6	9.4
		Sweet Gum	50	1228.5	17.9
		Tupelo	109	1900.1	24.2
The second contract of	uonio arcigo con con con con con con con con con co	Total	327	6506.2	70.2
007	<i>p</i> 7	D: 0.4			r 0
297	61	Pin Oak	4	81.9	5.0
		Red Maple	44	792.8	5.1
		Sweet Gum	28	688.0	7.0
		Tulip Poplar	23	897.6	11.2
		Total	99	2460.3	28.3
297	62	Black Cherry	3	22.9	0.2
231		Pin Oak	210	4347.2	36.0
		Red Maple	66	1189.2	8.0
		Sweet Gum	13	321.0	6.7
error and the contract of the		Total	292	5880.3	50.9
297	63	Black Cherry	11	85.2	1.0
621	03	Pin Oak	5	104.8	1.0
		Total	16	190.0	2.0
		ισται	10	190.0	2.0

D a y of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
297	64	Black Cherry Persimmon	13 4	101.6 52.4	0.5 0.5
		Red Maple	125	2253.9	19.0
		Sweet Gum	103	2532.3	37.0
		Tulip Poplar	2	78.6	1.0
		Total	247	5018.8	58.0
297	65	Sweet Gum	13	321.0	4.0
		Tulip Poplar	3	117.9	0.5
		Total	16	438.9	4.5
297	66	Black Cherry	124	976.2	10.4
		Persimmon	16	216.2	2.0
		Sweet Gum Total	2 142	49.1 1241.5	0.6 13.0
297	67	American Elm	13	242.4	2.0
		Black Oak	23	661.7	6.0
		Red Maple	40 6	720.7 147.4	7.5
		Sweet Gum Total	82	1772.2	2.0 17.5
297	68	Black Cherry	40	314.5	2.7
LJI	00	Black Oak	8	229.3	1.0
		Red Maple	324	5837.8	59.0
		Sweet Gum	17	419.3	6.0
- Dest Plorinante and Action and Action		Total	389	6800.9	68.7
297	69	Black Cherry	5	39.3	0.2
		Sweet Gum	6	147.4	0.8
		Total	П	186.7	1.0
297	70	Black Cherry	25	196.6	3.5
		Persimmon	4	52.4	0.5
		Sweet Gum	148	3636.4	38.0
		Total	177	3885.4	42.0
298 2	21	American Elm	22	409.5	4.0
		Black Cherry	18	140.9	1.0
		Black Locust Total	309 349	809.2 1359.6	11.9 16.9
		ισται	343	1333.0	10.9
298	22	American Elm	17	317.8	3.0
		Black Cherry Black Locust	40	314.5	3.0
		Total	58 115	150.7 783.0	2.0 8.0
		Ισται	110	/03.0	۵.0

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm²)	Dry Weight (g)
298	23	American Elm	13	242.4	4.0
		Black Locust	50	131.0	1.5
		Total	63	373.4	5.5
298	24	American Elm	16	298.1	3.0
		Black Locust	15	39.3	0.5
		Black Walnut	2	13.1	1.0
		Tulip Poplar Total	7 40	27.9 378.4	3.0 7.5
		ισται	. 40	3/0.4	7.3
298	25	American Elm	2	36.0	0.2
		Black Locust	27	72.1	1.5
		Total	29	108.1	1.7
298	26	American Elm	6	111.4	1.5
		Black Cherry	55	432.4	5.0
		Black Locust	22	59.0	0.3
		Red Maple	1	19.7	0.1
		Sweet Gum	30	737.1	5.0
		Tulip Poplar Total	25 139	976.2 2335.8	11.9 23.8
200					
298	27	American Elm	73	1362.8	12.5
	 	Black Locust Total	64 137	167.1 1529.9	2.0 14.5
		10 0 0 1	137	1323.3	17.5
298	28	American Elm	18	337.4	2.5
		Black Locust	19]	501.2	6.0
		Sweet Gum	1	26.2	0.2
		Total	210	864.8	8.7
298	29	American Elm	60	1120.4	12.05
		Black Locust	68	176.9	2.0
		Total	128	1297.3	14.05
298	30	American Elm	29	540.5	7.0
		Black Locust	96	252.2	3.0
		Sweet Gum	3	75.3	0.2
		Total	128	868.0	10.2
298	51	Red Maple	3 3	55.7	0.4
		Sassafras	3	65.5	2.4
		Sweet Gum	4	98.3	1.0
		Total	10	219.5	3.8

1974 Number Species Leaves (cm²) (g)	_	_		Number	Leaf Surface	Dry
298	Day of	Box		of	Area	Weight
Dogwood 32	1974	Number	Species	Leaves	(cm²)	(g)
Dogwood 32	298	52	Black Cherry	5	39.3	0.5
Pin Oak Sassafras 2 45.9 0.3			_		419.3	7.0
Sassafras 2				. 5		
Sweet Gum				2		
Total 61						
Sassafras 17 380.0 3.0 Sweet Gum 10 245.7 5.4 Total 33 707.6 11.1 298 54 Black Cherry 2 16.4 0.2 Sweet Gum 5 124.5 5.0 Total 7 140.9 5.2 298 55 Black Cherry 5 39.3 0.5 Dogwood 5 65.5 2.5 Persimmon 28 376.7 8.5 Sweet Gum 29 714.2 12.0 Total 67 1195.7 23.5 298 56 Black Cherry 2 16.4 0.5 Red Maple 4 72.1 0.9 Sassafras 1 22.9 0.2 Total 7 111.4 1.6 298 57 Persimmon 4 52.4 0.5 Sweet Gum 31 763.3 9.0 Tulip Poplar 1 39.3 1.0 Total 36 855.0 10.5 298 58 Black Cherry 2 16.4 0.3 Box Elder 40 242.4 5.0 Persimmon 153 2054.0 16.5 Sweet Gum 123 3023.7 49.0 Tulip Poplar 1 39.3 1.0 Total 319 5375.8 71.8 298 59 Black Cherry 38 298.1 4.2 Persimmon 28 376.7 4.5 Spanish Oak 2 42.6 0.05 Sweet Gum 25 615.9 10.5			Total	61	1028.6	13.5
Sassafras 17 380.0 3.0 Sweet Gum 10 245.7 5.4 Total 33 707.6 11.1 298 54 Black Cherry 2 16.4 0.2 Sweet Gum 5 124.5 5.0 Total 7 140.9 5.2 298 55 Black Cherry 5 39.3 0.5 Dogwood 5 65.5 2.5 Persimmon 28 376.7 8.5 Sweet Gum 29 714.2 12.0 Total 67 1195.7 23.5 298 56 Black Cherry 2 16.4 0.5 Red Maple 4 72.1 0.9 Sassafras 1 22.9 0.2 Total 7 111.4 1.6 298 57 Persimmon 4 52.4 0.5 Sweet Gum 31 763.3 9.0 Tulip Poplar 1 39.3 1.0 Total 36 855.0 10.5 298 58 Black Cherry 2 16.4 0.3 Box Elder 40 242.4 5.0 Persimmon 153 2054.0 16.5 Sweet Gum 123 3023.7 49.0 Tulip Poplar 1 39.3 1.0 Total 319 5375.8 71.8 298 59 Black Cherry 38 298.1 4.2 Persimmon 28 376.7 4.5 Spanish Oak 2 42.6 0.05 Sweet Gum 25 615.9 10.5	298	53	Persimmon	6	81.9	2.7
Sweet Gum		00				
Total 33 707.6 11.1						
Sweet Gum 5						
Sweet Gum 5	200	EΛ	Plack Champy	2	16.4	0.2
Total 7	290	54		<u> </u>		
Dogwood S 65.5 2.5 Persimmon 28 376.7 8.5 Sweet Gum 29 714.2 12.0 Total 67 1195.7 23.5 298 56 Black Cherry 2 16.4 0.5 Red Maple 4 72.1 0.9 Sassafras 1 22.9 0.2 Total 7 111.4 1.6 298 57 Persimmon 4 52.4 0.5 Sweet Gum 31 763.3 9.0 Tulip Poplar 1 39.3 1.0 Total 36 855.0 10.5 298 58 Black Cherry 2 16.4 0.3 Box Elder 40 242.4 5.0 Persimmon 153 2054.0 16.5 Sweet Gum 123 3023.7 49.0 Tulip Poplar 1 39.3 1.0 Total 319 5375.8 71.8 298 59 Black Cherry 38 298.1 4.2 Persimmon 28 376.7 4.5 Spanish Oak 2 42.6 0.05 Sweet Gum 25 615.9 10.5				5		
Dogwood S 65.5 2.5 Persimmon 28 376.7 8.5 Sweet Gum 29 714.2 12.0 Total 67 1195.7 23.5 298 56 Black Cherry 2 16.4 0.5 Red Maple 4 72.1 0.9 Sassafras 1 22.9 0.2 Total 7 111.4 1.6 298 57 Persimmon 4 52.4 0.5 Sweet Gum 31 763.3 9.0 Tulip Poplar 1 39.3 1.0 Total 36 855.0 10.5 298 58 Black Cherry 2 16.4 0.3 Box Elder 40 242.4 5.0 Persimmon 153 2054.0 16.5 Sweet Gum 123 3023.7 49.0 Tulip Poplar 1 39.3 1.0 Total 319 5375.8 71.8 298 59 Black Cherry 38 298.1 4.2 Persimmon 28 376.7 4.5 Spanish Oak 2 42.6 0.05 Sweet Gum 25 615.9 10.5	200	EE	Plack Chowny	E	20.2	0.5
Persimmon 28 376.7 8.5	290	33		ე ნ		
Sweet Gum 29 714.2 12.0						
Total 67 1195.7 23.5 298 56 Black Cherry 2 16.4 0.5 Red Maple 4 72.1 0.9 Sassafras 1 22.9 0.2 Total 7 111.4 1.6 298 57 Persimmon 4 52.4 0.5 Sweet Gum 31 763.3 9.0 Tulip Poplar 1 39.3 1.0 Total 36 855.0 10.5 298 58 Black Cherry 2 16.4 0.3 Box Elder 40 242.4 5.0 Persimmon 153 2054.0 16.5 Sweet Gum 123 3023.7 49.0 Tulip Poplar 1 39.3 1.0 Total 319 5375.8 71.8 298 59 Black Cherry 38 298.1 4.2 Persimmon 28 376.7 4.5 Spanish Oak 2 42.6 0.05 Sweet Gum 25 615.9 10.5						
298 56 Black Cherry 2 16.4 0.5 Red Maple 4 72.1 0.9 Sassafras 1 22.9 0.2 Total 7 111.4 1.6						23.5
Red Maple 4 72.1 0.9 Sassafras 1 22.9 0.2	000	r-c	D3 1 01	•	3.6.4	0.5
Sassafras 1 22.9 0.2	298	56		2		
Total 7 111.4 1.6 298 57 Persimmon 4 52.4 0.5						
298 57 Persimmon Sweet Gum 31 763.3 9.0 763.3 9.0 7ulip Poplar 1 39.3 1.0 70 70 70 70 70 70 70 70 70 70 70 70 70						
Sweet Gum 31 763.3 9.0 Tulip Poplar 1 39.3 1.0 Total 36 855.0 10.5 298 58 Black Cherry 2 16.4 0.3 Box Elder 40 242.4 5.0 Persimmon 153 2054.0 16.5 Sweet Gum 123 3023.7 49.0 Tulip Poplar 1 39.3 1.0 Total 319 5375.8 71.8 298 59 Black Cherry 38 298.1 4.2 Persimmon 28 376.7 4.5 Spanish Oak 2 42.6 0.05 Sweet Gum 25 615.9 10.5			lotal	/	111.4	1.0
Tulip Poplar 1 39.3 1.0 Total 36 855.0 10.5 298 58 Black Cherry 2 16.4 0.3 Box Elder 40 242.4 5.0 Persimmon 153 2054.0 16.5 Sweet Gum 123 3023.7 49.0 Tulip Poplar 1 39.3 1.0 Total 319 5375.8 71.8 298 59 Black Cherry 38 298.1 4.2 Persimmon 28 376.7 4.5 Spanish Oak 2 42.6 0.05 Sweet Gum 25 615.9 10.5	298	57	Persimmon		52.4	0.5
Total 36 855.0 10.5 298 58 Black Cherry 2 16.4 0.3 Box Elder 40 242.4 5.0 Persimmon 153 2054.0 16.5 Sweet Gum 123 3023.7 49.0 Tulip Poplar 1 39.3 1.0 Total 319 5375.8 71.8 298 59 Black Cherry 38 298.1 4.2 Persimmon 28 376.7 4.5 Spanish Oak 2 42.6 0.05 Sweet Gum 25 615.9 10.5			Sweet Gum	31		9.0
298 58 Black Cherry Box Elder 40 242.4 5.0 Persimmon 153 2054.0 16.5 Sweet Gum 123 3023.7 49.0 Tulip Poplar 1 39.3 1.0 Total 319 5375.8 71.8 298 59 Black Cherry 38 298.1 4.2 Persimmon 28 376.7 4.5 Spanish Oak 2 42.6 0.05 Sweet Gum 25 615.9 10.5				•		
Box Elder 40 242.4 5.0 Persimmon 153 2054.0 16.5 Sweet Gum 123 3023.7 49.0 Tulip Poplar 1 39.3 1.0 Total 319 5375.8 71.8 298 59 Black Cherry 38 298.1 4.2 Persimmon 28 376.7 4.5 Spanish Oak 2 42.6 0.05 Sweet Gum 25 615.9 10.5			Total	36	855.0	10.5
Persimmon 153 2054.0 16.5 Sweet Gum 123 3023.7 49.0 Tulip Poplar 1 39.3 1.0 Total 319 5375.8 71.8 298 59 Black Cherry 38 298.1 4.2 Persimmon 28 376.7 4.5 Spanish Oak 2 42.6 0.05 Sweet Gum 25 615.9 10.5	298	58	Black Cherry	2	16.4	0.3
Persimmon 153 2054.0 16.5 Sweet Gum 123 3023.7 49.0 Tulip Poplar 1 39.3 1.0 Total 319 5375.8 71.8 298 59 Black Cherry 38 298.1 4.2 Persimmon 28 376.7 4.5 Spanish Oak 2 42.6 0.05 Sweet Gum 25 615.9 10.5			Box Elder	40	242.4	5.0
Sweet Gum 123 3023.7 49.0 Tulip Poplar 1 39.3 1.0 Total 319 5375.8 71.8 298 59 Black Cherry 38 298.1 4.2 Persimmon 28 376.7 4.5 Spanish Oak 2 42.6 0.05 Sweet Gum 25 615.9 10.5			Persimmon	153		
Tulip Poplar 1 39.3 1.0 Total 319 5375.8 71.8 298 59 Black Cherry 38 298.1 4.2 Persimmon 28 376.7 4.5 Spanish Oak 2 42.6 0.05 Sweet Gum 25 615.9 10.5			Sweet Gum			
Total 319 5375.8 71.8 298 59 Black Cherry 38 298.1 4.2 Persimmon 28 376.7 4.5 Spanish Oak 2 42.6 0.05 Sweet Gum 25 615.9 10.5						
Persimmon 28 376.7 4.5 Spanish Oak 2 42.6 0.05 Sweet Gum 25 615.9 10.5				319		
Persimmon 28 376.7 4.5 Spanish Oak 2 42.6 0.05 Sweet Gum 25 615.9 10.5	298	59	Black Cherry	38	298.1	4.2
Spanish Oak 2 42.6 0.05 Sweet Gum 25 615.9 10.5	_	2.0				
Sweet Gum 25 615.9 10.5						
				93	1333.3	19.25

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (ċm²)	Dry Weight (g)
298	60	American Elm	2	36.0	0.3
		Black Cherry	1	6.5	0.2
		Red Maple	21	380.0	2.5
		Sassafras	1	22.9	0.05
		Sweet Gum	75	1844.4	29.9
		Tulip Poplar	23	897.6	8.8
		Total	123	3187.4	41.75
302	1	Beech	265	5297.3	22.3
		Black Oak	19	547.1	9.75
		Red Maple	50	900.9	7.6
		Spanish Oak	2	42.6	0.3
		Tupelo	10	173.6	1.45
		White Oak Total	70 416	1412.0 8373.5	21.1 62.5
		Ισται	410	03/3.5	02.3
302	2	Black Oak	8	229.3	4.3
		Scarlet Oak	25	835.4	12.9
		Spanish Oak	36	753.5	8.3
		Tupelo	16	278.5	2.85
		White Oak	121	2440.6	29.9
		Total	206	4537.3	58.25
302	3	Black Oak	11	317.8	5.25
		Dogwood	3	39.3	0.45
		Red Maple	1	19.7	0.15
		Scarlet Oak	8	268.6	3.5
		Spanish Oak	110	2303.0	29.1
		Sweet Gum	4	98.3	0.75
		Tupelo	25	435.7	4.75
		White Oak Total	171 333	3449.6 6932.0	44.9 88.85
	4				
302	4	Beech	115	2299.7	11.5
		Black Oak	וַן	317.8	6.7
		Chestnut Oak]	22.9	0.5
		Red Maple	107	1929.6	15.1
		Scarlet Oak	11	366.9	4.6
		Spanish Oak	2	42.6	0.65
		Tupelo	24	419.3	4.55
	. 1	Virginia Pine	49	160.5	1.0
		White Oak	28	563.5	6.9
		Total	348	6122.8	51.5

0			Number	Leaf Surface	Dry
Day of 1974	Box Number	Species	of Leaves	Area (cm²)	Weight (g)
1 % / 1	eministri variance variançam di robal mentro enlare el 1990 el debid	A by the A I A the	THE PARTY OF THE P		
302	5	Beech	13	258.8	1.5
		Black Oak	25	720.7	18.35
		Chestnut Oak	l l	22.9	0.45
		Red Maple	24	432.4	4.85
		Scarlet Oak	62	2070.4	27.9
		Sweet Gum	5	124.5	0.6
		Tupelo	40 80	697.8 1615.1	9.0 17.05
Constitution of the Consti	Sanner Communicaçõe de Carrier dos comos que de procesiones en 1962 que descuencia de constituir de constituir	White Oak Total	250	5942.6	79.7
		10 ca 1	250	3342.0	73.7
302	6	Beech	4	78.6	0.4
		Black Oak	17	491.4	8.9
		Chestnut Oak	8	173.6	3.85
		Red Maple	6	108.1	0.7
		Scarlet Oak	6 3 7	101.6	2.2
		Sweet Gum		173.6	2.9
		Tupelo	25 86	435.7	3.45
стительное сий помогу справий тольное	classes (The classes and associate any group of the contract o	White Oak Total	156	1736.3 3298.9	26.2 48.6
		10001	100	JE30.3	10.0
302	7	Beech	49	979.5	4.4
		Black Oak	40	1153.1	21.6
		Dogwood	14	183.5	1.7
		Red Maple	15	271.9	1.9
		Scarlet Oak	36	1202.3	12.9
		Spanish Oak	18	376.7	3.3
		Sweet Gum	15	370.2	3.6
		Tupelo White Oak	36 107	629.0 2158.9	6.5
		Total	330	7325.1	26.9 82.8
			300	7020.1	02.0
302	8	Black Oak	39	1123.7	16.5
		Chestnut Oak	3	65.5	1.0
		Red Maple	19	344.0	4.0
		Scarlet Oak	43	1438.2	22.6
		Tupelo	29 26	504.5	6.5
		Virginia Pine White Oak	35 63	114.7 1271.1	0.7
Note that the state of the stat		Total	231	4861.7	14.0 65.3
		.0041	F91	TOO1./	05.5

Forest Ecology Litter Box Data - 1974

Day of	Box Number	Species	Number of Leaves	Leaf Surface Area (cm²)	Dry Weight (g)
302	9	Beech	102	2037.7	13.4
	_	Black Oak	3	85.2	2.2
		Chestnut Oak	- 14	307.9	6.0
		Red Maple	34	612.6	5.2
		Scarlet Oak	4	134.3	1.9
		Tupelo	13	226.0	1.9
		Virginia Pine	15	49.1	0.3
		White Oak	108	2178.5	28.65
		Total	293	5631.3	59.55
302	10	Beech	8	160.5	0.8
		Black Oak	53	1526.6	29.35
		Chestnut Oak	27	589.7	7.6
		Tupelo	49	855.0	8.9
The Manuscript Constitution of Manuscript Constitution on the Constitution of Constitution on		White Oak	93	1877.1	19.2
		Total	230	5008.9	65.85
302	41	Black Cherry	41	321.0	4.1
		Sweet Cherry	6	85.2	0.65
		Sweet Gum	108	2653.6	24.7
		Total	155	3059.8	29.45
302	42	Black Cherry	6	45.9	0.6
		Dogwood	3	39.3	0.4
		Red Maple	5	91.7	0.7
		Tulip Poplar	11	429.2	8.4
		Sweet Gum	55	1353.0	19.2
		Total	80	1959.1	29.3
302	43	Black Cherry	81	635.5	6.7
		Red Maple	11	199.8	1.45
		Sweet Gum	74	1818.2	18.6
	on de construent (C. 17 de la residió de la construenció en especial de la construenció d	Tulip Poplar	6	216.2	2.75
		Total	172	2869.7	29.5
302	44	Black Cherry	122	959.9	8.2
		Scarlet Oak	7	ses	1.0
		Sweet Gum_	49	1205.6	16.5
		Tulip Poplar	5	195.6	2.2
		Total	183	2361.1	27.9

Red Maple 15 271.9 1.8 Sweet Gum 92 2260.4 27.0 Tulip Poplar 21 819.0 7.15 Total 173 3737.8 40.8 302 46 Sweet Gum 101 2483.2 45.55 Tulip Poplar 5 196.6 1.8 Total 106 2679.8 47.35 302 47 Black Cherry 37 291.6 4.3 Dogwood 4 52.4 0.6 Sweet Gum 250 6142.5 98.3 Tulip Poplar 3 117.9 0.55 Total 294 6604.4 103.75 302 48 Sweet Gum 43 1058.1 15.7 Tulip Poplar 74 2886.2 38.1 Total 117 3944.3 53.8 302 49 Black Cherry 132 1038.5 13.1 Sweet Gum 219 5382.5 66.6 Tulip Poplar 5 196.6 3.3 Total 356 6617.6 83.0 302 50 Black Cherry 66 517.6 10.9	Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
Dogwood Red Maple 15 271.9 1.8	302	45	Black Cherry	39	307.9	4.2
Red Maple			•		78.6	0.65
Sweet Gum				15	271.9	
Total 173 3737.8 40.8						
302 46 Sweet Gum			Tulip Poplar			
Tulip Poplar 5 196.6 1.8 Total 106 2679.8 47.35 302 47 Black Cherry 37 291.6 4.3 Dogwood 4 52.4 0.6 Sweet Gum 250 6142.5 98.3 Tulip Poplar 3 117.9 0.55 Total 294 6604.4 103.75 302 48 Sweet Gum 43 1058.1 15.7 Tulip Poplar 74 2886.2 38.1 Total 117 3944.3 53.8 302 49 Black Cherry 132 1038.5 13.1 Sweet Gum 219 5382.5 66.6 Tulip Poplar 5 196.6 3.3 Total 356 6617.6 83.0 302 50 Black Cherry 66 517.6 10.9 Sweet Gum 221 5431.6 40.55 Tulip Poplar 15 586.4 6.5 Tulip Poplar 15 586.4 6.5 Total 302 6535.6 57.95 303 31 Beech 301 6014.7 29.1 Black Oak 15 432.4 8.0 Hickory 23 504.5 5.4 Scarlet Oak 11 366.9 5.3 Spanish Oak 32 668.3 8.9 Sweet Gum 19 468.5 10.1 Tulip Poplar 9 350.5 2.0 Virginia Pine 11 36.0 0.3 White Oak 8 160.5 3.4			Total	173	3737.8	40.8
Total 106 2679.8 47.35 302 47 Black Cherry 37 291.6 4.3 Dogwood 4 52.4 0.6 Sweet Gum 250 6142.5 98.3 Tulip Poplar 3 117.9 0.55 Total 294 6604.4 103.75 302 48 Sweet Gum 43 1058.1 15.7 Tulip Poplar 74 2886.2 38.1 Total 117 3944.3 53.8 302 49 Black Cherry 132 1038.5 13.1 Sweet Gum 219 5382.5 66.6 Tulip Poplar 5 196.6 3.3 Total 356 6617.6 83.0 302 50 Black Cherry 66 517.6 10.9 Sweet Gum 221 5431.6 40.55 Tulip Poplar 15 586.4 6.5 Tulip Poplar 15 586.4 6.5 Total 302 6535.6 57.95 303 31 Beech 301 6014.7 29.1 Black Oak 15 432.4 8.0 Hickory 23 504.5 5.4 Scarlet Oak 11 366.9 5.3 Spanish Oak 32 668.3 8.9 Sweet Gum 19 468.5 10.1 Tulip Poplar 9 350.5 2.0 Virginia Pine 11 36.0 0.3 White Oak 8 160.5 3.4	302	46	Sweet Gum	101	2483.2	45.55
Total 106 2679.8 47.35 302 47 Black Cherry 37 291.6 4.3						1.8
Dogwood Sweet Gum 250 6142.5 98.3 70 11 11 11 12 12 13 14 15 15 15 15 15 15 15	Annualis Addition with making plants			106	2679.8	47.35
Dogwood Sweet Gum 250 6142.5 98.3 70 11 11 11 12 12 13 14 15 15 15 15 15 15 15	302	47	Black Cherry	37	291.6	4.3
Sweet Gum		••				
Tulip Poplar 3 117.9 0.55 Total 294 6604.4 103.75 302 48 Sweet Gum 43 1058.1 15.7 Tulip Poplar 74 2886.2 38.1 Total 117 3944.3 53.8 302 49 Black Cherry 132 1038.5 13.1 Sweet Gum 219 5382.5 66.6 Tulip Poplar 5 196.6 3.3 Total 356 6617.6 83.0 302 50 Black Cherry 66 517.6 10.9 Sweet Gum 221 5431.6 40.55 Tulip Poplar 15 586.4 6.5 Tulip Poplar 15 586.4 6.5 Total 302 6535.6 57.95 303 31 Beech 301 6014.7 29.1 Black Oak 15 432.4 8.0 Hickory 23 504.5 5.4 Scarlet Oak 11 366.9 5.3 Spanish Oak 32 668.3 8.9 Sweet Gum 19 468.5 10.1 Tulip Poplar 9 350.5 2.0 Virginia Pine 11 36.0 0.3 White Oak 8 160.5 3.4						
302						0.55
Tulip Poplar 74 2886.2 38.1 Total 117 3944.3 53.8 302 49 Black Cherry 132 1038.5 13.1 Sweet Gum 219 5382.5 66.6 Tulip Poplar 5 196.6 3.3 Total 356 6617.6 83.0 302 50 Black Cherry 66 517.6 10.9 Sweet Gum 221 5431.6 40.55 Tulip Poplar 15 586.4 6.5 Total 302 6535.6 57.95 303 31 Beech 301 6014.7 29.1 Black Oak 15 432.4 8.0 Hickory 23 504.5 5.4 Scarlet Oak 11 366.9 5.3 Spanish Oak 32 668.3 8.9 Sweet Gum 19 468.5 10.1 Tulip Poplar 9 350.5 2.0 Virginia Pine 11 36.0 0.3 White Oak 8 160.5 3.4				294	6604.4	103.75
Tulip Poplar 74 2886.2 38.1 Total 117 3944.3 53.8 302 49 Black Cherry 132 1038.5 13.1 Sweet Gum 219 5382.5 66.6 Tulip Poplar 5 196.6 3.3 Total 356 6617.6 83.0 302 50 Black Cherry 66 517.6 10.9 Sweet Gum 221 5431.6 40.55 Tulip Poplar 15 586.4 6.5 Total 302 6535.6 57.95 303 31 Beech 301 6014.7 29.1 Black Oak 15 432.4 8.0 Hickory 23 504.5 5.4 Scarlet Oak 11 366.9 5.3 Spanish Oak 32 668.3 8.9 Sweet Gum 19 468.5 10.1 Tulip Poplar 9 350.5 2.0 Virginia Pine 11 36.0 0.3 White Oak 8 160.5 3.4	302	48	Sweet Gum	43	1058.1	15.7
Total 117 3944.3 53.8 302 49 Black Cherry 132 1038.5 13.1 Sweet Gum 219 5382.5 66.6 Tulip Poplar 5 196.6 3.3 Total 356 6617.6 83.0 302 50 Black Cherry 66 517.6 10.9 Sweet Gum 221 5431.6 40.55 Tulip Poplar 15 586.4 6.5 Total 302 6535.6 57.95 303 31 Beech 301 6014.7 29.1 Black Oak 15 432.4 8.0 Hickory 23 504.5 5.4 Scarlet Oak 11 366.9 5.3 Spanish Oak 32 668.3 8.9 Sweet Gum 19 468.5 10.1 Tulip Poplar 9 350.5 2.0 Virginia Pine 11 36.0 0.3 White Oak 8 160.5 3.4						
Sweet Gum				117		
Sweet Gum	302	49	Black Cherry	132	1038.5	13.1
Tulip Poplar 5 196.6 3.3 Total 356 6617.6 83.0 302 50 Black Cherry 66 517.6 10.9 Sweet Gum 221 5431.6 40.55 Tulip Poplar 15 586.4 6.5 Total 302 6535.6 57.95 303 31 Beech 301 6014.7 29.1 Black Oak 15 432.4 8.0 Hickory 23 504.5 5.4 Scarlet Oak 11 366.9 5.3 Spanish Oak 32 668.3 8.9 Sweet Gum 19 468.5 10.1 Tulip Poplar 9 350.5 2.0 Virginia Pine 11 36.0 0.3 White Oak 8 160.5 3.4				219	5382,5	66.6
302 50 Black Cherry 66 517.6 10.9 Sweet Gum 221 5431.6 40.55 Tulip Poplar 15 586.4 6.5 Total 302 6535.6 57.95 303 31 Beech 301 6014.7 29.1 Black Oak 15 432.4 8.0 Hickory 23 504.5 5.4 Scarlet Oak 11 366.9 5.3 Spanish Oak 32 668.3 8.9 Sweet Gum 19 468.5 10.1 Tulip Poplar 9 350.5 2.0 Virginia Pine 11 36.0 0.3 White Oak 8 160.5 3.4			Tulip Poplar	5		3.3
Sweet Gum 221 5431.6 40.55 Tulip Poplar 15 586.4 6.5 Total 302 6535.6 57.95 303 31 Beech 301 6014.7 29.1 Black Oak 15 432.4 8.0 Hickory 23 504.5 5.4 Scarlet Oak 11 366.9 5.3 Spanish Oak 32 668.3 8.9 Sweet Gum 19 468.5 10.1 Tulip Poplar 9 350.5 2.0 Virginia Pine 11 36.0 0.3 White Oak 8 160.5 3.4			Total	356	6617.6	83.0
Tulip Poplar 15 586.4 6.5 Total 302 6535.6 57.95 303 31 Beech 301 6014.7 29.1 Black Oak 15 432.4 8.0 Hickory 23 504.5 5.4 Scarlet Oak 11 366.9 5.3 Spanish Oak 32 668.3 8.9 Sweet Gum 19 468.5 10.1 Tulip Poplar 9 350.5 2.0 Virginia Pine 11 36.0 0.3 White Oak 8 160.5 3.4	302	50	Black Cherry	66	517.6	10.9
Total 302 6535.6 57.95 303 31 Beech 301 6014.7 29.1 Black Oak 15 432.4 8.0 Hickory 23 504.5 5.4 Scarlet Oak 11 366.9 5.3 Spanish Oak 32 668.3 8.9 Sweet Gum 19 468.5 10.1 Tulip Poplar 9 350.5 2.0 Virginia Pine 11 36.0 0.3 White Oak 8 160.5 3.4			Sweet Gum		5431.6	40.55
303 31 Beech 301 6014.7 29.1 Black Oak 15 432.4 8.0 Hickory 23 504.5 5.4 Scarlet Oak 11 366.9 5.3 Spanish Oak 32 668.3 8.9 Sweet Gum 19 468.5 10.1 Tulip Poplar 9 350.5 2.0 Virginia Pine 11 36.0 0.3 White Oak 8 160.5 3.4						
Black Oak 15 432.4 8.0 Hickory 23 504.5 5.4 Scarlet Oak 11 366.9 5.3 Spanish Oak 32 668.3 8.9 Sweet Gum 19 468.5 10.1 Tulip Poplar 9 350.5 2.0 Virginia Pine 11 36.0 0.3 White Oak 8 160.5 3.4			Total	302	6535.6	57.9 5
Hickory 23 504.5 5.4 Scarlet Oak 11 366.9 5.3 Spanish Oak 32 668.3 8.9 Sweet Gum 19 468.5 10.1 Tulip Poplar 9 350.5 2.0 Virginia Pine 11 36.0 0.3 White Oak 8 160.5 3.4	303	31	Beech	301	6014.7	29.1
Scarlet Oak 11 366.9 5.3 Spanish Oak 32 668.3 8.9 Sweet Gum 19 468.5 10.1 Tulip Poplar 9 350.5 2.0 Virginia Pine 11 36.0 0.3 White Oak 8 160.5 3.4						
Spanish Oak 32 668.3 8.9 Sweet Gum 19 468.5 10.1 Tulip Poplar 9 350.5 2.0 Virginia Pine 11 36.0 0.3 White Oak 8 160.5 3.4						
Sweet Gum 19 468.5 10.1 Tulip Poplar 9 350.5 2.0 Virginia Pine 11 36.0 0.3 White Oak 8 160.5 3.4						
Tulip Poplar 9 350.5 2.0 Virginia Pine 11 36.0 0.3 White Oak 8 160.5 3.4						
Virginia Pine 11 36.0 0.3 White Oak 8 160.5 3.4						
White Oak 8 160.5 3.4						
				11		
		No. of the last of				

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
303	32	Beech Black Oak Chestnut Oak	340 7 2	6794.4 203.1 42.6	38.2 2.7 0.5
		Dogwood	31	406.2	3.6
		Hickory	11	242.4	0.7
		Scarlet Oak	6	199.8	2.7
		Spanish Oak	43 138	900.9	11.3
		Sweet Gum Tulip Poplar	130 5	3390.7 196.6	50.1 1.6
		White Oak	19	383.3	6.5
		Total	602	12760.0	117.9
303	33	Beech	242	4835.4	36.2
		Black Oak	56	1615.1	22.7
		Hickory	5 8	111.4	1.7
		Red Maple Spanish Oak	106	144.1 2217.8	0.5 28.7
		Sweet Gum	.33	812.4	7.9
		Tulip Poplar	19	740.4	5.4
AND THE PARTY OF T		Total	469	10476.6	103.1
303	34	Beech	435	8694.5	42.8
		Black Oak	10	288.3	6.6
		Spanish Oak	70	1464.4	27.2
		Tulip Poplar Virginia Pine	131 16	5107.3 52.4	43.5 0.3
		White Oak	15	301.4	3.0
	<u></u>	Total	677	15908.3	123.4
303	35	Beech	442	8832.1	49.0
		Chestnut Oak]	22.9	0.5
		Dogwood	3	39.3	0.2
		Hickory	5 1	111.4	2.2
		Red Maple Spanish Oak	36	19.7 753.5	0.1 11.3
		Sweet Gum	26	638.8	7.5
		Tulip Poplar	40	1559.4	14.5
		Virginia Pine	17	55.7	0.4
	···	White Oak	1	19.7	0.2
		Total	572	12052.5	85.9

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
303	36	Beech Chestnut Oak Hickory Spanish Oak Sweet Gum	405 10 41 70 31	8095.0 219.5 900.9 1464.4 763.3	43.9 3.5 7.8 20.9 9.3
		Tulip Poplar White Oak Total	118 2 677	4599.5 39.3 16081.9	33.9 0.5 119.8
303	37	Beech Black Oak Hickory Spanish Oak Sweet Gum Tulip Poplar	462 1 5 194 9 38	9231.8 29.5 111.4 4062.2 222.8 1480.7	57.6 0.7 2.5 51.1 3.5 10.3
	AMARINETES YOU François Annie Annie 27 de la grande de la companya de la companya de la companya de la company	Total	709	15138.4	125.7
303	38	Beech Black Oak Hickory Spanish Oak Tulip Poplar White Oak	539 28 3 24 8 4	10771.5 805.9 65.5 501.2 311.2 81.9	64.8 24.1 1.0 8.1 1.8 1.0
	- Committee - Andrew (American American American American American American American American American American	Total	606	12537.2	100.8
303	39	Beech Black Oak Dogwood Hickory Spanish Oak Sweet Gum Tulip Poplar White Oak Total	365 28 8 49 53 12 40 8	7295.6 805.9 104.8 1074.5 1110.6 294.8 1559.4 160.5	41.7 20.6 0.7 9.8 16.9 2.7 8.0 1.0
303	40	Beech Dogwood	336 2	6715.8 26.2	46.8 0.4
		Mockernut Hickory Scarlet Oak Sweet Gum Tulip Poplar	25 4 35 26	550.4 134.3 861.6 1012.3	5.9 2.4 14.5 8.8
		White Oak Total	40 468	805.9 10106.5	20.8 99.6

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
303	71	Red Maple	1	19.7	0.2
303	73	Black Willow	13	144.1	0.5
303	74	Red Maple	8	144.1	1.15
303	76	Black Willow Red Maple Total	5 1 6	55.7 19.7 75.4	0.25 0.1 0.35
303	77	Red Maple Spanish Oak Sweet Gum Tulip Poplar Total	9 13 3 2 27	163.8 271.9 75.3 78.6 589.6	0.75 3.7 1.05 0.5
303	78	Red Maple Scarlet Oak Total	1 3 4	19.7 101.6 121.3	0.1 0.35 0.45
303	79	Black Willow Red Maple Sweet Gum Sycamore Total	13 6 2 1 22	144.1 108.1 49.1 42.6 343.9	0.3 0.8 0.3 2.4
303	80	Persimmon Pin Oak Red Maple Sweet Gum Tulip Poplar Total	3 13 2 3 1 22	39.3 268.6 36.0 75.3 39.3	0.35 1.8 0.2 1.1 0.6 4.05
304	11	Beech Dogwood Hickory Red Maple Scarlet Oak Sweet Gum Sycamore Tulip Poplar White Oak	129 43 42 46 2 31 2 204 9	2578.2 563.5 920.6 828.8 65.5 763.3 85.2 7954.1 180.2	6.2 4.0 5.45 4.6 1.4 3.4 1.2 71.2 1.2 98.65

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
304	12	Beech Black Oak Dogwood Hickory Red Maple Scarlet Oak Sweet Gum Tulip Poplar White Oak Total	174 20 44 28 204 12 20 57 12	3475.8 576.6 576.6 615.9 3675.7 399.7 491.4 2221.1 242.4	15.5 24.1 4.9 4.9 46.9 6.9 4.6 17.0 3.0
304	13	Beech Black Oak Dogwood Hickory Red Maple Sweet Gum Sycamore Tulip Poplar Tupelo White Oak	309 15 18 10 15 66 3 256 9 2	6175.3 432.4 235.9 219.5 271.9 1621.6 127.8 9978.7 157.2 39.3	29.6 12.2 2.0 1.7 8.5 15.0 1.1 83.35 1.0 0.5
304	14	Beech Black Oak Hickory Red Maple Spanish Oak Sweet Gum Tulip Poplar White Oak	175 33 9 3 40 1 2 139 402	3498.8 950.0 196.6 55.7 838.7 26.2 78.6 2804.3	21.6 25.4 2.3 0.4 11.1 0.4 1.0 20.8
304	15	Beech Black Oak Dogwood Hickory Hornbeam Post Oak Red Maple Sassafras Spanish Oak	51 8 70 27 8 14 92 5	1018.8 229.3 917.3 593.0 45.9 340.7 1657.7 111.4	6.5 6.7 9.3 6.8 0.4 4.8 21.25 0.4 1.6

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
304	15	Sweet Gum Tulip Poplar Tupelo White Oak	191 5 4 71	4694.5 196.6 68.8 1431.6	76.8 2.4 0.5 17.6
		Total	554	11472.7	155.05
304	16	Beech Black Oak Dogwood Hickory Hornbeam Spanish Oak Sweet Gum White Oak	123 26 23 14 164 97 34 56	2457.0 750.2 301.4 307.9 923.8 2031.1 835.4 1130.2	14.85 18.4 1.6 1.8 4.7 26.3 8.1 14.5
		Total	537	8737.0	90.25
304	17	Beech Black Cherry Black Oak Dogwood Hickory Hornbeam Post Oak Spanish Oak Sweet Gum Tupelo Virginia Pine White Oak	39 4 32 60 7 13 1 55 95 2 43 47	779.7 32.7 923.8 786.2 154.0 72.1 22.9 1153.1 2335.8 36.0 140.9 950.0	4.6 0.1 24.05 5.8 1.1 0.3 0.8 15.9 23.9 0.6 0.6 12.65
304	18	Black Oak Dogwood Spanish Oak Sweet Gum White Oak	77 84 317 58 31	2221.1 1100.7 6637.2 1425.1 625.7	52.8 10.4 81.15 16.25 20.5
		Total	567	12009.8	181.1
304	19	Beech Black Oak Chestnut Oak Dogwood Hickory Red Maple	52 17 30 47 5 77	1038.5 491.4 655.2 615.9 111.4 1389.0	7.0 12.0 19.6 5.3 1.3

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
304	19	Spanish Oak Sweet Gum Tulip Poplar	111 104 6	2322.7 2555.3 232.6	32.0 25.9 1.4
4		White Oak Total	130 579	2624.1 12036.1	32.9 149.2
304	20	Beech Black Oak Dogwood Hickory Spanish Oak Sweet Gum Tupelo	219 2 28 33 77 62 31	4376.7 59.0 366.9 724.0 1611.8 1523.3 540.5	29.6 1.9 3.7 4.0 19.35 23.1 8.9
		Virginia Pine White Oak Total	25 18 495	81.9 366.9 9651.0	0.6 3.3 94.45
304	61	American Elm Red Maple Scarlet Oak Sweet Gum	1 131 10 6	19.7 2362.0 334.1 147.4	0.2 15.0 2.2 3.0
304	62	Total Pin Oak Red Maple Sweet Gum Total	148 298 140 14 452	2863.2 6168.7 2522.5 343.9 9035.1	20.4 48.5 15.4 2.65 66.55
304	63	Red Maple Scarlet Oak	1	19.7 32.8	0.1 0.5
304	64	Total Black Cherry Red Maple Sweet Gum Tulip Poplar	2 49 119 21 2	52.5 386.6 2145.8 517.6 78.6	0.6 4.15 12.3 12.55 0.8
304	65	Total Red Maple Sweet Gum Tulip Poplar	191 1 27 2 30	3128.6 19.7 665.0 78.6	29.8 0.1 9.6 0.1

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface A re a (cm ²)	Dry Weight (g)
304	66	Black Cherry Pin Oak Scarlet Oak	78 1 1	612.6 19.7 32.8	9.2 0.1 0.2
		Total	80	665.1	9.5
304	67	American Elm Pin Oak	27 17	504.5 35 0. 5	5.1 3.35
		Red Maple Sweet Gum	131 37	2362.0 910.7	15.8 11.85
		Total	212	4127.7	36.1
304	68	American Elm Black Cherry Red Maple Sweet Gum	17 135 1078 16	317.8 1061.4 19423.4 393.1	3.85 9.6 157.1 7.0
		Total	1246	21195.7	177.55
304	70	American Elm Black Cherry Sassafras Sweet Gum	4 19 1 180	75.3 150.7 22.9 4422.6	0.3 2.45 0.1 64.75
		Total	204	4671.5	67.6
305	21	American Elm Black Cherry Black Locust	88 16 1000	1644.6 124.5 2620.8	19.7 1.1 34.7
		Total	1104	4389.9	55.5
305	22	American Elm Black Cherry Black Locust	58 60 678	1084.4 471.7 1775.6	11.9 5.1 28.5
		Total	796	3331.7	45.5
305	23	American Elm Black Cherry Black Locust	20 5 461	373.5 39.3 1208.8	4.1 0.4 17.3
		Total	486	1621.6	21.8
305	24	American Elm Black Locust Black Walnut	9 19 7	167.1 49.1 49.1	2.35 0.8 1.1
		Total	35	265.3	4.25

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
305	25	American Elm Black Locust	3 . 67	55.7 176.9	0.5
		Tulip Poplar Total	2 72	78.6 311.2	1.8 5.7
305	26	American Elm	75 260	1402.1	11.9
		Black Cherry Black Oak Red Maple	269 4 25	2116.3 114.7 452.1	27.05 1.7 4.3
		Spanish Oak Sweet Gum	18 18	376.7 442.3	4.85 2.9
		Tulip Poplar Total	42 451	1638.0 6542.2	11.35 64.05
305	27	American Elm Black Locust	73 70	1362.8 183.5	15.2 2.6
Committee Street	Maranan yaga da karana saya saya ya na	Total	143	1546.3	17.8
305	28	American Elm Black Locust Sweet Gum	125 1010 3	2335.8 2647.0 75.3	20.3 37.9 0.6
	**************************************	Total	1138	5058.1	58.8
305	29	American Elm Black Locust	131 167	2447.2 439.0	22.3 5.1
		Total	298	2886.2	27.4
305	30	American Elm Black Locust Chestnut Oak	33 112 26	615.9 294.8 570.0	7.8 4.8 4.5
Market and the state of the sta		Sweet Gum Tulip Poplar	7 2	173.6 78.6	2.3 0.25
		Total	180	1732.9	19.65
305	51	Black Cherry Sweet Gum Total	1 4 5	6.5 98.3 104.8	0.05 0.9 0.95
305	52	Sassafras	4	88.4	0.7
		Sweet Gum Total	6 10	147.4 235.8	1.1

Forest Ecology Litter Box Data - 1974

Day of	Вох		Number of	Leaf Surface Area	Dry Weight
1974	Number	Species	Leaves	(cm ²)	(g)
305	53	Black Cherry	3	22.9	0.2
		Sassafras	19	422.6	2.25
		Sweet Gum	7	173.6	2.0
***		Total	29	619.1	4.45
305	54	Black Cherry	6	45.9	0.5
		Sweet Gum	8	196.6	3.15
		Total	74	242.5	3.65
305	55	Black Cherry	11	85.2	1.1
		Dogwood	19	249.0	2.4
		Persimmon	7	95.0	1.75
-1		Sweet Gum	97	2384.9	26.5
		Total	134	2814.1	31.75
305	56	Black Cherry	3	22.9	0.3
		Red Maple	4	72.1	0.3
		Sweet Gum	6	147.4].]
		Total	13	242.4	1.7
305	57	Black Cherry	2	16.4	0.25
		Sweet Gum	57	1402.1	17.85
		Total	59	1418.5	18.1
305	58	Box Elder	32	196.6	2.75
		Persimmon	16	216.2	2.9
	· · · · · · · · · · · · · · · · · · ·	Sweet Gum	88	2162.2	31.6
		Total	136	2575.0	37.25
305	59	Black Cherry	16	124.5	1.8
		Persimmon	20	268.6	3.45
		Spanish Oak	18	376.7	6.55
		Sweet Gum	99	2434.1	34.0
		Total	153	3203.9	45.8
305	60	American Elm	4	75.3	0.9
		Red Maple	1086	19567.5	110.55
		Sweet Gum	249	6119.6	64.7
		Tulip Poplar	39	1520.1	14.25
		Total	1378	27282.5	190.4

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
309	1	Beech Black Oak Red Maple Scarlet Oak Spanish Oak Tupelo	49 38 2 17 1 3	979.5 1094.2 36.0 566.7 19.7 52.4	3.8 24.5 0.2 10.9 0.25 0.7
		White Oak Total	222 332	4481.6 7230.1	63.0 103.35
309	2	Black Oak Red Maple Scarlet Oak Spanish Oak Sweet Gum Tupelo	31 2 91 53 1 6	894.3 36.0 3040.9 1110.6 26.2 101.6	20.2 0.3 51.45 12.35 0.4 0.5
		White Oak Total	252 436	5084.3 10293.9	71.9 157.1
309	3	Black Oak Dogwood Hickory Red Maple Sassafras Scarlet Oak Spanish Oak Sweet Gum Tupelo White Oak	17 10 7 28 7 4 366 8 6 194	491.4 131.0 154.0 504.5 157.2 134.3 7662.6 196.6 104.8 3914.8	10.1 1.2 1.3 2.15 1.15 0.8 89.6 1.9 0.8 56.9
309	4	Black Oak Red Maple Scarlet Oak Spanish Oak Virginia Pine White Oak Total	25 360 43 14 224 70 736	737.1 6486.5 1438.2 291.6 7338.2 1412.0	21.7 48.85 16.0 3.85 3.9 18.1
309	5	Black Oak Red Maple Sassafras Scarlet Oak Tupelo Virginia Pine White Oak	27 27 7 30 19 9 290	779.7 488.1 157.2 1002.5 330.9 294.8 5850.9	18.75 2.5 1.0 15.0 3.15 0.1 79.1

Forest Ecology Litter Box Data - 1974

Day of	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
309	6	American Elm Black Oak Dogwood Red Maple	1 5 3 3 6	19.7 144.1 39.3 55.7	0.1 2.4 0.45 0.3 2.9
		Scarlet Oak Spanish Oak Tupelo White Oak	5 8 381	199.8 104.8 140.9 7688.8	0.8 1.0 107.8
		Total	412	8393.1	115.75
309	7	Black Oak Dogwood Hickory Red Maple	36 17 5 114	1038.5 222.8 111.4 2054.0	16.15 1.6 1.25 14.85
		Scarlet Oak Spanish Oak Sweet Gum Tupelo White Oak	185 6 4 25 160	6181.8 124.5 98.3 435.7 3226.9	70.55 1.0 1.45 4.5 60.75
enconfigured principus describitor described become que		Total	552	13493.9	172.1
309	8	American Elm Black Oak Chestnut Oak Red Maple Scarlet Oak Spanish Oak Tupelo Virginia Pine White Oak	6 6 70 15 15 55 180 256	111.4 173.6 131.0 1261.3 501.2 314.5 959.9 5896.8 5166.2	0.7 2.65 3.2 11.55 9.35 5.7 6.3 3.2 60.8
309	9	Beech Chestnut Oak Red Maple Scarlet Oak Spanish Oak Tupelo	254 5 18 3 8	5074.5 108.1 324.3 101.6 167.1 278.5	28.9 1.3 1.4 1.0 1.75 2.4
- X		White Oak Total	329 633	6640.4 12694.5	75.75

Forest Ecology Litter Box Data - 1974

Day of	Box		Number of	Leaf Surface Area	Dry Weight
1974	Number	Species	Leaves	(cm ²)	(g)
309	10	Beech	5	101.6	0.3
		Black Oak	24	691.2	9.8
		Chestnut Oak	7	154.0	1.5
		Spanish Oak	20	419.3	4.9
	1	White Oak	439	8697.8	86.6
		Total	495	10063.9	103.1
309	41	Black Cherry	150	1179.4	12.0
		Dogwood	3	39.3	0.5
		Sweet Cherry	56	789.5	4.4
		Sweet Gum	67	1647.8	23.1
		Tulip Poplar	11	39.3	0.3
		Total	277	3695.3	40.3
309	42	Black Cherry	8	62.2	0.85
		Sweet Gum	45	1107.3	14.1
		Tulip Poplar	6	232.6	2.35
		Total	59	1402.1	17.3
309	43	Black Cherry	267	2100.0	22.0
		Red Maple	12	216.2	1.6
		Sweet Gum	142	3488.9	42.5
		Sycamore	1	42.6	0.65
Mark Charles and the second second second second		Tulip Poplar	6	232.6	1.65
		Total	428	6080.3	68.4
309	44	Black Cherry	207	1628.2	16.6
		Persimmon	6	81.9	1.0
		Red Maple	3	55.7	0.4
		Scarlet Oak	11	366.9	1.75
		Sweet Gum	72	1769.0	24.9
		Tulip Poplar	9	350.5	3.75
		Total	308	4252.2	48.4
309	45	Black Cherry	28	219.5	2.8
		Red maple	55	992.6	6.8
		Sweet Gum	127	3122.0	35.5
	MARINE STREET	Tulip Poplar	14	547.1	3.1
		Total	224	4881.2	48.2

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
309	46	Black Cherry Sweet Gum Tulip Poplar	3 176 6	22.9 4 4.3 232.6	0.75 71.7
		Total	185	4579.8	2.7 75.15
309	47	Black Cherry Dogwood Sweet Gum	55 35 215	432.4 458.6 5284.2	8.6 5.25 61.05
		Total	305	6175.2	74.9
309	408	Sweet Gum Tulip Poplar Total	37 75 112	910.7 2925.5 3836.2	13.3 21.0 34.3
309	409	Black Cherry Sweet Gum Tulip Poplar	280 293 3	2201.5 7200.6 117.9	42.0 106.0 2.85
		Total	576	9520.0	150.85
309	50	Black Cherry Sweet Gum Tulip Poplar	188 150 6	1477.5 3685.5 232.6	17.65 59.8 3.65
310	31	Total Beech Black Oak Chestnut Oak Hickory Scarlet Oak Spanish Oak Sweet Gum Tulip Poplar Virginia Pine White Oak	344 496 24 7 62 44 175 6 17 39 7	5395.6 9913.2 691.2 154.0 1359.5 1470.9 3662.6 147.4 661.7 127.8 140.9	81.1 47.3 9.0 2.0 11.3 21.6 55.75 2.7 3.5 0.75 2.15
		Total	877	18329.2	156.05
310	32	Beech Black Oak Dogwood Hickory Scarlet Oak Spanish Oak Sweet Gum Tulip Poplar White Oak	602 10 106 43 17 184 73 22 53	12029.5 288.3 1389.0 943.5 566.7 3852.6 1795.2 858.3 1068.0	70.3 2.4 12.0 9.6 6.75 52.95 25.0 7.5 15.6

			Number	Leaf Surface	Dry
Day of	Box		of	Area	Weight
1974	Number	Species	Leaves	(cm ²)	(g)
310	33	Beech	583	11649.5	61.9
010	00	Black Oak	86	2479.9	30.35
		Hickory	19	416.0	4.85
		Red Maple	10	180.2	1.0
		Spanish Oak	155	3243.2	38.25
		Sweet Gum	34	835.4	10.6
		Tulip Poplar	19	740.4	4.0
		Virginia Pine	21	68.8	0.3
		White Oak	4	81.9	0.75
		Total	931	19695.3	152.0
310	34	Beech	530	10591.3	48.0
		Black Oak	7	203.1	4.0
		Hickory	78	1713.3	14.35
		Spanish Oak	204	4271.9	56.2
		Tulip Poplar	180	7017.2	48.3
		Virginia Pine	200	655.2	3.0
		White Oak	92	1857.5	21.6
		Total	1291	26309.5	195.45
310	35	Beech	517	10332.5	49.7
		Dogwood	5	65.5	0.4
		Hickory	56	1228.5	10.15
		Hornbeam	31	173.6	0.7
		Spanish Oak	83	1736.3	23.75
		Sweet Gum	92	2260.4	27.0
		Tulip Poplar	95	3705.2	29.15
		Virginia Pine	23	75.3	0.4
		White Oak	18	363.6	4.4
		Total	920	19940.9	145.65
310	36	Beech	603	12049.1	44.55
		Chestnut Oak	3	65.5	0.85
		Dogwood	8	104.8	1.0
		Hickory	64	1405.4	11.35
		Spanish Oak	246	5149.9	72.35
		Sweet Gum	37	910.7	15.4
		Tulip Poplar	178	6938.6	47.05
		White Oak	32	645.4	9.7
		Total	1171	27269.4	202.25

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
310	37	Beech Hickory Spanish Oak Tulip Poplar White Oak	207 56 227 62 3	4137.6 1228.5 4753.5 2417.7 59.0	17.8 8.7 58.6 16.1 0.6
		Total	555	12596.3	101.8
310	38	Beech Black Oak Hickory Spanish Oak Sweet Gum Tulip Poplar Virginia Pine White Oak Total	359 64 28 117 3 14 52 168	7174.4 1844.4 615.9 2450.4 75.3 547.1 170.3 3390.7	39.6 54.6 6.0 30.3 0.75 2.7 0.75 43.75
310	39	Beech Black Oak Dogwood Hickory Spanish Oak Sweet Gum Tulip Poplar Virginia Pine White Oak	277 18 25 251 98 12 135 45 38	5536.4 517.6 327.6 5510.2 2050.8 294.8 5264.5 147.4 766.6	26.25 16.7 2.15 43.2 28.1 3.8 32.5 0.7 9.9
310	40	Beech Black Oak Dogwood Hickory Spanish Oak Sweet Gum Tulip Poplar White Oak Total	449 24 13 97 4 15 78 16	8973.0 691.2 170.3 2129.4 85.2 370.2 3040.1 324.3	48.0 12.8 2.2 17.15 1.0 5.55 21.5 5.45
310	71	Red Maple Spanish Oak White Oak Total	2 2 2 2	36.0 42.6 39.3 117.9	0.2 0.8 0.35

Forest Ecology Litter Box Data - 1974

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
310	72	Beech Black Locust Spanish Oak Tulip Poplar Total	3 3 1 1 8	59.0 6.5 19.7 39.3	0.4 0.2 0.3 0.1
310	73	Black Locust Scarlet Oak Tulip Poplar White Oak Total	3 1 1 2 7	6.5 32.8 39.3 39.3	0.2 0.2 0.15 0.5
310	74	Beech Red Maple Spanish Oak Total	, 1 13 5 19	19.7 235.9 104.8 360.4	0.1 0.85 0.8
310	75	Spanish Oak Tulip Poplar Total	1 1 2	19.7 39.3 59.0	0.2 0.5 0.7
310	76	Beech Red Maple Sweet Gum Tulip Poplar	1 1 2 1	19.7 19.7 49.1 39.3	0.1 0.1 0.25 0.1
310	77	Total Black Cherry Pin Oak Red Maple Spanish Oak Sweet Gum Tulip Poplar Total	5 4 3 24 195 1 3 230	127.8 32.8 62.2 432.4 4081.9 26.2 117.9 4753.4	0.5 0.45 0.5 1.55 65.0 0.35 0.8 68.65
310	78	Black Cherry Spanish Oak	1 2 3	6.5 42.6	0.05 0.7
310	79	Total American Elm Red Maple	2 49	49.1 36.0 884.5	0.75 0.65 4.0
		Sweet Gum Total	8 59	196.6 1117.1	2.0 6.65

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
310	80	Pin Oak Sweet Gum	28 6	579.8 147.4	5.5 1.85
		Total	34	727.2	7.35
311	11	Beech Dogwood Hickory Red Maple	36 54 119 219	720.7 707.6 2611.0 3947.6	2.0 5.05 19.3 24.35
		Sweet Gum Tulip Poplar White Oak	23 321 63	566.7 12514.3 1271.1	8.5 109.0 15.5
		Total	835	22339.0	183.7
311	12	Beech Black Oak Dogwood Hickory Red Maple Scarlet Oak Sweet Gum Tulip Poplar	28 49 40 135 36 53 13	560.2 1412.0 524.2 2964.8 648.6 1772.3 321.0 3158.1	2.0 43.0 5.2 22.4 8.2 24.6 3.45 20.5
		White Oak Total	118 553	2381.6 13742.8	36.5 165.85
311	13	Beech Black Oak Dogwood Hickory Red Maple Sweet Gum Sycamore Tulip Poplar Tupelo White Oak	333 47 8 29 37 20 33 3 268 14 12	940.2 229.3 380.0 812.4 360.4 812.4 127.8 10450.4 242.4 242.4	5.35 4.3 3.35 5.6 2.6 13.0 4.6 82.6 1.85 2.65
311	14	Beech Black Oak Dogwood Hickory Red Maple Spanish Oak Sweet Gum Tulip Poplar White Oak	28 8 23 36 16 84 3 14 586	560.2 229.3 301.4 789.5 288.3 1759.2 75.3 547.1 11826.4	3.7 4.2 2.2 5.0 3.3 26.1 0.7 4.9 138.3

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
- Contracting Contracting Contracting	and the state of t			380.0	1.35
311	15	Beech	19 107	1402.1	1.35
		Dogwood	145	3184.3	28.6
		Hickory Red Maple	145	288.3	3.1
		Sassafras	13	288.3	2.7
		Spanish Oak	71	1487.3	19.45
		Sweet Gum	31	763.3	10.75
		Tulip Poplar	2	78.6	1.2
		Virginia Pine	110	360.4	2.55
		White Oak	76	1533.2	25.1
		Total	590	9765.8	109.7
311	16	Beech	13	258.8	1.8
		Black Oak	20	576.6	15.7
		Dogwood	18	235.9	1.9
		Hickory	108	2371.8	19.5
		Hornbeam	102	573.3	4.7
		Spanish Oak	115	2407.9	27.6
		Sweet Gum	43	1051.6	16.35
The state of the s		White Oak	42	848.5	12.25
		Total	461	8324.4	99.2
311	17	Beech	121	2417.7	12.7
		Black Cherry	60	786.2	3.3
		Dogwood	70	917.3	8.2
		Hickory	25	550.4	4.5
		Spanish Oak	34	710.9	7.45
		Sweet Gum	44	1081. 1	15.8
		Virginia Pine	104	340.7	1.75
***************************************		<u>White Oak</u> Total	15 473	301.4 7105.7	4.0 57.7
311	18	•			
311	10	Black Oak Dogwood	16 98	461.9 1284.2	12.0
		Hickory	96 5	111.4	15.2 1.7
		Spanish Oak	188	3934.5	54.2
-		Sweet Gum	239	5873.9	72.6
		Virginia Pine	13	42.6	0.25
		White Oak	20	402.9	5.45
Company Company Company		Total	579	12111.4	161.4
311	19	Beech	41	819.0	4.5
•		Chestnut Oak	2	42.6	1.8
		Dogwood	62	812.4	9.1
		Hickory	26	570.0	3.2
		Red Maple	5	91.7	0.9
		•			

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
311	19	Spanish Oak Sweet Gum	46 64 9	936.1 1572.5	13.8 23.0
		Tulip Poplar Virginia Pine White Oak	18 113	350.5 59.0 2280.1	2.7 0.4 33.5
		Total	386	7533.9	92.9
311	20	Beech Dogwood Hickory	46 12 128	920.6 157.2 2810.8	6.2 1.6 15.1
		Spanish Oak	123	2574.9	29.05
		Sweet Gum Virginia Pine White Oak	33 43 17	812.4 140.9 344.0	18.6 1.2 5.2
		Total	402	7760.8	76.95
311	61	Pin Oak Red Maple Sweet Gum	5 108 2	104.8 1945.9 49.1	1.3 13.35 0.4
		Total	115	2099.8	15.05
311	62	Pin Oak Red Maple Sweet Gum	171 36 7	3541.4 648.6 173.6	29.85 3.0 1.4
		Sycamore Total	<u>1</u> 215	42.6 4406.2	0.9 35.15
311	63	Black Cherry Persimmon Red Maple	6 1 1	78.6 13.1 19.7	1.1 0.3 0.15
		Total	8	111.4	1.55
311	64	Black Cherry Red Maple Spanish Oak Sweet Gum	59 147 27 15	773.1 2650.3 566.7 370.2	4.6 14.05 6.45 6.9
		Tulip Poplar Total	9 257	350.5 4710.8	3.3 35.3
311	65	Black Cherry Sweet Gum	1 20 2	13.1 491.4 78.6	0.2 10.3
	· · · · · · · · · · · · · · · · · · ·	Tulip Poplar Total	23	583.1	0.5 11.0

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
311	66	Black Cherry Pin Oak Sweet Gum	67 9 2	878.0 186.7 49.1	7.4 1.5 0.3
		Total	78	1113.8	9.2
311	67	American Elm Pin Oak Red Maple Sweet Gum	60 9 89 33	1120.4 186.7 1605.2 812.4	12.4 2.2 12.1 9.25
	-	Tulip Poplar Total	1 192	39.3 3764.0	0.45 36.4
		10001			
311	68	American Elm Black Cherry Pin Oak Red Maple Sweet Gum	3 207 21 237 8	55.7 2712.5 435.7 4271.9 196.6	0.45 13.1 3.85 23.7 3.0
		Total	476	7672.4	44.1
311	69	Red Maple Sweet Gum	12 3	216.2 75.3	1.0 1.1 2.1
		Total	15	291.5	2.1
311	70	Black Cherry Sassafras Sweet Gum	12 1 136	157.2 22.9 3341.5	1.3 0.15 46.3
		Total	149	3521.6	47.75
312	21	American Elm Black Cherry Black Locust Sweet Gum	9 113 179 1	167.1 1480.7 468.5 26.2	2.3 10.85 6.35 0.35
		Total	302	2142.5	19.85
312	22	American Elm Black Cherry Black Locust	11 56 132	206.4 733.8 347.3	2.0 6.3 5.1
		Total	199	1287.5	13.4
312	23	American Elm Black Locust	10 81	186.7 212.9	2.75 2.7

Day of 1974	Box Number	Species	Number of	Leaf Surface Area (cm ²)	Dry Weight
19/4	Number	Species	Leaves	(CIII -)	(g)
312	24	American Elm	4	75.3	0.85
		Tulip Poplar	<u>1</u> 5	26.2 101.5	0.5 1.35
		Total	5	101.5	1.33
312	25	Black Cherry	30	393.1	1.3
		Black Locust	19	49.1	1.1
-		Tulip Poplar	4	157.2	2.0
		Total	53	599.4	4.4
312	26	American Elm	5	95.0	1.1
0.12	20	Black Cherry	156	2044.2	19.7
		Red Maple	2	36.0	0.2
		Spanish Oak	44	920.6	14.65
		Sweet Gum	27	665.0	5.75
		Tulip Poplar	48	1870.6	15.95
		White Oak	3	59.0	1.0
		Total	285	5690.4	58.35
312	27	American Elm	11	206.4	2.8
012	۲,	Black Locust	8	19.7	0.25
		Sweet Gum	ĩ	26.2	0.6
		White Oak	6	121.2	1.1
		Total	26	373.5	4.75
312	28	American Elm	8	150.7	1.0
0.2	20	Black Cherry	4	52.4	0.5
		Black Locust	58 9	1543.0	21.6
		Sweet Gum	19	468.5	4.25
		Total	620	2214.6	27.35
312	29	American Elm	59	1100.7	11.6
• • •		Black Cherry	2	26.2	0.15
		Black Locust	25	65.5	0.8
	····	Total	86	1192.4	12.55
312	30	American Elm	11	206.4	1.9
	- -	Black Locust	32	85.2	1.45
		Chestnut Oak		108.1	1.2
		Sweet Gum	5 2	49.1	0.5
		Total	50	448.8	5.05
312	51	Tulip Poplar	1	39.3	0.2
		Sweet Gum	2	49.1	0.15
		Total	3	88.4	0.3

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm²)	Dry Weight (g)
312	52	Sassafras Sweet Gum	1 6	22.9 147.4	0.3 1.45
		Total	/	170.3	1.75
312	53	Black Cherry Sassafras Sweet Gum	7 61 9	91.7 1359.5 222.8	0.35 9.7 1.85
		Total	77	1674.0	11.9
312	54	Black Cherry Sweet Gum	7 18 25	91.7 442.3 534.0	1.0 5.65 6.65
		Total	25	534.0	0.00
312	55	Black Cherry Dogwood Persimmon	2 1 1	26.2 13.1 13.1	0.2 0.3 0.1
		Sassafras Sweet Gum	12 49	268.6 1205.6	1.3 24.9
enema tri constituenti in endepenti construcio processi di	орадина регулима на поднит в роспит и подгова при под под на при под	Total	65	1526.6	26.8
312	56	Black Cherry Sassafras	11 1	144.1 22.9	2.2 0.1
		Total	12	167.0	2.3
312	57	Sweet Gum	9	222.8	2.65
312	58	Box Elder Persimmon Sweet Gum Total	11 11 43 65	65.5 147.4 1058.1 1271.0	0.8 1.85 16.5 19.15
312	59	Black Cherry Persimmon Spanish Oak Sweet Gum	15 4 20 46	196.6 52.4 419.3 1130.2	2.3 0.5 7.8 16.3
Colombia group, and here in this manage which exactly more do		Total	85	1798.5	26.9
312	60	Red Maple Sweet Gum	44 38	792.8 933.7	5.3 16.85
		Tulip Poplar Total	16 98	622.4 2348.9	3.8 25.95

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
316	1	Black Oak Scarlet Oak Tupelo White Oak Total	1 2 2 10 15	29.5 65.5 36.0 203.1 334.1	0.7 1.2 0.45 3.7 6.05
316	2	Black Oak White Oak Total	2 15 17	59.0 301.4 360.4	2.15 4.5 6.65
316	3	Spanish Oak White Oak Total	4 19 23	85.2 383.3 468.5	0.9 4.65 5.55
316	4	Beech Red Maple Virginia Pine White Oak Total	5 3 70 5 83	101.6 55.7 229.3 101.6 488.2	0.45 0.4 1.3 1.1 3.25
316	5	Beech Black Oak Red Maple Sassafras Scarlet Oak Sweet Gum White Oak Total	3 12 6 2 12 3 46	59.0 347.3 108.1 45.9 399.7 75.3 927.1	0.3 8.8 1.1 0.3 6.4 0.3 17.4 34.6
316	6	Black Oak Spanish Oak White Oak Total	1 2 21 24	29.5 42.6 422.6 494.7	0.9 0.45 9.4 10.75
316	7	Beech Hickory Red Maple Scarlet Oak Spanish Oak Tupelo White Oak Total	5 12 2 1 3 2 18 43	101.6 262.1 36.0 32.8 62.2 36.0 363.6	0.3 1.85 0.3 0.65 0.65 0.2 5.55

Forest Ecology Litter Box Data - 1974

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
316	8	Red Maple Spanish Oak Virginia Pine White Oak	1 1 58 7	19.7 19.7 190.0 140.9	0.3 0.5 1.0 1.65
		Total	67	370.3	3.45
316	9	Beech Chestnut Oak Scarlet Oak Spanish Oak Tupelo Virginia Pine White Oak	6 5 2 2 3 74 19	121.2 108.1 65.5 42.6 52.4 242.4 383.3	0.35 1.25 1.15 1.15 0.6 1.15
		Total	111	1015.5	10.1
316	10	Black Oak White Oak Total	1 34 35	29.5 684.7 714.2	0.55 10.5 11.05
316	41	Black Cherry Sweet Gum Total	24 9 33	314.5 222.8 537.3	2.45 2.25 4.7
316	42	Black Cherry Sweet Gum Tulip Poplar White Oak	3 7 2 1	39.3 173.6 78.6 19.7	0.2 4.25 1.0 0.4
		Total	13	311.2	5.85
316	43	Black Cherry Red Maple Sweet Gum Tulip Poplar	21 1 8 1 31	275.2 19.7 196.6 39.3	2.15 0.3 2.25 0.3
316	44	Total Black Cherry Persimmon Sweet Gum Tulip Poplar	25 5 16 2	530.8 327.6 68.8 393.1 78.6	5.0 2.8 1.0 5.6 0.6
316	45	Total Red Maple Scarlet Oak Sweet Gum Tulip Poplar Total	48 3 2 7 4 16	868.1 55.7 65.5 173.6 157.2 452.0	10.0 0.25 0.7 2.5 1.6 5.05

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
316	46	Black Cherry Sweet Gum Tulip Poplar	5 29 1	65.5 714.2 39.3	0.55 12.1 0.5
		Total	35	819.0	13.15
316	47	Black Cherry Dogwood Sweet Gum	. 8 . 1 30	104.8 13.1 737.1	1.1 0.3 13.7
		Total	39	855.0	15.1
316	48	Sweet Gum Tulip Poplar Total	5 14 19	124.5 547.1 671.6	2.9 4.7 7.6
316	49	Black Cherry Sweet Gum Tulip Poplar	17 27 1	222.8 665.0 39.3	2.5 9.2 0.5
316	50	Total Black Cherry Red Maple Sweet Gum	45 5 1 4	927.1 65.5 19.7 98.3	12.2 0.35 0.2 2.8
		Total	10	183.5	3.35
317	31	Beech Hickory Spanish Oak Virginia Pine	3 13 4 25	59.0 285.0 85.2 81.9	0.15 1.8 1.1 0.45
		Total	45	511.1	3.5
317	32	Beech Hickory Spanish Oak Sweet Gum Tulip Poplar	6 15 5 2 2	121.2 330.9 104.8 49.1 78.6	0.55 2.5 1.1 1.0 0.2
		Total	30	684.6	5.35
317	33	Beech Hickory Spanish Oak Sweet Gum	8 15 9 1	160.5 330.9 190.0 26.2	0.7 3.0 2.05 0.5
		Total	33	707.6	6.25

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
317	34	Beech Hickory Spanish Oak Tulip Poplar Virginia Pine White Oak	4 8 9 3 31 3	78.6 176.9 190.0 117.9 101.6 59.0	0.25 0.8 2.2 1.2 0.5 0.65
317	35	Total Beech Chestnut Oak Hickory Spanish Oak Tulip Poplar	58 6 1 7 2 2	724.0 121.2 22.9 154.0 42.6 78.6	5.6 0.45 0.2 2.5 0.5 0.6
317	36	Total Beech Spanish Oak Tulip Poplar Total	18 12 17 3 32	419.3 239.1 357.1 117.9 714.1	4.25 1.1 4.85 0.15 6.1
317	37	Beech Hickory Spanish Oak Total	9 8 6 23	180.2 176.9 124.5 481.6	0.7 1.25 2.05 4.0
317	38	Beech Hickory Spanish Oak Tulip Poplar Total	13 8 5 4	258.8 176.9 104.8 157.2 697.7	1.0 3.8 1.5 1.5
317	39	Beech Hickory Spanish Oak Sweet Gum Tulip Poplar White Oak Total	9 15 5 1 8 4	180.2 330.9 104.8 26.2 311.2 81.9	0.8 1.6 1.6 0.1 1.65 0.9
317	40	Beech Hickory Spanish Oak Sweet Gum Tulip Poplar White Oak Total	8 18 5 4 2 2 39	160.5 396.4 104.8 98.3 78.6 39.3	1.05 2.6 0.65 1.55 0.2 0.5 6.55

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm²)	Dry Weight (g)
317	71	Sweet Gum]	26.2	0.3
317	73	Sweet Gum	1	26.2	0.3
317	74	Red Maple	6	108.1	1.0
317	76	Tulip Poplar	1	39.3	0.2
317	77	Red Maple Spanish Oak	6 8	108.1 167.1	0.4 2.6
		Total	14	275.2	3.0
317	78	Spanish Oak	2	42.6	0.75
317	79	Red Maple Tulip Poplar	2 1	36.0 39.3	0.25 0.2
		Total	3	75.3	0.45
317	80	Pin Oak Red Maple Sweet Gum	2 1 1	42.6 19.7 26.2	0.4 0.1 0.45
		Total	4	88.5	0.95
318	11	Hickory Red Maple Sweet Gum Tulip Poplar White Oak Total	40 7 5 12 25	878.0 127.8 124.5 468.5 504.5	6.0 1.25 1.75 3.0 6.1
318	12	Hickory Red Maple Scarlet Oak Tulip Poplar White Oak Total	34 2 4 7 15	746.9 36.0 134.3 271.9 301.4	4.1 0.2 1.25 2.55 4.0
318	13	Dogwood Hickory Scarlet Oak Sweet Gum Tulip Poplar White Oak Total	5 7 1 1 16 2 32	65.5 154.0 32.8 26.2 622.4 39.3	0.85 0.7 0.45 0.6 3.6 0.4

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
318	14	Beech Black Oak	4 3 7	78.6 85.2	0.45 1.9
		Hickory		154.0	0.9
		Spanish Oak	1]	229.3	2.85
		Sweet Gum Tulip Poplar	3 7	75.3 271.9	1.1 1.4
		White Oak	20	402.9	4.7
		Total	55	1297.2	13.3
318	15	Dogwood	8	104.8	0.9
		Hickory	45	989.3	6.1
		Red Maple	2	36.0	0.75
		Spanish Oak	20	419.3	5.85
		Sweet Gum Tulip Poplar	5 1	124.5 39.3	1.6 0.2
		Virginia Pine	28	91.7	0.45
		White Oak	20	402.9	7.25
	anned a market and de la de de planet a market	Total	129	2207.8	23.1
318	16	Beech	2 9	39.3	0.1
		Hickory	9	196.6	1.25
		Hornbeam	9	49.1	0.3
		Spanish Oak White Oak	8 18	167.1 363.6	2.3 5.6
		Total	46	815.7	9.55
31 8	17	Beech	2	39.3	0.2
		Hickory	12	262.1	2.6
		Spanish Oak	1	19.7	0.4
		Sweet Gum	3	75.3	1.4
		V irginia Pine White Oak	44 1	144.1 19.7	1.05 0.45
***************************************		Total	63	560.2	6.1
318	18	Black Oak	1	29.5	0.85
		Dogwood	2	26.2	0.1
		Hickory	2 6 3	131.0	0.85
-		Spanish Oak	3	62.2	0.7
		Sweet Gum	10 22	245.7	5.0 7.5
		Total	22	494.6	7.5

Day of 1974	Box Number	Spècies	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
318	19	Beech Dogwood Spanish Oak Sweet Gum Virginia Pine Total	2 2 1 2 13 20	39.3 26.2 19.7 49.1 42.6	0.3 0.2 0.1 0.85 0.2
318	20	Virginia Pine	45	147.4	1.0
318	61	Scarlet Oak	1	32.8	0.5
318	62	Pin Oak Sweet Gum Total	2 3 5	42.6 75.3 117.9	0.2 0.45 0.65
318	63	Black Cherry	4	52.4	0.2
318	64	Black Cherry Red Maple Spanish Oak Sweet Gum	3 1 10 3	39.3 19.7 209.7 75.3	0.45 0.05 3.0 0.75
318	65	Total	17 1	344.0	4.25
318	67	Sweet Gum American Elm Sweet Gum Total	5 1 6	26.2 95.0 26.2 121.2	0.35 0.4 0.3 0.7
318	68	Black Cherry Red Maple Sweet Gum	3 5 1	39.3 91.7 26.2	0.15 0.7 0.15
318	69	Total Sweet Gum	9	157.2 49.1	1.0 0.75
318	70	Black Cherry Sweet Gum Total	4 5 9	52.4 124.5 176.9	0.05 1.85
319	21	American Elm Black Cherry Total	7 7 14	131.0 91.7 222.7	1.2 0.65
319	22	American Elm Black Cherry Total	4 5 9	75.3 65.5 140.8	1.3 0.3 1.6

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
319	23	Black Cherry Black Locust Total	2 13 15	26.2 32.8 59.0	0.25 0.35 0.6
319	25	Black Cherry	2	26.2	0.15
319	26	Black Cherry Red Maple Spanish Oak Sweet Gum Total	7 1 4 2	91.7 19.7 85.2 49.1 245.7	0.75 0.3 1.45 0.4 2.9
319	27	American Elm Spanish Oak Sweet Gum Total	3 1 1 5	55.7 19.7 26.2 101.6	0.3 0.2 0.65
319	28	Black Locust Sweet Gum	44 2	114.7 49.1	1.3
319	29	Total American Elm Black Cherry	46 4 3	163.8 75.3 39.3	2.3 0.3 0.3
319	30	Total American Elm Chestnut Oak Sweet Gum Total	/ 2 1 1 4	114.6 36.0 22.9 26.2 85.1	0.6 1.0 0.2 0.25 1.45
319	52	Dogwood Sweet Gum	2	26.2 26.2	0.1 0.25
319	54	Total Black Cherry Sweet Gum	3 1 1	52.4 13.1 26.2	0.35 0.1 0.1
319	55	Total Persimmon Sassafras Sweet Gum Total	2 2 1 1 4	39.3 26.2 22.9 26.2 75.3	0.2 0.1 0.1 0.1 0.3

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
319	58	Box Elder Persimmon Sweet Gum Total	6 4 7 17	36.0 52.4 26.2 114.6	0.7 1.1 2.55 4.35
319	59	Spanish Oak Sweet Gum Total	5 1 6	104.8 26.2	1.7 0.1 1.8
319	60	Red Maple Tulip Poplar Total	2 1 3	36.0 39.3 75.3	0.3 1.0 1.3
32 3	1	Beech Black Oak Scarlet Oak White Oak Total	2 1 1 4	39.3 29.5 32.8 81.9	0.1 0.9 1.0 1.4 3.4
323	2	Black Oak Scarlet Oak White Oak Total	2 1 6	59.0 32.8 121.2 213.0	1.1 0.3 1.5 2.9
323	3	Spanish Oak Tupelo White Oak Total	3 3 3 9	62.2 52.4 59.0 173.6	0.85 0.1 0.8 1.75
323	4	Red Maple Virginia Pine White Oak Total	1 85 1 87	19.7 278.5 19.7 317.9	0.05 1.4 0.35
323	5	Beech Black Oak Red Maple Sassafras Scarlet Oak Tupelo White Oak Total	4 2 1 1 7 5 18	78.6 59.0 19.7 22.9 232.6 88.4 363.6	0.4 1.25 0.3 0.1 5.0 0.9 5.75

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
323	6	Chestnut Oak Scarlet Oak White Oak Total	1 1 9	22.9 32.8 180.2 235.9	0.35 0.45 3.4 4.2
323	. 7	Sweet Gum White Oak Total	1 5 6	26.2 101.6 127.8	0.3 2.1 2.4
323	8	Chestnut Oak Tupelo Virginia Pine Total	5 5 43 53	108.1 88.4 140.9 337.4	1.5 0.2 0.75 2.45
323	9	Beech Chestnut Oak Tupelo Virginia Pine White Oak Total	3 2 2 61 8 76	59.0 42.6 36.0 199.8 160.5 497.9	0.3 0.6 0.2 1.35 1.75
323	10	Beech Black Oak Chestnut Oak Tupelo White Oak Total	1 1 6 4 5	19.7 29.5 131.0 68.8 101.6	0.1 1.1 1.2 0.2 1.0
323	41	Black Cherry Sweet Gum Total	5 15 20	65.5 370.2 435.7	0.4 6.35 6.75
323	42	Red Maple Sweet Gum Tulip Poplar Total	1 4 3 8	19.7 98.3 117.9 235.9	0.2 0.75 0.8 1.75
323	43	Black Cherry Sweet Gum Total	7 5 12	91.7 124.5 216.2	0.6 1.3 1.9
323	44	Black Cherry Persimmon Sweet Gum Total	13 7 7 27	170.3 95.0 173.6 438.9	2.4 0.85 3.9 7.15

Forest Ecology Litter Box Data - 1974

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm2)	Dry Weight (g)
323	45	Black Cherry Sweet Gum Tulip Poplar	2 2 2	26.2 49.1 78.6	0.1 0.4 0.3
		Total	6	153.9	0.8
323	46	Sweet Gum Tulip Poplar	8	196.7 39.3	1.75 0.2
		Total	9	236.0	1.95
323	47	Sweet Gum	3	75.3	1.0
323	48	Persimmon Sweet Gum Tulip Poplar	1 2 1	13.1 49.1 39.3	0.8 0.4 0.55
		Total	4	101.5	1.75
323	49	Black Cherry Sweet Gum	3 7	39.3 173.6	0.4 3.9 4.3
		Total	10	212.9	4.3
323	50	Sweet Gum	3	75.3	1.15
324	31	Virginia Pine	17	55.7	0.3
324	32	Beech Hickory Scarlet Oak Spanish Oak White Oak Total	6 6 1 1 2 16	121.2 131.0 32.8 19.7 39.3	0.85 1.15 0.6 0.35 0.75
324	33	Beech Spanish Oak	2 3 5	39.3 62.2	0.1 0.8
324	34	Total Beech Hickory Virginia Pine	2 15 49	101.5 39.3 330.9 160.5	0.9 0.15 2.2 0.8
		Total	66	530.7	0.8 3.15
324	35	Beech Sweet Gum	3	59.0 26.2	0.3
		Total	4	85.2	0.8
324	36	Beech	4	78.6	0.2

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm²)	Dry Weight (g)
324	37	Beech Hickory Total	3 7 10	59.0 154.0 213.0	0.4 1.2 1.6
324	38	Beech Black Oak Hickory Total	6 1 4	121.2 29.5 88.4 239.1	0.55 1.9 0.9
324	39	Beech Hickory Spanish Oak Virginia Pine	3 18 1 40	59.0 396.4 19.7 131.0	0.3 4.0 0.2 0.7
324	40	Total Beech Hickory Total	62 6 6 12	606.1 121.2 131.0 252.2	5.2 0.4 3.0 3.4
324	76	Spanish Oak	1	19.7	-
324	77	Spanish Oak Tupelo White Oak Total	4 3 1 8	85.2 52.4 19.7 157.3	1.6 0.5 0.4 2.5
324	79	American Elm	3	55.7	0.3
324	80	Scarlet Oak]	-	0.3
325	11	Hickory Red Maple Scarlet Oak Tulip Poplar White Oak Total	19 2 1 4 2	416.0 36.0 32.8 78.6 39.3 602.7	3.5 0.2 1.0 0.8 0.8
325	12	Beech Black Oak Dogwood Hickory Scarlet Oak Sweet Gum Tulip Poplar White Oak	1 2 1 9 1 2 5 5	19.7 59.0 13.1 196.6 32.8 49.1 196.6 101.6	0.1 2.0 0.2 1.7 0.7 0.4 1.5 1.7

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
325	13	Beech Dogwood Hickory Spanish Oak Sweet Gum Tulip Poplar Red Maple White Oak	2 3 5 2 1 5 2 2 2	39.3 39.3 111.4 42.6 26.2 196.6 36.0 39.3	0.2 0.5 0.8 0.5 0.4 1.1 0.3 0.5
325	14	Beech Dogwood Hickory Spanish Oak White Oak Total	3 1 5 3 8 20	59.0 13.1 111.4 62.2 160.5 406.2	0.2 0.2 0.3 0.8 1.7 3.2
325	15	Dogwood Hickory Red Maple Spanish Oak Total	2 13 1 6 22	26.2 285.0 19.7 124.5 455.4	0.4 5.6 0.2 2.1
325	16	Hickory Scarlet Oak Spanish Oak Virginia Pine Total	9 1 1 29 40	196.6 32.6 19.7 95.0 343.9	1.4 0.4 0.4 0.5 2.7
325	17	Beech Black Cherry Spanish Oak Sweet Gum White Oak Total	4 5 1 2 1	78.6 65.5 19.7 49.1 19.7 232.6	0.5 0.3 0.3 2.0 0.3 3.4
325	18	Black Oak Spanish Oak Total	2 1 3	59.0 19.7 78.7	1.6 0.2 1.8
325	19	Spanish Oak Tulip Poplar Total	1 1 2	19.7 39.3 59.0	0.2 0.1 0.3

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
325	20	Beech Sweet Gum Virginia Pine	1 4 36	19.7 98.3 117.9	0.2 2.6 0.8
		Total	41	235.9	3.6
325	61	Red Maple	2	36.0	0.2
325	62	Pin Oak Red Maple	6 5	124.5 91.7	0.9 0.7 1.6
		Total	11	216.2	1.6
325	64	Red Maple Spanish Oak Sweet Gum	2 5 2	36.0 104.8 49.1	0.4 1.4 1.6
		Total	9	189.9	1.6 3.4
325	65	Red Maple	1	19.7	0.1
325	67	Pin Oak Red Maple Sweet Gum	1 5 2	19.7 91.7 49.1	0.5 1.3 0.4 2.2
		Total	8	160.5	2.2
325	68	Black Cherry Red Maple	6 3	78.6 55.7	0.5 0.3
		Total	9	134.3	0.8
325	69	Black Cherry	1	13.1	0.1
325	70	Sweet Gum	6	147.4	1.5
326	21	Black Cherry Black Locust	19 18	49.1 45.9	1.8 0.45
		Total	37	95.0	2.25
326	22	American Elm Black Cherry Black Locust	3 4 13	55.7 52.4 32.8	0.45 0.2 0.5
		Total	20	140.9	1.15
326	23	Black Cherry Black Locust Total	13 13 26	170.3 32.8 203.1	1.85 0.25 2.1

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
326	24	American Elm	4	75.3	0.4
326	25	American Elm	2	32.8	0.7
326	26	American Elm Black Cherry Spanish Oak Sweet Gum Total	2 16 3 6 27	36.0 209.7 62.2 147.4 455.3	0.1 1.65 1.4 3.5 6.65
326	27	American Elm Black Cherry Total	5 4 9	95.0 52.4 147.4	0.55 0.35 0.9
326	28	American Elm Black Locust	2 22 24	36.0 59.0 95.0	0.35 0.6
326	29	Total American Elm	1	19.7	0.95 0.1
326	30	American Elm Sweet Gum Total	5 1 6	95.0 26.2 121.2	1.2 0.2 1.4
326	52	Pin Oak	2	42.6	0.7
326	53	Black Cherry	5	68.8	0.45
326	55	Sassafras	1	22.9	0.02
326	56	Black Cherry	1	9.8	0.2
326	57	Sweet Gum	2	49.1	1.0
326	58	Black Cherry Persimmon Sweet Gum Virginia Pine Total	3 4 5 25	39.3 52.4 121.2 81.9 294.8	0.25 0.75 2.75 0.55 4.3
326	59	Sweet Gum	2	52.4	0.95

	Pa		Number	Leaf Surface	Dry
Day of	Box		of	Area	Weight
1974	Number	Species	Leaves	(cm ²)	(g)
326	60	Red Maple	4	78.6	0.65
		Tulip Poplar	2	75.3	0.5
		Total	6	153.9	1.15
330	1	Beech	13	258.8	1.4
		Black Oak	13 2 3 4	59.0	1.45
		Red Maple	3	59.0	0.55
	0.0 0.00	White Oak	4	81.9	1.75
		Total	22	458.7	5.15
330	2	Black Oak	1	-	0.35
		Scarlet Oak	1	32.8	1.0
		White Oak	7	140.9	2.45
		Total	9	173.7	3.8
330	3	Black Cherry	2 1	26.2	0.1
		Spanish Oak		19.7	0.4
Complete Character Street recident about		White Oak	5	101.6	0.65
		Total	8	147.5	1.15
330	4	Beech	8 2	157.2	1.15
		Black Oak	2	59.0	1.45
		Red Maple	4	72.1	1.2
		Spanish Oak	1	22.9	0.4
		Tupelo	2 6	36.0	0.35
	Server III All representation of the State Commission	White Oak Total	23	121.2 468.4	1.55 6.1
220	r-	Dinale Onle		176 0	6.2
330	5	Black Oak Red Maple	6 2	176.9 39.3	6.3 0.6
		Scarlet Oak	10	39.3 334.1	4.5
		Tupelo .	2	36.0	0.4
		White Oak	23	465.2	8.55
	good Committee on Committee on the State of	Total	43	1051.5	20.35
330	6	Chestnut Oak	3	52.4	2.0
	•	Scarlet Oak	3 2	65.5	0.4
Y-8 ()		White Oak	8	160.5	2.55
		Total	13	278.4	4.95
330	7	Beech	2	39.3	0.2
		Spanish Oak	Ī	22.9	0.15
Ye ()(+++++		White Oak	9	180.2	2.45
	THE RESERVE OF THE PROPERTY OF	Total	12	242.4	2.8

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
330	8	Chestnut Oak Spanish Oak White Oak	1 1 2	16.4 19.7 39.3	0.4 0.15 0.7
		Total	4	75.4	1.25
330	9	Beech Chestnut Oak Virginia Pine White Oak	4 2 50 6	78.6 42.6 163.8 121.2	0.45 0.6 0.75 2.3
		Total	62	406.2	4.1
330	10	Black Oak Chestnut Oak Tupelo White Oak Total	3 3 2 1 9	88.4 65.5 36.0 19.7 209.6	1.2 1.0 0.45 0.3 2.95
330	41	Black Cherry Dogwood Sweet Gum	8 2 11 21	104.8 26.2 271.9 402.9	0.7 0.3 5.65 6.65
330	42	Sweet Gum Tulip Poplar Total	3 1 4	75.3 39.3 114.6	2.15 0.15 2.3
330	43	Black Cherry Sweet Gum Total	4 2 6	85.2 45.9	0.6 1.6 2.2
330	44	Black Cherry Persimmon Sweet Gum Tulip Poplar Total	19 9 37 1	249.0 121.2 255.5 36.0 661.7	2.0 0.9 12.9 0.45
330	45	Black Cherry Sweet Gum Total	4 6 10	52.4 147.4 199.8	0.4 1.0 1.4
330	46	Sweet Gum Tulip Poplar Total	16 17	393.1 32.8 425.9	7.1 0.35 7.45

Forest Ecology Litter Box Data - 1974

Day of	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
330	47	Black Cherry Sweet Gum Total	7 19 26	91.7 468.5 560.2	1.0 7.85 8.85
330	48	Sweet Gum Tulip Poplar	5 6	124.5 157.2	2.0 1.5
330	49	Total Black Cherry Sweet Gum	11 7 18	281.7 91.7 442.3	3.5 0.75 4.75
330	50	Total Black Cherry Red Maple Sweet Gum	25 3 2 2	534.0 39.3 36.0 49.1	5.5 0.35 0.15 1.0
331	31	Total Beech	7	124.4 340.7	1.5
331	32	Beech Spanish Oak Sweet Gum White Oak Total	6 2 5 4	117.9 42.6 124.5 81.9 366.9	0.6 0.6 2.3 2.8 6.3
331	33	Beech Hickory Spanish Oak Total	7 7 7 21	140.9 154.0 147.4 442.3	0.5 2.8 1.9 5.2
331	34	Beech Spanish Oak Virginia Pine Total	1 2 46 49	16.4 42.6 150.7 209.7	0.2 0.8 0.8
331	35	Beech Hickory Sweet Gum Total	39 5 1 45	779.7 111.4 26.2 917.3	4.7 0.5 0.7 5.9
331	36	Beech Spanish Oak Sweet Gum Tulip Poplar	7 1 5	140.9 19.7 124.5 39.3	0.7 0.3 0.8 0.2
Marriages and account to the second of the second		Total	14	324.4	2.0

Forest Ecology Litter Box Data - 1974

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm²)	Dry Weight (g)
331	37	Beech Spanish Oak	8 2	160.5 39.3	0.9
331	38	Total Beech Black Oak Hickory	55 3 11	199.8 1081.1 88.4 216.2	1.3 6.2 2.5 3.6
		Spanish Oak Total	<u>7</u> 76	147.4 1533.1	2.7 15.0
331	39	Beech Hickory Total	10 8 18	196.6 176.9 373.5	0.7 1.6 2.3
331	40	Beech Hickory Sweet Gum Tulip Poplar White Oak	13 9 1 1	255.5 196.6 22.9 32.8 19.7	1.0 1.9 0.3 0.6 0.3
331	75	Total Black Cherry Red Maple	25 2 1	527.5 26.2 16.4	4.1 0.2 0.1
331	77	Total Black Cherry Spanish Oak Sweet Gum	3 3 1 4	42.6 39.3 19.7 104.8	0.3 0.3 0.3 1.7 2.3
331	78	Total Black Cherry Red Maple	8 2 2	163.8 26.2 36.0	0.2 0.3
331	80	Total Pin Oak White Oak	2 1 3	62.2 42.6 19.7 62.3	0.5 0.4 0.4
332		Total Black Cherry Black Oak Red Maple Sweet Gum White Oak Total	2 1 3 1 2	26.2 29.5 55.7 22.9 39.3	0.8 0.2 0.2 0.3 0.2 0.7

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
332	12	Tulip Poplar	2	78.6	0.6
332	13	Black Cherry Dogwood Tulip Poplar White Oak Total	2 2 1 2	26.2 26.2 32.8 39.3	0.1 0.4 0.6 0.2
332	14	Black Oak Dogwood Hickory Spanish Oak White Oak Total	3 3 3 4 22 35	85.2 39.3 65.5 78.6 445.5	2.8 0.5 0.6 1.9 4.9
332	15	Beech Dogwood Hickory Spanish Oak White Oak Total	1 3 3 4 3	19.7 39.3 65.5 85.2 59.0 268.7	0.3 0.3 0.8 2.2 1.0
332	16	Beech Black Oak Dogwood Hickory Spanish Oak Sweet Gum White Oak	12 9 3 6 2 3 8	239.1 258.8 39.3 131.0 39.3 75.3 160.5	1.8 6.6 0.2 2.0 1.0 0.4 3.1
332	17	Total Beech Black Oak Dogwood Spanish Oak Sweet Gum White Oak	43 28 10 5 2 7 3	943.3 560.2 288.3 65.5 42.6 170.3 59.0	15.1 3.9 5.5 0.5 0.6 1.0
332	18	Total Sweet Gum	55 4	1185.9 98.3	12.9 0.6

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
332	19	Beech Dogwood	2 4 2 1	39.3 52.4	0.3 0.4
		Spanish Oak	2	42.6	0.4
		Sweet Gum White Oak	1 7	16.4 140.9	0.6
		Total	16	291.6	2.2 3.9
332	20	Beech Spanish Oak	3 2	59.0 36.0	0.4
		Total	5	95.0	0.3
332	62	Pin Oak	2	42.6	0.5
332	63	Black Cherry	1	13.1	0.2
332	64	Red Maple Spanish Oak Sweet Gum	2 2 2	36.0 42.6 45.9	0.4 0.5 0.7
		Total	6	124.5	1.6
332	65	Persimmon	1	13.1	0.1
332	66	Pin Oak	1	19.7	0.3
332	67	Pin Oak Red Maple]]	19.7 19.7	0.4 0.4
		Total	2	39.4	0.8
332	68	Black Cherry Red Maple	8 1	104.8 19.7	0.7 1.2
		Total	9	124.5	1.9
332	70	Black Cherry Sweet Gum Sycamore Total	1 1 1 3	13.1 26.2 42.6 81.9	0.2 0.3 0.8
333	21	Black Cherry	21	275.2	2.4
333	22	American Elm Black Cherry	1 3	16.4 36.0	0.2
		Total	4	52.4	0.6
333	23	Black Cherry	8	78.6	1.5

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
333	24	Black Cherry	3	39.3	0.1
333	26	Black Cherry Sweet Gum Total	13 2 15	170.3 49.1 219.4	2.5 0.8 3.3
333	28	Black Cherry	1	13.1	0.2
333	30	American Elm	1	19.7	0.1
333	51	Black Cherry]	13.1	0.4
333	56	Black Cherry	2	26.2	0.5
333	59	Sweet Gum	1	26.2	0.5
337	1	Persimmon White Oak Total	2 5 7	29.5 101.6 131.1	0.1 1.4 1.5
337	2	Persimmon Sassafras Spanish Oak Sweet Gum White Oak	2 1 3 2 8	26.2 22.9 62.2 52.4 160.5	0.1 0.1 0.9 0.1 2.1
337	3	Total Black Cherry Persimmon Sassafras Spanish Oak Sweet Gum White Oak	1 2 4 7 3 15	324.2 13.1 26.2 88.4 147.4 75.3 301.4	3.3 0.1 0.2 - 1.9 1.1 5.4
337	4	Total Beech White Oak	32 1 3	651.8 19.7 59.0	8.7 0.1 1.0 1.1
337	5	Total Tupelo White Oak Total	4 2 4 6	78.7 36.0 78.6 114.6	0.1 0.9 1.0

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
337	6	Beech Chestnut Oak Red Maple Sassafras White Oak Total	2 2 1 1 9	39.3 42.6 26.2 22.9 180.2 311.2	0.2 1.2 0.3 0.4 2.3
337	7	Beech Black Oak Dogwood Hickory Persimmon Red Maple Red Oak Sassafras Scarlet Oak Sweet Gum Tupelo White Oak	7 20 - 8 1 2 - - 6 3 6 36	140.9 575.5 - 176.9 13.1 39.3 - 199.8 75.3 104.8 727.3	0.7 13.6 0.3 2.2 0.1 0.3 3.5 0.3 - 0.9 1.3 11.0
337	8	Chestnut Oak Persimmon Spanish Oak Virginia Pine White Oak Total	2 2 1 27 - 32	42.6 26.2 19.7 88.4 19.7	0.9 0.1 0.4 0.5 0.6
337	9	Beech Virginia Pine White Oak Total	1 3 3 7	19.7 9.8 59.0 88.5	0.1 0.1 0.6 0.8
337	10	Beech Chestnut Oak Virginia Pine White Oak Total	1 2 12 4	19.7 42.6 39.3 81.9	0.1 0.2 0.1 0.9
337	41	Box Elder Sweet Gum Total	7 7 14	42.6 170.3 212.9	1.2 4.3 5.5

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
337	42	Black Cherry Sweet Gum Total	2 7 9	22.9 173.6 196.5	0.2 1.9 2.1
337	43	Black Cherry Red Maple Spanish Oak Sweet Gum Tupelo Total	1 1 1 8 1	13.1 19.7 19.7 196.6 16.4 265.5	0.2 0.1 0.1 2.7 0.1 3.2
337	44	Black Cherry Spanish Oak Sweet Gum Tulip Poplar Total	7 1 16 2	91.7 19.7 393.1 65.5	1.3 0.2 5.6 1.0
337	45	Sweet Gum Tulip Poplar Total	4 2 6	98.3 75.3 173.6	1.2 1.2 2.4
337	46	Scarlet Oak Sweet Gum Total	1 8 9	32.8 196.6 229.4	0.1 2.8 2.9
337	47	Black Cherry Sweet Gum Total	3 16 19	39.3 393.1 432.4	0.4 6.8 7.2
337	48	Black Cherry Sweet Gum	1 1 2	13.1 22.9 36.0	0.2 0.1 0.3
337	49	Sweet Gum	25	615.9	5.7
338	31	Beech Spanish Oak Total	2 3 5	39.3 62.2 101.5	0.3 0.7 1.0
338	32	Beech Scarlet Oak Total	4 1 5	78.6 32.8 111.4	0.4 0.4 0.8

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
338	33	Beech Spanish Oak Tulip Poplar Total	4 1 1 6	78.6 19.7 32.8 131.1	0.4 0.4 0.5
338	34	Beech Spanish Oak White Oak	7 2 2	140.9 42.6 39.3	0.8 0.4 0.4
338	35	Total Beech Spanish Oak Tulip Poplar White Oak Total	11 9 2 1 2	222.8 180.2 42.6 32.8 39.3 294.9	1.6 0.8 0.6 0.3 0.7
338	36	Beech Spanish Oak Tulip Poplar Virginia Pine Total	3 1 1 19	59.0 19.7 39.3 62.2	0.3 0.2 0.3 0.2
338	37	Beech Hickory Total	5 5 10	98.3 111.4 209.7	0.4 0.7
338	38	Beech Spanish Oak Tulip Poplar	16 1 1	321.0 19.7 39.3	2.0 0.4 0.2
338	39	Total Beech Spanish Oak Tulip Poplar Total	5 1 2	380.0 101.6 19.7 78.6 199.9	2.6 0.5 0.5 0.9
338	40	Beech Black Oak Sweet Gum White Oak Total	10 1 1 1 1	199.8 29.5 26.2 19.7 275.2	1.2 0.9 0.4 0.6
338	71	Spanish Oak Tulip Poplar Total	1 1 2	16.4 29.5 45.9	0.5 0.3 0.8

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
338	72	Sweet Gum	1	16.4	0.5
338	73	Sweet Gum]	26.2	0.2
338	74	Red Maple	3	59.0	0.6
338	77	Black Cherry Spanish Oak	1 2 3	6.5 39.3	0.2 0.4
		Total	3	45.8	0.6
338	78	Tulip Poplar	2	32.8	0.4
338	80	Pin Oak	1	19.7	0.4
339	11	Beech Dogwood Hickory Sweet Gum White Oak	1 1 5 2 5	19.7 13.1 111.4 49.1 101.6	0.2 0.2 0.7 0.9 1.1
		Total	14	294.9	3.1
339	12	American Elm Dogwood Scarlet Oak Tulip Poplar White Oak Total	1 5 8 3 9	19.7 65.5 314.5 65.5 180.2 645.4	0.1 0.3 44.4 1.2 1.4
339	13	Beech Black Oak Hickory Sweet Gum Tulip Poplar White Oak Total	4 50 13 1 3 1	78.6 1474.2 285.0 26.6 98.3 22.9	0.6 39.9 3.4 0.4 1.2 0.3
339	14	Black Oak Scarlet Oak Spanish Oak Sweet Gum Tupelo White Oak Total	3 2 2 1 1 7	78.6 62.2 39.3 19.7 16.4 140.9	2.3 0.8 0.7 0.1 0.2 2.2

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
339	15	Beech Hickory Red Maple Spanish Oak Sweet Gum Virginia Pine White Oak	4 7 1 8 1 9 2	78.6 153.9 19.7 235.9 22.9 29.5 39.3	0.5 1.2 0.4 3.7 0.5 0.1
339	16	Total Beech Black Oak Virginia Pine Total	32 4 5 7 16	579.8 78.6 147.4 22.9 248.9	8.0 0.6 4.7 0.1 5.4
339	17	Beech Black Oak Red Maple Sweet Cherry Sweet Gum Virginia Pine White Oak Total	5 3 1 15 4 48 1	98.3 88.5 19.7 196.6 98.3 157.2 19.7	0.7 3.7 0.2 1.1 1.3 0.6 1.0
339	18	Dogwood Sassafras Spanish Oak Sweet Gum Virginia Pine Total	3 1 7 6 80	39.3 22.9 144.1 157.2 262.1 625.6	0.4 0.2 2.3 1.3 3.0 7.2
339	19	Black Oak Chestnut Dogwood Sweet Gum Virginia Pine Total	4 1 1 3 81 90	104.8 19.7 13.1 78.6 265.4 481.6	5.0 0.8 0.3 0.8 1.6 8.5
339	20	Black Oak Sweet Gum Virginia Pine Total	1 2 23 26	29.5 45.9 75.3 150.7	0.4 0.4 0.1 0.9

Forest Ecology Litter Box Data - 1974

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
339	61	Red Maple	2	36.0	0.4
339	62	Pin Oak Sycamore Total	1 1 2	19.7 42.6 62.3	0.3 0.4 0.7
339	63	Sweet Gum	2	49.1	0.6
339	64	Black Cherry Red Maple Total	2 2 4	26.2 36.0 62.2	0.4 0.3 0.7
339	67	Red Maple	2	36.0	0.3
339	69	Black Cherry Red Maple Total	3 3 6	39.3 55.7 95.0	0.3 0.4 0.7
339	70	Black Cherry	1	13.1	0.2
340	21	Black Cherry	6	78.6	0.9
340	22	Black Cherry	11	144.1	1.4
340	25	Black Cherry	5	65.5	0.2
340	26	Black Cherry Sweet Gum Tulip Poplar Total	2 1 4 7	26.2 26.2 157.2 209.6	0.2 0.5 0.9
340	29	American Elm	3	55.7	0.6
340	30	American Elm	4	75.3	1.2
340	55	Persimmon Sweet Gum Total	4 2 6	52.4 49.1 101.5	0.3 0.4 0.7
340	58	Persimmon Sweet Gum Total	14 14 28	186.7 344.0 530.7	1.9 8.3 10.2

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
340	59	Sassafras Spanish Oak Sweet Gum	2 2 1	45.9 42.6 26.2	0.5 0.5 0.2
		Total	5	114.7	0.2
340	60	Red Maple Spanish Oak Sweet Gum Tulip Poplar	1 1 1 1	19.7 19.7 26.2 32.8	0.2 0.5 0.5 0.4
		Total	4	98.4	1.6
344	1	Beech Spanish Oak White Oak Total	5 1 6 12	101.6 19.7 121.2 242.5	0.4 0.5 1.7 2.6
344	2	White Oak	2	39.3	0.9
344	4	Beech Scarlet Oak	3 1	59.0 32.8	0.4 0.8
344	5	Total Scarlet Oak White Oak Total	. 1 . 3 . 4	91.8 29.5 59.0 88.5	1.2 0.4 1.7 2.1
344	6	Chestnut Oak	1	22.9	0.4
344	8	White Oak	2	39.3	0.6
344	9	White Oak	3	59.0	1.0
344	10	White Oak	4	81.9	0.9
344	41	Sweet Gum	14	344.0	5,8
344	42	Sweet Gum Tulip Poplar Total	1 1 2	16.4 19.7 36.1	0.3 0.2 0.5
344	50	Pin Oak Sweet Gum Total	1 4 5	16.4 98.3	0.2 1.1 1.3

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
344	79	Red Maple	1	19.7	0.3
345	31	Beech	1	19.7	0.2
345	35	Beech	2	29.5	0.3
345	37	Beech	1	13.1	0.2
345	38	Beech Spanish Oak Total	4 2 6	68.8 29.5 98.3	0.6
345	39	Beech Black Oak Spanish Oak Total	1 1 1 3	13.1 32.8 19.7 65.6	1.1 0.1 1.3 0.3
345	40	Beech	1	19.7	0.2
346	14	Spanish Oak	2	36.0	0.6
346	15	Dogwood	1	16.4	0.2
346	16	Black Oak	2	69.0	3.1
346	68	Spanish Oak	1	19.7	0.5
346	70	Black Cherry	1	9.8	0.2
351	1	White Oak	3	39.3	0.6
351	3	White Oak	3	45.9	0.4
351	4	Beech White Oak Total	1 - 1	29.5 52.4 81.9	0.3 0.9 1.2
351	5	White Oak	_	22.9	0.3
351	6	Red Maple	1	19.7	0.2
351	. 7	American Holly Virginia Pine Total	1 5 6	13.1 6.6 19.7	0.2 0.2 0.4

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
351	9	Red Maple Virginia Pine White Oak	1 13 2	6.6 13.1 19.7	0.3 0.3 0.6
		Total	16	39.4	0.6
351	11	Tulip Poplar		45.9	0.3
351	12	White Oak	1	19.7	0.2
351	13	Beech	-	26.2	0.1
351	15	Sassafras	_	72.1	0.5
351	17	Virginia Pine	3	3.3	0.1
351	21	American Elm Hornbeam	1 2 3	3.3 36.0	0.2 0.3 0.5
351	23	Total American Elm Beech	1	39.3 13.1 39.3	0.5 0.2 0.3 0.5
		Total	2	52.4	0.5
351	26	Spanish Oak]	19.7	0.3
351	28	American Elm	<u> </u>	19.7	0.3
351	32	Beech	19	183.5	5.1
351	35	Beech	1	32.8	0.1
351	37	Spanish Oak	1	19.7	0.2
351	39	Spanish Oak	_	29.5	0.4
351	49	Black Oak Sweet Gum]]	3.3 6.6	0.1 0.1 0.2
	40	Total	2	9.9	
351	68	Black Cherry	-	6.6	0.1
358	1	Beech Tupelo White Oak Total	2 1 1 4	26.2 19.7 19.7 65.6	0.2 0.2 0.2 0.6

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
358	2	Tupelo White Oak Total	1 2 3	26.2 45.9 72.1	0.2 0.8 1.0
358	4	Beech Black Oak Red Maple Spanish Oak Virginia Pine White Oak Total	2 1 2 1 9 1	26.2 59.0 26.2 19.7 6.6 26.2	0.2 1.4 0.2 0.3 0.2 0.4
358	6	Virginia Pine White Oak	2 1 3	32.8 32.8	0.4 0.4
358	8	Total Red Maple White Oak	2 1 3	32.8 32.8	0.3 0.6 0.9
358	9	Total Virginia Pine	3 16	65.6 6.6	0.3
358	10	Virginia Pine	4	3.3	0.1
358	14	White Oak	1	26.2	0.2
358	16	Beech Hornbeam Total	2 1 3	52.4 6.6 59.0	0.4 0.0 0.4
358	17	Beech Spanish Oak Tulip Poplar Virginia Pine	1 1 1 9	39.3 26.2 26.2 6.6	0.3 0.5 0.5 0.2
358	18	Total American Holly	12	98.3 3.1	1.5 0.2
358	19	Virginia Pine	5	6.6	0.1
358	20	Beech Chestnut Oak Virginia Pine Total	1 1 26 28	26.2 72.1 13.1 111.4	0.2 0.9 0.5

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
358	31	Virginia Pine	4	3.3	0.1
358	32	Beech Hornbeam Virginia Pine	1 1 6	13.1 6.6 6.6	0.1 0.1 0.2
		Total	8	26.3	
358	33	Virginia Pine	10	6.6	0.1
358	34	Tulip Poplar Virginia Pine	- 36	19.7 19.7	0.2 0.4 0.6
		Total	36	39.4	0.6
358	35	Beech	1	26.2	0.1
358	36	Beech	2	26.2	0.1
358	38	Beech White Oak	-	32.8 32.2	0.3 0.3 0.6
		Total	-	65.0	0.6
358	39	Beech]	26.2	0.1
358	40	Beech Spanish Oak	1	<u> </u>	0.1 0.2 0.3
		Total	2	19.7	0.3
358	56	Virginia Pine	42	19.7	0.7
358	60	Loblolly Pine Virginia Pine Total	1 6 7	- 3.3 3.3	0.1 0.2 0.3
358	64		1		
		Spanish Oak	- v v s · s	26.2	0.3
358	67	Black Cherry	1	6.6	0.1
358	68	Black Cherry	2	6.6	0.1
358	70	Sweet Gum	1'	19.7	0.2
358	74	Oak	1	6.6	0.1
358	75	Pin Oak	1		0.01

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
365	1	Beech Black Cherry Black Oak Tupelo	11 - 1 4	190.0 13.2 150.7 39.3	1.0 0.1 1.8 0.4 0.7
		Red Maple White Oak Total	6 3 25	91.7 137.6 622.5	1.9 5.9
365	3	June Berry Scarlet Oak Spanish Oak]]]	9.8 13.1 26.2	0.01 0.1 0.3
365	4	Total Beech Tupelo Virginia Pine White Oak Total	3 5 2 3 3	49.1 29.0 39.3 - 65.5 133.8	0.41 0.5 0.4 0.01 0.8 1.7
365	5	Beech Black Oak Red Maple Total	3 2 1 6	78.6 85.2 32.8 196.6	0.6 1.1 0.2 1.9
365	6	Chestnut Oak White Oak Total	4 2 6	314.5 72.1 386.6	2.5 0.9 3.4
365	7	Scarlet Oak White Oak Total	1 1 2	19.7 13.1 32.8	0.2 0.1 0.3
365	8	Scarlet Oak White Oak Total	2 2 2	52.4 26.2 78.6	0.9 0.2 1.1
365	9	Beech Red Maple White Oak]]]	26.2 39.3	0.2 0.2
CONTRACTOR		Total	3	45.9 111.4	0.6 1.0
365	10	Black Oak		59.0	0.7
365	11	Red Maple	1	6.6	0.1

Day of 1974	Box Nümber	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
365	12	Hickory	6	45.9	1.0
365	13	Beech	· 1	13.1	_
365	14	White Oak	11	13.2	0.1
365	15	Beech Hickory Red Maple Spanish Oak Tulip Poplar White Oak Total	5 6 1 1 18 3	104.8 163.8 32.8 65.5 45.9 104.8	0.7 2.0 0.3 0.8 0.5 1.4
365	16	Beech Black Oak Hickory Spanish Oak White Oak Total	11 8 1 1 5	275.2 524.6 26.3 39.3 104.8	1.5 7.1 0.1 0.4 1.2
365	17	Beech Virginia Pine	2 18	59.0 6.6	0.3 0.5
365	18	Total Beech Black Oak Hickory Virginia Pine White Oak	20 1 2 2 12 1	65.6 32.8 111.4 6.6 3.3 32.8	0.8 0.2 1.1 0.2 0.2 0.2
365	19	Total Spanish Oak	18 1	186.9 19.7	1.9
365	20	Beech	2	19.7	0.3
365	26	Tulip Poplar	<u>-</u> 1	19.7	0.2
365	31	Beech Hickory	2 1	45.9 13.1	0.2
365	32	Total Beech	3	59.0 91.7	0.2

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
365	33	Beech	2	45.9	0.2
365	34	Beech	3	72.1	0.2
365	35	Beech Hickory Spanish Oak Sweet Gum Tulip Poplar Total	22 1 1 2 1	478.3 91.7 13.1 32.8 52.4 668.3	2.4 0.6 0.1 0.5 0.4
365	36	Beech Hornbeam Spanish Oak Total	4 2 2 8	59.0 6.6 26.2 91.8	0.3 - 0.3 0.6
365	38	Beech Black Oak Dogwood Hickory Northern Red Oak Spanish Oak White Oak	68 1 1 1 1 3 7	1415.2 59.0 26.2 9.8 45.9 39.3 131.0	9.6 0.6 0.1 0.1 0.4 0.6 1.4
365	39	Beech	1	19.7	0.1
365	40	Beech Northern Red Oak Total	7 1 8	176.9 78.6 255.5	0.8 0.8 1.6
365	47	Tulip Poplar	1	37.3	0.2
365	48	Tulip Poplar	1	13.1	0.1
365	49	Black Cherry Sweet Gum Total	1 1 2	19.2 13.1 32.3	0.2 0.3 0.5
365	62	Pin Oak Red Maple Total	1 1 2	3.3 3.3 6.6	0.1 0.1 0.2
365	64	Red Maple	1	26.2	0.2

Day of 1974	Box Number	Species	Number of Leaves	Leaf Surface Area (cm ²)	Dry Weight (g)
365	67	Red Maple	2	65.5	0.4
365	68	Red Maple	· 4	104.8	0.9
365	77	Spanish Oak	1	59.0	0.5

Winter Woodland Bird Flocking Data

Technique: Observations were made of bird flocks in the woodlands along the north shore of Muddy Creek estuary from Hog Island marsh along the north fork and the north branch of Muddy Creek to station 1 (map 2) and including all of forest ecology site 2 (see forest ecology map). Area surveyed was about 17 - 18 ha. or a transect about 1,600 - 1,800 meters long. The number of birds above the slash line is the number of birds observed in flocks, the number below the slash line is the number observed not in flocks on a given field trip.

<u>Principal Investigator</u>: Robert Rybzynski, Biology Department, Cornell Univeristy, Ithaca, New York.

Research Funding: Cornell University.

Winter Woodland Bird Populations

Day of 1974

	p.m.	p.m.	p.m.	p.m. 6	р. 9	p.m. 12	a.m. 15	p.m. 16	p.m. 16	a.m. 17	p.m. 17	p.m. 20
Sharp-shinned Hawk	1	ı	1	1	1	1	1	1	1	1	ı	ı
Cooper's Hawk	ı	ı	ı	ı	ı	ı	ı	ı	•	1	ı	1
Barred Owl	ı	ı	•	1	•	•	1	1	1	1	1	1
Flicker	1,	1/0	1/0	1	ı	•	1/0	1	ı	0/2	1/0	1/0
Red-bellied Woodpecker	1/4	1/0	0/3	1/3	1/2	2/1	0/3	1/2	1/4	1/3	2/5	1/1
Yellow-bellied Sapsucker	ı	1	1/0	1	1/0	ı	ı	1/0	1/0	ı	1/0	ı
Hairy Woodpecker	ı	•	1/0	1	1/0	1/0	0/2	1/0	ı	1/0	ı	1/0
Downy Woodpecker	0/2	0/2	1/0	1	1/0	1/1	ı	1/0	1/0	0/3	1/2	1/2
Blue Jay	0/1	1/0	0/4	ı	ı	0/2	ı	9/0	ı	2/4	0/4	9/0
Pileated Woodpecker	1/0	1	•	1	1	ı	ı	ı	ı	ı	ı	ı
Carolina Chickadee	6/2	0/2	4/0	2/1	8/2	3/0	2/1	4/1	3/2	2/0	5/5	2/2
Tufted Titmouse	2/1	2/0	2/0	ı	2/2	1/0	1/0	4/0	ľ	3/1	3/2	2/0
White-breasted Nuthatch	1/0	1/0	1/0	1/0	1/1	1/0	1/1	1/0	3/0	1/0	1/1	2/0
Brown Creeper	1/0	2/0	1/1	1/0	1	1/0	ı	ı	1/0	1/0	1/1	1/0
Carolina Wren	0/3	1	1/2	1	1/0	1/0	1/1	9/0	1/0	4/3	1/0	0/3
Mockingbird	ı	1	1	ı	1	1	ı		ı	ı	ı	1/0

Winter Woodland Bird Populations

Day of 1974

	25	27	a.m. 28	p.m. 28	a.m. 29	p.m. 29	30	3]	a.m. 32	p.m. 32	a.m. 33	p.m. 33
Sharp-shinned Hawk	ı	1	ı	ı	ı	ı	ı	1	î	ı	ı	ı
Cooper's Hawk	ı	ı	ı	ı	ı	ı	ı	1	ı	ı	ı	1
Barred Owl	ı	1	ı	ı	ı	ı		1	ŧ	•	ı	ı
Flicker	ţ	ı	ı	ı	0/2	1/0	ı	ı	ı	1/0	0/1	1
Red-bellied Woodpecker	0/5	1/0	2/0	2/2	0/3	0/4	0/5	0/3	2/3	1/2	1/2	0/3
Yellow-bellied Sapsucker	ı	ı	0/2	ı	ı	ı	ı	1/0	1/0	ı	ı	ı
Hairy Woodpecker	ı	1	ı	ı	ı	ı	ı	ı	ı	ı		ı
Downy Woodpecker	3/0	1/1	1/1	3/0	1/0	1/0	0/3	1/0	1/0	2/2	2/1	0/1
Blue Jay	0/4	9/0	ı	ı	9/0	1/0	0/2	ı	ı	1	0/2	0/3
Pileated Woodpecker	1/0	ı	ı	ı	ı	ı	ı	ı	1/0	1	ı	1
Carolina Chickadee	8/0	2/1	4/1	5/5	9/0	2/4	2/2	2/0	5/3	9/5	4/0	0/4
Tufted Titmouse	3/0	3/1	5/2	1/3	1/1	1/0	2/0	3/0	3/1	2/0	2/1	1/0
White-breasted Nuthatch	2/0	1/0	0/2	1/0	1/0		1	1/0	ı	1/0	1/0	1/0
Brown Creeper	1/0	ı	ı	3/0	ı	1/1	1/1	1/1	9/1	1/0	1	ı
Carolina Wren	9/0	1/0	9/0	0/2	3/1	0/5	1/0	1/0	0/2	0/2	٢/2	0/2
Mockingbird	ı	0/1	ı	ı	ı	ı	ı	1/0	ı	ı	ı	1/0

Winter Woodland Bird Populations

Day of 1974

	a.m. 35	p.m. 35	p.m. 36	p.m. 36	a.m. 37	a.m. 37	a.m. 40	p.m. 40	a.m. 42	p.m. 42	a.m. 43	a.m. 46
Sharp-shinned Hawk	ı	ı	1	1	1	1	ı	ı	1	ı	1	ı
Cooper's Hawk	ı	ı	ı	ı	ı	-	ı	1	ı	ı	ı	ı
Barred	ı	ı	ı	ı	ř	1	_	1	1	ı	ı	1
Flicker	1/0	ı	ı	1/0	0/1	ı	1	1	ı	1/0	1/0	ı
Red-bellied Woodpecker	0/2	1/4	1/0	1/2	0/3	1/0	0/3	0/2	2/1	0/3	0/4	0/3
Yellow-bellied Sapsucker	1	ı	ı	ı	ı	1	0/2	0/1	ı	0/2	0/2	ı
Hairy Woodpecker	1	1/0	ı	ı	1/0	1	ı	ı	1	ı	1/0	ı
Downy Woodpecker	1/0	1/1	1/0	0/3	1/0	1/0	ı	1/0	1/0	1/0	ı	0/2
Pileated Woodpecker	ı	ı	ı	ı	ı	ı	ı	1	ı	ı	ı	ı
Blue Jay	ı	ı	ı	0/2	ı	1/9	i	0/1	0/3	ı	0/1	0/1
Carolina Chickadee	1/0	2/3	2/1	4/3	2/2	3/2	2/4	2/0	2/0	9/0	ı	5/1
Tufted Titmouse	2/0	2/0	D.	0/3	1/3	4/1	3/1	3/0	2/1	2/0	4/1	1/3
White-breasted Nuthatch	ŧ	ı	1/0	ı	1/0	1/0	ı	1/0	1/0	ı	1/0	1
Brown Creeper	ı	0/2	ı	1/0	ı	1/1	1	1/0	1/0	ı	ı	1/0
Carolina Wren	1/0	1/1	0/2	1/0	0/2	1/3	1/1	ı	2/0	1/0	2/3	2/3
Mockingbird	1	ı	ı	0/2	ı	ı	1	1	ı		•	1

Winter Woodland Bird Populations

ø
-
9

o f
Day

	a.m. 50	p.m. 52	p.m. 55	p.m. 56	a.m. 57	р.ш. 58	p.m. 60	
Sharp-shinned Hawk	ı	ı	ı	ı	ı	ı		
Cooper's Hawk	ı	ı	ı	ı	ı	ı	ı	
Barred Owl		ı	ı	ı	ı	ı	•	
Flicker	١,	ı	ı	١/٥	ı	ı	1/0	
Red-bellied Moodpecker	1/2	4/4	0/3	2/1	[/]	0/3	0/2	
Yellow-bellied Sapsucker	ı	ı	ı	1	1/0	ı	0/2	
Hairy Woodpecker	ı	ı	1/0	ı	ı	0/1	•	
Downy Woodpecker	1/0	0/1	0/1	3/0	0/1	0/1	ı	
Pileated Woodpecker	ı	ı	1/0	ı	ı	•	•	
Blue Jay	0/2	ı	0/2	ı	0/2	2/0	0/2	
Carolina Chickadee	2/0	5/6	2/1	1/2	2/0	2/2	1/0	
Tufted Titmouse	ı	2/4	6/0	4/0	2/0	2/2	9/0	
White-breasted Nuthatch	ı	ı	1/0	1/0	ı	ı	1/0	
Brown Creeper	1/0	1/0	1/1	1/0	1/0	0/1	1/0	
Carolina Wren	0/3	0/4	0/3	2/1	0/3	0/3	0/3	
Mockingbird	ı	ı	ı	ı	١/٥	ı	ı	

Winter Woodland Bird Populations

Day of 1974

		2	4	9	6	12	15	a.m. 16	p.m. 16	a.m. 17	p.m. 17	20
Brown Thrasher	ı	ı	I	I	ı	ı	ı	ı	ı	l	I	•
Hermit Thrush	ı	ı	ı	ı	ı	ı	ı	1/0	ı	ı	1/0	1/0
Robin	ı	ı	1	ı	ı	ı	ı	1	ı	ı	ı	1
Bluebird	ļ	ı	ı	ı	1	2/0	ı	i	ı	ı	1	ı
Ruby-crowned Kinglet	ı	ı	ı	ı	ı	ı	ı	ı	ı	1	ı	ı
Golden-crowned Kinglet	1/0	ı	1/0	1/0	ı	ı	1	1/0	ı	١/٥	ı	1/0
Cedar Waxwing	ı	ı	ı	ı	ı	ı	ı	ı	1	1	ı	ı
Myrtle Warbler	ı	ı	ı	1	1/0	ı	ı	ı	ı	1	1	ı
Red-winged Blackbird	ı	ı	ŧ	ı	ı	ı	ı	ı	ı	ı	ı	ı
Purple Finch	-1	ı	ı	ı	ı	ı	ı	ı	ı	ı	ı	ı
Cardinal	4/2	2/0	4/8	0/1	3/4	0/2	0/9	0/3	18/0	3/9	13/2	8/0
Pine Siskin	ı	21/0	ı	ı	t '	ı	25/0	ı	ı	L _x	•	9
American Goldfinch	, I	2/0	ı	1	2/0	2/0	t	ı	ı	1/0	ı	0/8
Rufous-sided Towhee	1/0	3/0	2/0	ı	ı	ı	ı	ı	ı	1	ı	ı
Junco	2/0	1	3/0	ı	ı	ı	0/9	3/0	3/0	ı	ı	1
White-throated Sparrow	4/0	0/11	1/0	0//	8/0	ı	0//	4/1	0/9	0/9	4/3	10/0
Swamp Sparrow	•	ı	1	ı	ı	1	í	ı	ı	ı	ı	1

Winter Woodland Bird Populations

Day of 1974

	25	27	a.m. 28	p.m. 28	a.m. 29	p.m. 29	30	3]	a.m. 32	p.m. 32	a.m. 33	p.m. 33
Brown Thrasher	ı	1	ı	ı	1	1	1	1	ı	ı	1	ı
Hermit Thrush	1/0	1	1	ı	ı	ı	ı	1/0	1/0	1	ı	1/0
Robin	ı	ı	1	ı	ı	ı	1	ı	ı	1	1	1
Bluebird	3/0	ı	1	1	1	1	1	1	ı	ı	ı	ı
Ruby-crowned Kinglet	ı	ũ	ı	1	1	ı	1	ı	ı	ı	ı	
Golden-crowned Kinglet	2/0	ı	2/0	•	1	ı	ı	ı	ı	1/0	1	1/0
Cedar Waxwing	1	1	ı	1	1	ı	1	1	1	ı	ı	ı
Myrtle Warbler	1	ı	1/0	0/1	1	1	1	ı	١/٥	1/0	1	1
Red-winged Blackbird	ı	1	ı	1	ı	ı	1	ı	•	1	1	ı
Purple Finch	ı	ı	ı	ı	1	1	1	1	1	1	1	1
Cardinal	8/2	8/0	2/0	2/5	1/1	1	1	1/2	4/5	0/91	8/0	3/4
Pine Siskin	0/6	1	ı	1	1	1	ı	1	1	1	0/1	1
American Goldfinch	3/0	1	1	1/0	ı	4/0	1	ı	1/0	2/0	1	1/0
Rufous-sided Towhee	1	ı	2/0	3/0	0/9	1	1	1	1	1	1/0	2/0
Junco	ı	ı	1	1	ı	1	4/0	1	4/0	1	1	
White-throated Sparrow	12/0	1	0/9	0//	3/2	0//	4/0	2/0	1	1/0	1	1
Swamp Sparrow	1	1	1	ı	1	1	1	1	ı	ı	1	ı

Winter Woodland Bird Populations

Day of 1974

	a.m. 35	p.m. 35	p.m. 36	p.m. 36	a.m. 37	a.m. 37	a.m. 40	p.m. 40	a.m. 42	p.m. 42	a.m. 43	a.m. 46
Brown Thrasher	ı	ı	ı	ı	ı	0/1	I	ı	1/0	1	ı	ı
Hermit Thrush	1/0	ı	1/0	1/0	1	ı	ı	1/0	1/0	1/0	ı	1/0
Robin	ı	ı	ı	ı	ı	ı	ı	ı	1	ı	ı	ı
Bluebird	, 1	3/0	ı	2/0	ı	0/1	ı	ı	1	4/0	ı	ı
Ruby-crowned Kinglet	1	1	ı	ı	ı	ı	ı	ı	1	ı	ı	,
Golden-crowned Kinglet	ı	ı	ı	1/1	ı	0/1	ı	1	1/0	1/0	2/0	2/0
Cedar Maxwing	1	ı	ı	ı	ı	ı	ı	ı	1	ı	ı	ı
Myrtle Warbler	1	1	ı	ı	ı	ı	1/0	0/1	1	ı	1/0	1/0
Red-winged Blackbird	ı	ı	1	ı	ı	ı	ı	1	1	ı	ı	1
Purple Finch	ı	1	ı	ı	ı	1	ı	ı	ı	ı	ı	
Cardinal	6/3	3/4	3/4	15/4	5/1	6/2	5/5	4/3	0/6	7/2	18/7	4/2
Pine Siskin	ı	1	8/0	ı	12/0	ı	ı	ı	•	ı	ı	ı
American Goldfinch	1/0	1/0	3/0	1/0	2/0	ı	ı	ı	1		ı	ı
Rufous-sided Towhee	1/3	ı	1/0	2/1	ı	ı	3/0	2/0	2/0	4/0	8/1	ı
Junco	1	1	1	ı	1	1	ı	ı	ı	ı	ı	ı
White-throated Sparrow	2/2	1	0//	2/0	4/0	0/9	1/6	1/0	13/0	20/0	13/2	11/0
Swamp Sparrow	ı	1	ı	ı	1	/0 -	_	ı	1/0	1	ı	ı

Day of 1974

	a.m. 50	p.m. 52	p.m. 55	p.m. 56	a.m. 57	р.ш. 58	p.m. 62	
Brown Thrasher	1	1	I	ı	ı	ı	ı	
Hermit Thrust	1	1	0/1	1/0	ı	ı	1/0	
Robin	ı	ı	ı	ı	ı	ı	ı	
Bluebird	!	0/2	ı	1	3/0	2/0	ı	
Ruby-crowned Kinglet	ı	ı	ı	ı	ı	ı	ı	
Golden-crowned Kinglet	1/0	1/0	2/1	ı	ı	ı	ı	
Cedar Waxwing	ı	1	ı	ı	ı	ı	ı	
Myrtle Warbler	ı	ı	١	ı	ı	ı	ı	
Red-winged Blackbird	ı	ı	ı	ı	ı	ı	ı	
Purple Finch	ı	•	ı	1	ı	ı	ı	
Cardinal	7/4	4/4	1/1	10/1	2/0	4/1	2/0	
Pine Siskin	ı	1	1	ı	ı	ı	ı	
American Goldfinch	ı	1/0	ı	1/0	1/0	4/0	1/0	
Rufous-sided Towhee	1	ı	ı	ı	ı	ı	ı	
Junco	2/0	2/0	•	ı	1	0/1	ı	
White-throated Sparrow	2/0	7/2	9/5	29/0	0//	6/2	4/0	
Swamp Sparrow	t	ı	1	ı	1	ı	ı	


Breeding Bird Populations on the Muddy Creek Watershed

Technique: Populations were surveyed by two methods: (1) capture, marking, release, and recapture; (2) censusing of singing males. Capture was by means of mist nets arranged in grids in woodlands and in old fields. Breeding birds were banded with Fish and Wildlife Service bands. Effective areas of study were woodland, 24 hectares; (rows Z, and A-C), old fields (rows D-J), 17.5 hectares. Woodland locations was immediately northwest of the station (map 2) and the old fields location was south and southeast from the station (map 2).

<u>Principal Investigator</u>: Francis S. L. Williamson, Chesapeake Bay Center for Environmental Studies, Smithsonian Institution.

Research Funding: Smithsonian Institution.

FIGURE 1. ARRANGEMENT OF NET SITES IN MATURE WOODLAND (ROWS Z, A, B, C) AND OLD FIELDS (ROWS D-J). SITE F4 ELIMINATED IN 1972 DUE TO ENCROACHMENT OF HUMAN ACTIVITY.



Sex Ratios of Adult Birds Captured from May 28 - July 2, 1974

1346

	Ma	1e	Fen	ia l e	Unk	nown
Species	Number	Percent	Number	Percent	Number	Percent
Acadian Flycatcher	11	42	8	31	7	27
Cardinal	28	48	30	52	ශය	
Carolina Wren	6	12	27	55	16	33
Indigo Bunting	5	50	5	50	-	æ
Kentucky Warbler	14	70	6	30	desc	987
Ovenbird	10	56	7	39	1	5
Red-eyed Vireo	16	28	26	46	15	26
Rufous-sided Towhee	9	60	6	40	grow	•
Scarlet Tanager	4	40	6	60	45.0	Size
White-eyed Vireo	7	47	7	47	7	6
Wood Thrush	76	59	51	40	2	1
Yellow-breasted Chat	16	64	9	36	-	=

Percent of Individuals of the More Numerous Species Returning in the Summer of 1974 that were Captured in 1973.

Species	Number Captured in 1973	Number Returned in 1974	Percent Returned
Acadian Flycatcher	26	3	12
Cardinal	46	13	28
Carolina Wren	31	10	32
Kentucky Warbler	8	2	25
Ovenbird	17	2	12
Red-eyed Vireo	39	4	10
Wood Thrush	75	26	35

Survivorship in Birds Banded as Adults

					>	Years of Survival	urviva					
Species	*	1 8 **	*	2 **	* 🚽	° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° °	B * 4	**	B*	**	B * 6 **	* * \$
Acadian Flycatcher	71	9	49	4	43	_	33	0	25	2	ľ	ı
Cardinal	152	32	116	6	92 12	12	9	2	42	ო	28 1	_
Carolina Wren	52	6	25	4	22	2	17	m	ı	ı	ı	ı
Kentucky Warbler	41	8	33	က	ı	ı	ı	ı	ı	ı	ı	ı
Ovenbird	40	2	26	m	21	m	14	_	1	ı	ı	r
Red-eyed Vireo	126	13	96	œ	84	11	19	2	52	2	40	2
Wood Thrush	205	34	151	15	124	12	73	12	20	know	30	2

 \star B = number that could have survived that given number of years.

^{**} S = number known to have survived that given number of years.

Distribution of Breeding Species by Preferred Feeding Stratum. Numbers Next to Species Give Percent of Total Biomass in that Habitat.

Stratum	Mature Woods	Habitat	Secondary	
Bark	Red-bellied Woodpecker	10.7	Red-bellied Woodpecker	3.2
			Downy Woodpecker	1.2
Ground	Bobwhite	6.2	Bobwhite	25.6
	Common Flicker	2.3	Mourning Dove	6.1
	Louisiana Water Thrush	1.4	Rufous-sided Towhee	5.6
	Ovenbird	1.3		
Understory	Cardinal	12.8	Cardinal	22.2
	Carolina Wren	3.8	Carolina Wren	1.9
	Gray Catbird	2.8	Gray Catbird	6.
	Kentucky Warbler	1.9	Prairie Warbler	1.2
			White-eyed Vireo	, ,
			Yellow-billed Cuckoo	5.6
,			Yellow-breasted Chat	4.6

Distribution of Breeding Species by Preferred Feeding Stratum. Numbers Next to Species Give Percent of Total Biomass in that Habitat. (Continued).

		Habitat		
Stratum	Mature Woods		Secondary	
Low Canopy	Acadian Flycatcher	5.6		
	Blue Jay	2.9	Blue Jay	4.0
	Eastern Wood Pewee	e		
	Tufted Titmouse	2.3		
High Canopy	Great Creasted Flycatcher	Become General		
	Red-eyed Vireo	11.2	Red-eyed Vireo	8
	Scarlet Tanager	2.4	Scarlet Tanager	2.0

Summary of Captures of Breeding Adult Species in Mature and Secondary Woodlands in 1974.

						MATURE MOODLAND	MOOD! AL	G							
Date	Net Rows	Woodthrush N	rush R	Cardinal N	~~~	Acadian Flycatcher N R	her	Red-eyed Vireo N R	ed R	Kentucky Warbler N	ې د ∝	Other N	د هد	Total N	~
5/28	A, Z	∞	0	9	0	2	0	_	0	0	0	21	0	48	0
6/3	B, C	9	0	œ	_		0	10	0	-	0	13	0	39	_
6/4	A, Z	52	. دی	က	ŗ	2	—	2	0	0	0	2	က	20	10
6/10	B, C	7	4		2	2	0	2	0	က	0	6	_	27	7
11/9	A, Z	4	2	2	_	4	0	0	0	2	4	7	0	19	7
6/17	B, C	9	Ŋ	9	0	0	_	2	0	2	0	9	_	22	7
61/9	A, Z	4	4	0	0	0	0	4	0	0	0	5	0	13	4
6/25	B, C	о	4	2	_	2	0	4	ļ	0	က	6	т	26	12
6/27	A, Z	2	12	r 	0	0	0	2	0	2	_	2	0	12	13
7/2	B, C	9	2	_	_	0	0	_	2	0	2	_	_	6	

 \star N = number of birds captured for the first time and newly banded.

** R = number of birds banded previously in the 1974 breeding season and recaptured.

Summary of Captures of Breeding Adult Species in Mature and Secondary Woodlands in 1974.

Date Rows 6/5 D-J 6/13 D-J					SE	CONDAR	Y WOOD!	ODLAND								
	Wood-	ф.	, , ,	 	Red-eyed	eyed	Carol	Carolina Magn	White-eyed	eyed	Yellow- breasted	w- ted	+ - -	Ş		۲
		N R	2 2	N R) > Z	~	צב	~	D Z	~	Z Z	~	N I	بر م	2	م ح
	9	0	12	0	က	0	4	0	2	0	2	0	16	0	51	0
		0	က	0	က	0	13	0	2	0	2	0	15		42	-
6/20 D-J	_	_	, 	0	က		press.	0	2	2	4	0	10		22	2
6/26 D-J	2	2	_	_	2	0	က	_	0	0	က	0		2	22	9
7/1 D-J	4	0		0	5	2	_		0	0	2	2	0	2	25	7

 * N = number of birds captured for the first time and newly banded.

** R = number of birds banded previously in the 1974 breeding season and recaptured.

Population Size and Biomass of Birds in Secondary Growth and Mature Woodland during the 1974 Breeding Season. Estimates are Made Using the Spot Map Technique for Singing Males.

	Se	condary	Ma	ature
•	ten di Marco di Samondo Alemanya (1944) di ten di Bana	Biomass	8.1 -	Biomass
Species	No.	(g)	No.	(g)_
Bobwhite <u>Colinus viginianus</u>	6	1116.0	2	372.0
Acadian Flycatcher Empidonax virescens	2	2.7	25	337.5
American Goldfinch Spinus tristis	1	13.4	-	-
Black and White Warbler <u>Mniotilta</u> <u>varia</u>	-	-	2	22.2
Blue-gray Gnatcatcher Poliptila caerulea	**	-	1	5.6
Blue Jay Cyanocitta cristata	2	176.2	2	176.2
Cardinal Cardinalis cardinalis	24	972.0	19	769.5
Carolina Chickadee Parus carolinensis	3	27.6	6	55.2
Carolina Wren <u>Thryothorus</u> <u>hidovicianus</u>	4	84.0	11	231.0
Common Flicker Colaptes auratus	949	-	1	135.9
Common Yellowthroat Geothlypis trichas	2	19.6	-	-
Downy Woodpecker <u>Dendrocopos pubescens</u>	2	53.2	-	••
Eastern Wood Pewee Muscicopa virens	-	-	5	76.0
Gray Catbird <u>Dumetella cardinensis</u>	2	83.6	4	167.2

1354

Population Size and Biomass of Birds. (Continued)


	Se	condary	Ma	ture
		Biomass		Biomass
Species	No.	(g)	No.	(g)
Great Crested Flycatcher Myiarchus crinitus	-	-	2	68.4
Hooded Warbler <u>Wilsonia</u> <u>Citrina</u>	-	-	2	20.8
Indigo Bunting <u>Passerina</u> <u>cyanea</u>	3	42.6	-	-
Kentucky Warbler Oporornis formosus	-	-	8	112.0
Louisiana Waterthrush <u>Seiurus motacilla</u>	-	-	4	84.4
Mourning Dove Zenaidura macroura	2	265.2	-	-
Ovenbird <u>Seiurus</u> <u>aurocapillus</u>	-	-	4	76.0
Parula Warbler Parula americana	1	7.8	6	46.8
Prarie Warbler <u>Dendroica</u> <u>discolor</u>	7	51.8	-	0
Red-bellied Woodpecker Centurus carolinus	2	142.2	9	639.9
Red-eyed Vireo Vireo olivaceus	22	352.0	42	672.0
Rufous-sided Towhee Pipilo erythrophthalmus	6	246.6	-	0
Scarlet Tanager <u>Piranga</u> olivacea	24	972.0	19	769.5
Tufted Titmouse Parus bicolor	2	46.2	6	138.6
White-eyed Vireo <u>Vireo griseus</u>	4	48.4	-	-

Population Size and Biomass of Birds. (Continued).


	Sec	condary	Ma	ture
Species	No.	Biomass (g)	No.	Biomass (g)
Wood Thrush Hylocichla mustelina	1	49.5	33	1633.5
Yellow-billed Cuckoo Coccyzus americanus	4	246.8	-	-
Yellow-breasted Chat <u>Icteria virens</u>	8	201.6	-	-
TOTAL	113	4360.9	198	5987.0
Eliminating Bobwhite	107	3244.9	196	5615.0
Density/ha (eliminating Boby	white 5.1	185.4	8,2	234.0

Mature woods = 24 ha

Secondary = 17.5 ha



Estimate of breeding bird population in secondary growth in 1974



Preliminary Small Mammal Survey Java Farm

Technique - Three habitats were sampled using two parallel lines at each site of "museum special" snap traps prebaited with peanut butter and oats for 5 days. Results are based on 50 traps set for 3 consecutive nights. Traps were 10 m apart in the lines and the lines were separated by 20-30 m. Forty Sherman live traps (3x3x10") were used in Site No. 4. The standard mark-release-recapture method, with peanut butter and oats as bait, was used for 3 consecutive trap nights.

The locations of the four sampling sites (see map 5) are given below:

- Site No. 1 consisted of a line from coordinates 4900-3700 to 5150-3700 and a line from 4900-3680 to 5150-3680.
- Site No. 2 consisted of a line from coordinates 4900-4200 to approximately 4925-4425 and a line from 4920-4200 to approximately 4945-4425.
- Site No. 3 consisted of a line from coordinates 6300-3980 to 6550-3980 and a line from 6300-3960 to 6550-3960.
- Site No. 4 consisted of a line from coordinates 6300-3200 to 6500-3200 and a line from 6300-3180 to 6500-3180.

<u>Principal Investigator</u>: Sheila D. Minor, Chesapeake Bay Center for Environmental Studies, Smithsonian Institution, Edgewater, Maryland.

Funding: Smithsonian Federal Funds.

SPECIMEN DATA

Preliminary Small Mammal Survey Work Java Farm May, July - August, 1974

					135	59						1			e clipped	e clipped
(mm) Ear	16	17	91	15	16	ı	1	ı	•	16	17			! ! !	- Toe	Toe
	20	21	22	20	20	ı	13	18	19	20	21				ı	1
Measurements 1 Tail RHF	72	9/	78	75	73	1	23	27	20	74	75				ľ	1
External N Total Length	158	168	170	158	162	ı	112	105	115	156	159	captures	captures	captures	ı	ı
Weight (g)	16	18	21	16	20	15	ı	ı	•	19	ı	no cap	no cap	no cap	ad? -	ad -
Age	aď	ad	ad	ad	ad	ad	ad	ad	ad	ad	ad				sub	sub
Sex	ட	Ц.,	Σ	LL.	Σ	ட	Ц.,	<i>~</i> •	LL	ட	LL			! ! !	Σ	ட
Species	P. leucopus	P. leucopus	P. Jeucopus	P. leucopus	P. leucopus	B. brevicauda	B. brevicauda	B. brevicauda	B. brevicauda	P. leucopus	P. leucopus		, , , , , , , , , , , , , , , , , , ,		O. palustris	O. palustris
Date Collected	7/17/74	7/17/74	7/11/74	7/18/74	7/19/74	7/24/74	7/24/74	7/25/74	7/26/74	8/13/74	8/14/74	8/15/74	5/8/74	5/9/74	5/10/74	5/10/74
Collector's ID No.	WR-1	WR-2	. WR-3	ite I WR-4	S WR-5	SDM-52	ى. SDM-53	之 g SDM-54	் 5 SDM-55	ε.	oN e) - -	•	t .	oN e) I

SUMMARY

Preliminary Small Mammal Survey Work Java Farm May, July - August, 1974

Species	Peromyscus leucopus (white-footed mouse)	Blarina brevicauda (short-tailed shrew)	Peromyscus leucopus (white-footed mouse)	Oryzomys palustris (marsh rice rat)
Total Captures	ഹ	4	2	2
Total Trap Nights	150 (Museum specials)	150 (Museum specials)	150 (Museum specials)	120 live traps
Dates Trapped	16-19 July 1975	23-26 July 1975	13-15 Aug. 1975	7-10 May 1975
Site	No. 1 Forest	No. 2 Conifers	No. 3 Old Field	No. 4 Hog Island Marsh

Sunlight - Incident Total White Light Intensities at CBCES Dock (Map 2)

<u>Technique</u> - Detector was an Eppley precision pyranometer with a clear quartz dome mounted on the roof of the instrument shed at the end of the dock. Data points were recorded every 10 minutes.

<u>Principal Investigator</u>: Robert Cory, U.S. Geological Survey,

Chesapeake Bay Center for Environmental Studies.

Research Funding: U.S. Geological Survey.

Incident Total White Light Irradiance at Dock (map 2). Average Hourly Values (g cal/cm² hour) and Daily Totals (g cal/cm² day). January 1974. Table

Hour					Day	Day of 1974					
of Day	-	2	3	4	5	9	7	8	6	10	=
0200-0600	ı	ı	ı	1	1	•	ı	ı	ı	•	•
0020-0090	ı	ı	ı	ı	ı	•	ı	ı	ı	ı	ı
0700-0800	ı	.05	ı	.01	.00	•	.01	.03	ı	ı	•
0060-0080	.02	.21	.02	.07	.07	.04	.12	.26	ı	ı	ı
0001-0060	.08	. 18	.09	.1	.15	90.	.12	.41	.01	.01	.00
1000-1100	14	.55	.14	.14	.20	=	.18	.51	.07	.07	.04
1100-1200	9	.64	.12	.08	.27	Ξ.	. 28	.58	.20	.05	.08
1200-1300	.21	.64	.10	(.08) ^a	.41	60.	.32	.60	.23	.07	.14
1300-1400	6	.53	.10	(°08)	.43	60.	.22	.33	.19	.12	. 18
1400-1500	60.	.31	.04	(.04) ^a	.30	90.	.34	(.31) ^a	.20	60.	.13
1500-1600	.08	.08	.02	(.02) ^a	.20	90.	.14	(.25) ^a	- James James	.08	.08
1600-1700	.01	.0	ı	ı	90.	.01	.03	(.18) ^a	-	.04	6.
1700-1800	ı	ı	ı	ı	•	•	ı	.07	.04	.00	.01
1800-1900	•	ı	ı	ı	•	•	1	1	•	ı	ı
1900-2000		•	1	1	•	•	1				
Total	58.8	190.8	37.8	37.8	126.0	37.8	105.6	211.8	9.69	32.4	40.8
^a value includes some estimated hourly	des some	estimated		values.							

Table January 1974. (continued)

Hour					Day	Day of 1974					
of Day	12	13	14	15	16	17	18	19	20	21	22
0200-0600	ı	ı	1		ı	1	ı	•	ı	ı	ı
0020-0090	ı	1	•	•	ı	1		l		•	ı
0700-0800	•		ı	•	ı	•	•	.04	.00	ı	90.
0800-0080	ı	5.	.01	.02	.04	90°	.01	.12	.04	.0	.27
0000-1000	.03	.14	.07	.23	90.	.22	.04	.31	.08	.01	. 56
1000-1100	.25	.30	<u>б</u>	.46	<u>.</u>	.45	.08	.53	.12	.07	99.
1100-1200	.47	.27	.30	.62	.56	.59	.13	.14	Ξ.	brown brown	.72
1200-1300	.71	.34	.29	.72	.48	.47	.15	e huses huses	.12	.15	.71
1300-1400	. 58	.41	.30	.61	.47	.28	.14	Γ.	Γ.	. 28	.67
1400-1500	.36	.64	14	(.39) ^a	.39	.12	.12	.05	90.	.29	.49
1500-1600	. 22	.34	80.	Ξ.	.20		been here	.04	.05	.27	.30
1600-1700	.34	.33	. 05	.05	.13	.05	.07	.00	.02	.07	.00
1700-1800	Ε.	Ε.	.05	(:03) ^a	.03	.00	.02	ı	ı	•	ı
1800-1900	ı	1	1	ı	ı	ı	ı	ı	ı	•	ı
1900-2000	a	•	•	•	1	1	•	•	•	•	•
Total	184.2	173.4	88.8	194.4	160.2	141.6	52.2	97.6	43.2	75.6	271.8
d											

avalue includes some estimated hourly values.

January 1974. (continued)

Hour					Day	Day of 1974				
of Day	23	24	25	26	27	28	59	30	31	
0200-0600	ŧ	3	3	3	ı	å	ı	ŝ	ı	
0000-0090	ŧ	ı	ı	ı	i	i	ı	i	i	
0700-0800	. 04	.01	.02	.01	.05	.03	.08	90.	.04	
0800-0080	.26	.03	90.	.03	.31	.18	.29	.26	.13	
0000-1000	.51	90	.26	60.	.54	.32	.54	.51	.28	
1000-1100	.61	.08	.41	Ξ.	.71	.24	.51	.70	.31	
1100-1200	.71	.05	.30	.12	.80	. 25	.54	.83	.37	
1200-1300	.62	90.	.35	.15	.81	.14	9/.	.81	.65	
1300-1400	.43	.07	.37	.15	.75	.25	.62	.73	.72	
1400-1500	.29	90.	.22	90.	.45	.21	.41	.57	. 55	
1500-1600	91.	.04	.16	.02	.33	.05	.21	.36	.37	
1600-1700	.04	.01	.07	.01		.00	.07	٦٢.	2.	
1700-1800	ŝ	i	3	š	ı	i	ŝ	.00	.00	
1800-1900	ı	ı	ŝ	ı	ı	ı	ŝ	ı	ı	
1900-2000	\$	ı	8	3	8	1	1	8		
Total	220.2	28.2	133.2	45.0	291.6	100.8	241.8	297.6	213.0	

Incident Total White Light Irradiance at Dock (map 2). Average Hourly Values (g cal/cm² hour) and Daily Totals (g cal/cm² day). February 1974. Table

Hour					Day	of 1974					
of Day	32	33	34	35	36	37	38	39	40	41	42
0200-0600	ı	ı	•	ı	I	ı	ı	ı	ı	l	ı
0020-0090	ı	ì	,	ı	ı	ı	ı	ı	1	ì	ı
0700-0800	.07	.00	ı	80.	.10	90.	.01	ı	.18	.13	.11
0060-0080	.25	60.	.01	.20	.36	.23	90.	.01	.48	.40	.37
0000-1000	.37	.14	.03	.24	09.	.19	.08	.07	. 68	. 68	. 64
1000-1100	.49	Ε.	.05	.68	.77	.27	.19	.08	.80	.80	. 83
1100-1200	.45	.17	.04	.82	.87	.34	.24	60.	88.	06.	.94
1200-1300	.41	.20	.03	69.	. 88	.25	91.	.10	.91	.75	.94
1300-1400	.47	.13	.03	.67	.80	.16	(.14) ^a	.10	.84	.71	.86
1400-1500	.62	60.	.02	.62	.64	60.	(.10) ^a	.03	.64	. 68	.70
1500-1600	.30	. 03	.01	.38	.41	. 04	60.	90.	.37	.41	.48
1600-1700	.14	.01	.01	.14	.17	.02	.04	.04	.13	.15	.21
1700-1800	ı	ı	ı	.01	.01	ı	ı	1	.01	.01	.01
1800-1900	1	ı	ı	ı	ı	ı	ı	1	1	ı	1
1900-2000	1	-	-	-		-	•	1	•	1	1
Total	214.2	58.8	13.8	271.8	336.6	0.66	9.99	37.8	355.8	337.2	365.4

^avalue includes some estimated hourly values.

February 1974. (continued)

Hour	:				Day	Day of 1974					
of Day	43	44	45	46	47	48	49	50	51	52	53
0200-0600	ı	ı	ı	ı	t	t	ı	ı	t	ı	1
0000-0090	ı	ı	ı	ı	•	1	ı	ı	1	ı	ı
0700-0800	90.	.07	.08	.01	.05	90.	.12	.02	. 02	.15	. 05
0800-0080	.36	.33	. 23	.05	.14	.15	.42	90.	.19	.41	.10
0001-0060	. 60	. 62	.31	.22	.19	.27	.65	60.	.64	99.	.16
1000-1100	.61	.62	.34	69.	.23	.67	8.	.08	.83	.84	.16
1100-1200	٠.77	88.	.31	06.	.15	.87	96.	.16	96.	.89	.63
1200-1300	.77	.74	.12	.80	.20	.68	66.	.21	.97	.97	.77
1300-1400	٠.7	.76	. 28	.87	.13	06.	06.	.03	.92	.91	.80
1400-1500	.36	.64	.24	.67	90.	.55	.75	.03	.78	.70	. 64
1500-1600	.35	.49	.14	.50	.04	.44	.51	.03	.56	.48	.49
1600-1700	lana lana	.21	.05	.25	.03	.26	.25	90.	.31	.24	.21
1700-1800	.00	. 02	ı	.04	.01	.04	.04	.02	90.	.03	.01
1800-1900		ı	ı	ı	•	ı	ı	1	ı	ı	ı
1900-2000	•	1	t	1	-	•	-	8	1	•	•
Total	279.0	322.8	126.0	300.0	73.8	293.4	384.0	47.4	374.4	376.8	241.2

February 1974. (continued)

Four					Day	Day of 1974	
of Day	54	55	99	57	58	59	
0200-0600	ı	I	I	ı	1	1	
0020-0090	5.	5	ı	5	ç.	.01	
0700-0800	.20	.20	.02	.20	.34	.21	
0060-0080	.50	.49	.08	ŗ.	. 59	.48	
0000-10060	.75	.73	.19	.76	.75	69.	
1000-1100	.83	98.	.34	.95	.84	(.93) ^a	
1100-1200	1.03	. 92	.29	1.04	1.02	(1.00) ^a	
1200-1300	1.03	6.	. 53	1.03	1.03	(1.01) ^a	
1300-1400	.94	.94	.42	96.	. 59	.93	
1400-1500	.78	.68	.42	.79	.41	.78	
1500-1600	. 53	.37	.47	.56	.42	.51	
1600-1700	. 28		. 23	.30	.15	.12	
1700-1800	.05	.01	5.	.04	.03	.02	
1800-1900	ı	ı	ı	ı	ı	ı	
1900-2000	1	1	-		1	1	
Total	415.8	373.8	180.0	429.0	373.2	401.4	

^avalue includes some estimated values.

Incident Total White Light Irradiance at Dock (map 2). Average Hourly Values (g cal/cm² hour) and Daily Totals (g cal/cm 2 day). March 1974. Table

Hour					Day	Day of 1974					
of Day	09	19	62	63	64	65	99	29	68	69	70
0200-0600	ı	I	ı	ı	ı	ı	ı	1	ı	ı	ı
0020-0090	.01	ı	.01	.01	.01	.02	.02	.01	ı	•	.02
0700-0800	.22	.02	.15	.13	.16	.26	.12	.15	.04	.05	.29
0800-0080	. 53	. 08	.37	.36	.31	.38	.24	.42	.07	.23	. 55
0000-10060	. 54	. 25	.54	.22	.15	.40	(.52) ^a	.67	.14	. 59	.64
1000-1100	. 56	. 53	.62	.46	.07	.39	.81	.87	.14	.71	.90
1100-1200	06.	. 89	88.	.77	-	.23	.92	. 68	.17	1.01	1.14
1200-1300	1.04	.61	.89	06.	.25	.30	. 88	.93	.24	.71	1.02
1300-1400	96.	.87	.83	.83	.23	.23	96.	.62	.20	.83	.71
1400-1500	.79	.51	.62	.72	.19	.10	.80	(.79) ^a	.15	.72	.25
1500-1600	. 53	.49	.37	.42	60.	.03	.33	.51	.08	.34	.19
1600-1700	.22	e leme	.16	.20	.04	.03	.08	.27	.04	.13	.05
1700-1800	.04	.03	.02	.03	.02	.01	.05	.08	.01	.07	.01
1800-1900	ı	ı	ı	ı	ı	ı	ı	ı	ı	1	•
1900-2000	•	1	1	1	•	•	•	ı	•	1	•
Total	380.4	263.4	326.4	303.0	97.8	142.8	342.6	360.0	76.8	322.2	346.2

^avalue includes some estimated hourly values.

Table March 1974. (continued)

Hour					Day	Day of 1974					
	7.1	72	73	74	75	92	77	78	79	80	81
0200-0600	1	1	1	1	ı	ı	ı	1	ı	1	ı
0020-0090	.01	.03	.03	(.03) ^a	.02	.01	.03	.01	ı	ı	.07
0700-0800	.13	.30	.28	(.26) ^a	.15	.14	.31	60.	.05	.02	.38
0800-0080	. 26	.62	. 58	. 55	.39	.33	.62	.32	.27	.03	99.
0000-1000	.30	. 87	.84	.80	90.	.56	06.	.32	.73	. 03	. 92
1000-1100	69.	1.07	1.04	.73	60.	.82	1.08	.16	.85	.04	1.12
1100-1200	69.	1.18	1.16	1.02	90.	.74	1.19	.25	.92	.10	1.24
1200-1300	.61	1.18	1.18	1.07	90.	1.07	1.21	. 58	.87	.80	1.24
1300-1400	.27	1.10	1.10	1.04	.07	.84	1.13	.49	.95	1.06	1.16
1400-1500	.19	. 94	. 94	.92	.03	.70	. 98	.26	١6.	.85	1.00
1500-1600	.17	.72	(.72) ^a	a .78	.05	.72	.73	.12	.70	.61	.76
1600-1700	60.	.44	(.44) ^a	a .41	.03	. 44	.44	.03	.41	.40	.45
1700-1800	.02	.15	(.15) ^a	a .12	ı	.08	.17	.04	.15	60.	.20
1800-1900	1	ı	1	ı	ı		ı	ı	1	ı	.01
1900-2000	-	1	-	1	-	•	1	1	1	1	1
Total	205.8	516.0	507.6	463.8	0.09	387.0	527.4	160.2	408.6	241.8	552.6
,		,									

^avalue includes some estimated hourly values.

Table March 1974. (continued)

					Day	Day of 1974			
~	82	83	84	85	98	87	88	89	06
0500-0600	ı	ı	ı	ı	ı	ı	ı	ı	ı
0020-0090	.07	90.	.03	.10	.05	1.	. 02	.01	.02
0700-0800	.29	.25	.13	.39	.31	.36	.05	.04	80.
0060-0080	09.	.56	.26	69.	.54	.61	.10	.07	.20
0001-0060	88.	. 82	.43	.74	.81	.87	.07	.08	.24
1000-1100	1.08	.63	.50	1.12	1.09	1.06	90.	60.	.42
1100-1200 1.	1.18	99.	.64	1.21	1.23	1.14	90.	.08	.37
1200-1300	1.20	.61	.70	1.21	1.24	1.11	.04	90.	.16
1300-1400	1.04	.75	1.21	1.11	1.10	1.01	90.	.01	.23
1400-1500	. 94	.83	76.	76.	∞.	.92	.05	.03	.40
1500-1600	.85	.72	.62	.71	.29	.61	.03	60.	.61
1600-1700	.72	.24	.40	.36	.25	.27	.02	60.	.46
1700-1800	.15	.16	-	91.	.12	.08	.01	.05	90.
1800-1900	.01	.01	.01	.01	.01	.01	ı	1	ı
1900-2000	ı	1	1	ı	1	1	-	1	•
540.6		378.0	360.6	526.8	471.0	489.6	34.2	42.0	195.0

Incident Total White Light Irradiance at Dock (map 2). Average Hourly Values (g cal/cm² hour) and Daily Totals (g cal/cm² day). April 1974. Table

Hour					Day of	of 1974					
of Day	91	92	93	94	95	96	26	86	66	100	101
0200-0600	ı	ı	ı	ı	8	ı	ı	ı	ı	10.	.03
0000-0090	5.	. 05	.14	ı	.04	60.	.20	.12	.01	.20	.27
0700-0800	.17	.07	.42	.07	bases keese	80	.50	<u>o</u>	.03	.50	4.
0800-0080	.19	21.	.72	60.	.16	.78	.80	.24	.04	.80	.64
0000-10060	.49	. 30	.87	-	60.	.67	9	.19	01.	1.05	.95
1000-1100	.81	.62	1.20	.21	.05	.70	1.23	. 26	.16	1.22	1.01
1100-1200	16.	. 55	.91	.18	01.	. 98	1.28	E.	.12	1.32	1.23
1200-1300	1.03	.57	1.20	.28	.15	.57	1.21	. 08	.14	1.32	1.19
1300-1400	.91	.42	1.16	.25	. 28	. 52	.80	60.	.16	1.24	1.09
1400-1500	.91	66.	.94	91.	69.	.39	1.07	.08	.16	1.08	.65
1500-1600	.61	.75	.50	.15	.57	.39	. 58	.04	<u>6</u>	.85	. 55
1600-1700	.23	.46	.23	.07	.36	.44	.29	.01	60.	.52	.42
1700-1800	90.	.16	.03	.02	.14	.14	80.	ı	. 02	.20	.18
1800-1900	ı	ı	ı	ı	ı	ı	ı	ı	ı	.013	.00
1900-2000	1	1	1	1	1	1	•	ŝ		-	1
Total	388.2	307.2	499.2	95.4	164.4	363.0	552.0	84.6	73.2	619.2	522.6

Table April 1974. (continued)

=					Day	Day of 1974					
Hour of Day	102	103	104	105	106	107	108	109	110	111	112
0200-0600	.04	ı	1	.02	.03	.02	.02	.02	.04	.03	.04
0000-0090	.17	.02	.05	.21	.23	.25	.26	.10	.26	.25	.15
0700-0800	.32	.04	.19	.57	.31	.53	. 54	.31	. 58	.56	.46
0800-0080	.73	90.	.26	.84	.33	.82	1.21	.41	98.	.85	.87
0000-1000	.95	.12	.29	(.94) ^a	36.	1.08	1.06	.40	1.13	1.08	1.08
1000-1100	.81	.14	.45	1.03	.53	1.26	1.23	.30	1.28	1.25	1.10
1100-1200	.84	.31	. 56	1.41	.89	1.35	1.29	1.02	1.35	1.32	1.31
1200-1300	1.06	.27	.63	1.36	1.39	1.34	1.32	92°	1.37	1.32	1.21
1300-1400	1.00	. 59	.87	1.08	1.31	1.25	1.24	. 55	1.28	1.18	.81
1400-1500	.87	.82	.64	1.06	1.09	1.05	1.07	.35	1.10	. 89	.71
1500-1600	.71	.81	.29	.82	.83	.82	.81	.34	98.	.60	.28
1600-1700	.30	.46	.36	. 54	.53	. 54	.53	Ξ.	. 58	. 59	.19
1700-1800	.21	.14	.19	.26	.12	.23	.22	.24	.25	.14	.07
1800-1900	.03	.02	.02	.02	.01	.02	.02	.02	.02	.05	.01
1900-2000	1	1	1	1	1	1	1	1	ı	1	
Total	482.4	228.0	288.0	9.609	477.6	633.6	649.2	295.8	9.759	9.909	497.4
die includer come actimated being in	0000	- ca: + 00	י באווסק די	2011							

dvalue includes some estimated hourly values.

Table April 1974. (continued)

	120	• 05	.28	.54	.82	1.05	1.20	1.33	.92	1.09	.84	.80	.44	.25	.04	-	579.0
	119	.03	.18	.40	.67	.97	1.21	1.22	1.35	1.22	1.02	.80	.53	.22	.03	,	591.0
Day of 1974	118	(.03) ^a	(.20) ^a	(.50) ^a	(.60) ^a	١٢.	.79	96.	1.00	.93	.53	.80	.46	.28	.03	1	469.2
Day o	117	ı					ł	ATAO	ON							1	
	116	ı					F	\TA0	ON							•	
	115	.04	.30	.61	.89	1.14	1.30	1.39	1.38	(1.30) ^a	(1.10) ^a	(.80) ^a	(.55) ^a	(.30) ^a	(.02) ^a		667.2
	114	.03	.10	.26	.38	.36	.36	.39	.40	.50	.28	.10	80.	.02	ı	1	195.6
	113	.02	.07	9[.	.39	.71	1.27	1.37	1.38	1.28	.92	.18	.07	.08	.01	ı	474.6
Hour	of Day	0500-0600	0020-0090	0700-0800	0060-0080	0001-0060	1000-1100	1100-1200	1200-1300	1300-1400	1400-1500	1500-1600	1600-1700	1700-1800	1800-1900	1900-2000	Total

^avalue includes some estimated hourly values.

Incident Total White Light Irradiance at Dock (map 2). Average Hourly Values (g cal/cm² hour) and Daily Totals (g cal/cm² day). May 1974. Table

Day of 122 123 124 125
- 90.
.28 .02
.22 .10
.34 .28
.4638
. 28 56
.30 .66
.32 1.28
.20 1.08
.26 .79
.13 .52
.10 .37
.03 .14
.04
1
178.8 373.2 708.6

^avalue includes some estimated hourly values.

(continued
974.
May 1

Hour					Day	Day of 1974					
of Day	132	133	134	135	136	137	388	139	140	4	142
0500-0600	.02	(.10) ^a	2	5	.05	0.	1	0.	0.	.04	80.
0020-0090	granes granes	(.40) ^a	.40	.42	.36	85.	0.	60:	.40	.29	8
0700-0800	.22	(.60) ^a	.70	.70	.64	99.	.44	9 .	99.	8°.	.56
0800-0000	.23	(.70) ^a	96.	1.00	.92	. 92	. 58	.05	88	.52	.80
0900-1000	33	(.80)	1.16	1.20	~	kanon e brezzo formen	.48	, d	1.12	.52	1.04
1000-1100	.20	. 92	1.30	1.34	1.20	1.24	99.	.20	1.28	.92	1.12
1100-1200	71.	. 94	1.38	1.40	1.28	1.30	.50	.19	1.38	1.20	1.20
1200-1300	_	1.08	1.34	1.34	1.32	1.32	1.27	.26	1.38	1.33	1.30
1300-1400	60.	1.13	1.24	1.26	1.20	1.22	1.04	.32	1.30	1.30	1.28
1400-1500	. 08	1.13	1.06	1.08	1.00	1.04	.64	.34	1.12	91.	1.08
1500-1600	90°	.84	.82	.80	.80	.74	.62	34	.94	. 95	92.
1600-1700	.05	.55	.54	.54	.50	.50	.50	ee.	99.	99.	. 54
1700-1800	.03	.19	.26	4	.12	.22	.20	.24	34	.34	.26
1800-1900	ı	.03	.04	5	.04	90.	.04	.03	.10	.10	. 08
1900-2000	•		,	1	1	1	1	1	1	-	9
Total	106.8	564.6	679.2	683.4	633.0	648.6	424.2	162.0	9.669	577.8	624.0
Guston tour some some bound bound	0 000	+ ca + + + + + + + + + + + + + + + + + +	2 2 2	201167							

avalue includes some estimated hourly values.

Table May 1974. (continued)

14.0 14.0 14.0 14.0 15.0	CV		776	37.	Day	Day of 1974	0 7 5	0	[2]
3 .06 .05 .01 .10 .01 .06 3 .30 .22 .03 .34 .04 .23 4 .39 .64 .04 .64 .16 .44 5 .90 .12 .92 .16 .60 6 .93 .110 .25 .116 .26 .36 7 .95 .89 .24 1.16 .26 .13 8 .10 .24 1.15 .26 .13 9 .56 .64 1.20 .26 .11 10 .10 .12 .10 .10 .11 1 .10 .16 .10 .10 .10 .10 1 .10 .10 .10 .10 .10 .10 .10 1 .10 .10 .10 .10 .10 .10 .10 1 .10 .10 .10 .10		144	145	146	147	148	149	150	151
1.30 .22 .03 .34 .04 .23 1.39 .64 .04 .64 .16 .44 1.52 .90 .12 .92 .16 .44 1.98 1.10 .25 1.16 .26 .36 1.09 .89 .24 1.16 .26 .13 1.124 1.06 .84 1.31 1.08 .62 1.102 .80 .15 1.10 1.27 1.16 1.102 .80 .16 1.20 .90 .70 1.102 .80 .16 .120 .90 .70 1.102 .80 .16 .74 .30 .74 1.103 .16 .74 .30 .32 .46 1.103 .20 .26 .34 .04 .28 1.103 .20 .20 .10 .02 .08 1.104 .20 .20 .10 .20 <td< td=""><td></td><td>.08</td><td>90.</td><td>.05</td><td>.01</td><td>.10</td><td>.01</td><td>90.</td><td>.04</td></td<>		.08	90.	.05	.01	.10	.01	90.	.04
1 .39 .64 .04 .64 .16 .44 1 .52 .90 .12 .92 .16 .60 .98 1.10 .25 1.16 .26 .36 .95 .89 .24 1.16 .26 .13 .104 .156 1.32 .94 .40 .93 .74 .56 1.10 1.27 1.16 .93 .74 .56 1.10 1.27 1.16 .93 .74 .56 1.00 .50 .46 .94 .75 .20 1.00 .50 .46 .94 .75 .74 .30 .32 .46 .93 .26 .34 .04 .28 .28 .10 .06 .06 .10 .02 .08 .08 .10 .24 .24 .24 .08 .08 .08 .08 .10 .10 .0		.20	.30	.22	.03	.34	.04	.23	.16
1 .52 .90 .11 .92 .116 .60 .36 1 .98 1.116 .26 .13 .36 .13 1 .65 .56 .64 1.32 .94 .40 1 1.24 1.06 .84 1.31 1.08 .62 1 1.24 1.06 .84 1.31 1.27 1.16 1 1.02 .80 1.16 1.20 .90 .70 2 .91 .72 1.00 .50 .46 .76 3 .58 .46 .74 .30 .32 .46 4 .38 .20 .26 .34 .04 .28 5 .10 .06 .10 .02 .08 .08 1 .38 .20 .26 .34 .04 .28 1 .30 .06 .10 .07 .08 .08 1 .3 .3 .3 .3 .08 .08 1 .3 <t< td=""><td></td><td>.14</td><td>.39</td><td>.64</td><td>.04</td><td>.64</td><td>.16</td><td>.44</td><td>.12</td></t<>		.14	.39	.64	.04	.64	.16	.44	.12
6 .98 1.10 .25 1.16 .26 .36 9 .95 .89 .24 1.16 .26 .13 1 .65 .56 .64 1.32 .94 .40 1 1.24 1.06 .84 1.31 1.08 .62 1 1.24 .74 .56 1.10 1.27 1.16 1 1.02 .80 1.10 1.27 1.16 1 .72 .20 1.00 .50 .46 1 .58 .46 .74 .30 .32 1 .38 .20 .26 .34 .04 .28 1 .06 .06 .10 .02 .08 1 .0 .0 .0 .0 .0 2 .0 .10 .0 .0 .0 1 .0 .0 .0 .0 .0 1 .0 .0 .0 .0 .0 1 .0 .0 .0 <t< td=""><td></td><td>.04</td><td>.52</td><td>06.</td><td>.12</td><td>. 92</td><td>.16</td><td>.60</td><td>.20</td></t<>		.04	.52	06.	.12	. 92	.16	.60	.20
5 .89 .24 1.16 .26 .13 9 .65 .56 .64 1.32 .94 .40 1 11.24 11.06 .84 11.31 11.08 .62 1 .93 .74 .56 1.10 1.27 11.16 1 .102 .80 .16 .120 .90 .70 1 .58 .46 .16 .74 .30 .32 1 .38 .20 .26 .34 .04 .28 1 .36 .06 .10 .02 .08 .08 2 .10 .06 .10 .02 .08 .08 2 .10 .214.2 .85.8 .356.4 .350.4 .13		01.	.98	0	.25	1.16	.26	.36	.24
9 .65 .64 1.32 .94 .40 1 1.24 1.06 .84 1.31 1.08 .62 1 .93 .74 .56 1.10 1.27 1.16 1 1.02 .80 .16 1.20 .90 .70 2 .91 .72 .20 1.00 .50 .46 4 .58 .46 .16 .74 .30 .32 5 .10 .06 .06 .10 .02 .08 - - - - - - - 540.6 504.0 214.2 685.8 356.4 1350.4 13		.46	.95	.89	.24	1.16	.26	.13	.16
1.24 1.06 .84 1.31 1.08 .62 5 .93 .74 .56 1.10 1.27 1.16 1 1.02 .80 .16 .90 .70 1 .72 .20 1.00 .50 .46 1 .58 .46 .16 .74 .30 .32 1 .38 .20 .26 .34 .04 .28 2 .10 .06 .10 .02 .08 .08 2 .10 .214.2 685.8 356.4 356.4 1350.4 13		1.19	.65	. 56	.64	1.32	.94	.40	.14
5 .93 .74 .56 11.10 11.27 11.16 1 11.02 .80 .16 11.20 .90 .70 2 .91 .72 .20 11.00 .50 .46 3 .58 .46 .16 .74 .30 .32 4 .38 .20 .26 .34 .04 .28 5 .10 .06 .10 .02 .08 .08 5 .10 .214.2 685.8 356.4 350.4 13		1.31	1.24	1.06	.84	1.31	1.08	.62	.18
1.02 .80 .16 1.20 .90 .70 2.01 .72 .20 1.00 .50 .46 4 .58 .46 .16 .74 .30 .32 4 .38 .20 .26 .34 .04 .28 5 .10 .06 .10 .02 .08 - - - - - 540.6 504.0 214.2 685.8 356.4 350.4 13		1.26	. 93	.74	.56	1.10	1.27	1.16	(.22) ^a
5 .91 .72 .20 1.00 .50 .46 4 .58 .46 .16 .74 .30 .32 1 .38 .20 .26 .34 .04 .28 2 .10 .06 .10 .02 .08 - - - - - 540.6 504.0 214.2 685.8 356.4 350.4 13		۲۲.	1.02	.80	.16	1.20	06.	.70	(.24) ^a
7 .58 .46 .16 .74 .30 .32 1 .38 .20 .26 .34 .04 .28 2 .10 .06 .10 .02 .08 - - - - - 540.6 504.0 214.2 685.8 356.4 350.4 13		.85	.91	.72	.20	1.00	.50	.46	.24
1 .38 .20 .26 .34 .04 .28 2 .10 .06 .10 .02 .08 - - - - - - 540.6 504.0 214.2 685.8 356.4 350.4 13		.47	. 58	.46	.16	.74	.30	.32	91.
540.6 504.0 214.2 685.8 356.4 350.4 13		.34	.38	.20	.26	.34	.04	. 28	.14
540.6 504.0 214.2 685.8 356.4 350.4		.12	.10	90.	90.	.10	. 02	.08	(90.)
540.6 504.0 214.2 685.8 356.4 350.4	1	1	1	•	•	1	1	-	ı
	4	36.2	540.6	504.0	214.2	685.8	356.4	350,4	138.0

avalue includes some estimated hourly values.

Incident Total White Light Irradiance at Dock (map 2). Average Hourly Values (g cal/cm² hour) and Daily Totals (g cal/cm² day). June 1974. Table

Hour					Day	Day of 1974					
of Day	152	153	154	155	156	157	158	159	160	161	162
0200-0600			.08	.10	90.	10	.04	ı	60.	. 2	90.
0020-0090			.23	.34	.20	.38	.10	.05	.34	.32	.26
0080-0020			.38	09.	.51	.64	.12	.10	. 58	.40	. 58
0800-0080			.52	06.	.84	. 92	.20	.36	.82	. 88	.92
0000-1000		•	.75	1.10	1.12	1.08	.38	.46	06.	1.08	1.16
1000-1100	1	1	1.00	1.26	1.32	1.24	.44	.50	. 88	1.26	1.32
1100-1200	ATAG	∖TAO	1.26	1.26	1.22	1.24	.38	.40	1.18	1.34	1.42
1200-1300	ON	ON	1.26	1.34	1.42	1.28	.42	.48	1.22	1.34	1.42
1300-1400			1.30	1.24	1.34	1.34	.38	.80	1.22	1.26	1.38
1400-1500			1.14	1.02	1.16	1.06	.20	1.01	1.10	1.12	1.18
1500-1600			.92	. 94	1.00	.84	.24	.64	. 88	.92	1.00
1600-1700			.64	. 68	.70	99.	.12	.49	.62	. 68	.74
1700-1800			.38	.40	.40	.32	30.	.40	.34	.38	.38
1800-1900			Ξ.	.12	.14	90.	.02	.10	.10	.10	.12
1900-2000			1	1	1	1	1	ı	•	1	-
Total			598.2	678.0	685.8	9.699	187.2	347.4	616.2	672.0	716.4

Table June 1974. (continued)

Hour					Day	Day of 1974					
of Day	163	164	165	166	167	168	169	170	171	172	173
0200-0600	.12	.12	90.	90.	.02	90.	.10	.10	.10	.10	.10
0020-0090	.27	.38	.25	.16	.28	.32	.20	.38	.34	.22	. 28
0700-0800	.40	.64	.33	. 58	. 28	.51	.44	. 60	09.	.56	.56
0800-0080	.62	(.86) ^a	.81	98.	.24	1.00	06.	06.	(.82) ^a	.80	.86
0000-1000	.68	1.04	1.05	.84	1.16	1.14	1.14	1.16	1.06	.76	. 88
1000-1100	1.14	1.28	1.22	1.19	.36	1.36	1.08	1.12	1.22	1.12	.64
1100-1200	1.40	1.34	1.33	1.32	.22	1.35	.70	1.26	1.30	.61	.74
1200-1300	1.20	1.40	1.30	1.34	.36	1.12	1.10	1.27	96.	. 52	.92
1300-1400	1.32	1.28	1.34	1.28	.70	1.02	1.02	1.32	.52	.38	1.07
1400-1500	92.	1.14	1.14	1.14	92.	.84	1.22	1.00	.52	.38	.70
1500-1600	.32	.92	88	.94	. 92	.72	.46	06.	.26	. 56	.36
1600-1700	.14	99.	09.	.68	.80	. 68	99.	.64	8.	. 54	.20
1700-1800	.26	.34	.38	.38	.34	.28	.40	.32	.20	.10	.12
1800-1900	.14	.14	.12	.14	.12	.12	.12	.12	ı	.02	.05
1900-2000	•	•	ı	1	•	-		•	1	1	-
Total	526.2	692.4	648.6	654.6	393.6	631.2	572.4	665.4	484.8	400.2	448.8
٠	_		-								

^avalue includes some estimated hourly values.

Table June 1974. (continued)

	181	90°	.30	.56	.80	1.04	1.16	1.28	1.30	1.26	1.10	06.	.64	.38	.12	ı	654.0
	180	.04	.14	.50	98.	09.	.88	1.28	1.05	.72	.85	. 55	.52	.30	90.	ı	501.0
Day of 1974	179	.04	.08	.08	.14	91.	.18	.20	.18	.16	.12	.14	.12	.08	.04	1	103.2
Day c	178	.02	.14	.32	.36	ı	1	.72	.34	.24	.48	ı	.48	. 28	90.	1	206.4
	177	90°	.12	.14	.42	09.	.26	.46	.54	.74	1.06	. 56	09.	.10	ſ	1	339.6
	176	80°	.26	.20	.42	.30	.53	1.06	99.	1.01	1.10	.52	.34	.24	.10	1	343.2
	175	.04	.14	.26	.46	. 20	1.02	.92	1.14	1.1	.92	. 58	.32	.04	•	ı	447.0
	174	.02	Ε.	.24	.20	.16	.18	. 08	.10	.10	.07	.08	.04	.02	.01	1	84.6
Hour	of Day	0500-0600	0020-0090	0080-0020	0060-0080	0900-1000	1000-1100	1100-1200	1200-1300	1300-1400	1400-1500	1500-1600	1600-1700	1700-1800	1800-1900	1900-2000	Total

Incident Total White Light Irradiance at Dock (map 2). Average Hourly Values (g cal/cm² hour) and Daily Totals (g cal/cm² day). July 1974. Table

Hour					Day	Day of 1974					
of Day	182	183	184	185	186	187	188	189	190	191	192
0200-0600	.03	Ε.	.07	60.	ı	. 07	90.	.10	.07	90.	90.
0600-0700	.18	.33	. 33	.32	60.	.16	.16	.34	.24	.25	60.
0700-0800	.31	.62	. 56	09.	.29	.26	.42	09.	.45	.49	09.
0800-0080	.33	06.	.80	.83	44	.38	.67	1.10	.71	.77	16.
0000-1000	.45	1.12	1.00	1.03	.79	.46	1.00	1.09	66°	76.	1.01
1000-1100	1.14	1.25	1.22	1.19	1.06	.52	1.22	1.15	1.14	1.11	1.41
1100-1200	1.26	1.34	1.31	1.27	1.04	.49	1.35	1.23	1.17	1.16	1.49
1200-1300	1.35	1.38	1.29	1.30	1.08	.64	1.33	(1.23) ^a	1.16	1.12	1.42
1300-1400	.70	1.26	(1.10) ^a	1.19	.75	.57	1.31	1.23	1.15	. 97	1.38
1400-1500	.82	1.12	(.95) ^a	1.03	.43	. 53	1.08	1.07	1.02	76.	1.21
1500-1600	.33	.92	98.	.85	.45	.25	68.	88.	.80	92.	76.
1600-1700	.23	.63	.63	.61	.47	.14	.62	.64	09.	.33	.72
1700-1800	.38	.35	.36	.37	.10	.12	.34	.38	.36	.19	.44
1800-1900	.12	Ξ.	.12	.13	.01	90.	.12	.14	.12	.04	.16
1900-2000	•	•	•	•	1	1	•	.01	.01	.01	.02
Total	457.8	686.4	636.0	643.6	420.0	279.0	634.2	671.4	599.4	552.0	713.4

^avalue includes some estimated hourly values.

Table July 1974. (continued)

Hour					Day	Day of 1974					
of Day	193	194	195	196	197	198	199	200	201	202	203
0200-0600	.10	.10	.10	. 07	.05	80.	.04	.02	60.	80.	.08
0020-0090	.36	.30	.30	.26	.14	.32	.13	.03	.32	.19	.32
0700-0800	.64	. 59	.57	. 59	.30	.61	.20	.14	.60	.53	. 58
0060-0080	06.	.83	.84	.32	.47	.88	(.45) ^a	.17	.87	.86	.85
0001-0060	1.14	1.05	1.03	98.	.84	— •	(.78) ^a	.50	1.11	1.13	1.08
1000-1100	1.31	1.24	1.24	06.	1.12	1.30	(1.10) ^a	.70	1.30	1.32	1.24
1100-1200	1.30	1.31	1.32	.95	1.22	1.33	1.17	96.	1.03	1.43	1.36
1200-1300	1.42	1.19	1.28	1.20	1.25	1.39	1.02	.84	(1.06) ^a	1.29	1.38
1300-1400	1.21	1.24	1.21	1.21	1.26	1.32	.61	1.23	1.37	1.34	1.34
1400-1500	1.11	1.12	1.09	.80	. 93	1.15	.86	(1.00)	1.21	1.19	1.14
1500-1600	98.	.76	.87	(.74) ^a	. 63	. 94	.78	(.70) ^a	1.00	. 98	.94
1600-1700	. 56	.67	.67	.67	.67	.67	09.	.24	.74	69.	69.
1700-1800	.34	.38	.32	.33	.40	.39	.29	.22	.40	.41	.45
1300-1900	.14	.15	.13	Ε.	.14	Ε.	.05	Ξ.	.13	.14	.14
1900-2000	.01	.01	.01	•	1	.01	.01	1	1	.00	1
Total	684.0	656.4	658.8	540.6	565.2	0.969	785.4	411.6	673.8	695.4	695.4

a value includes some estimated hourly values.

Table July 1974. (continued)

a value includes some estimated hourly values.

Incident Total White Light Irradiance at Dock (map 2). Average Hourly Values (g cal/cm² hour) and Daily Totals (g cal/cm² day). September 1974.

	254	1	.01	. 07	.41	19° e(8	1.08	, 94	1.24	. 47	. 45	3 .43	.38	3 .12	1	1	372.6
	253	.01	.07	.16	.s.	(.28) ^a	.29	.47	.89	.62	.65	. 68	.42	.13	.00	-	299.4
	252	(.01) ^a	(.16) ^a	(.37) ^a	9.	.65	1.08	1.17	1.22	1.07	.38	.23	.19	.08	.00	1	433.8
	251						1	ΥTΑΟ	ON								
	250						١	ATAŒ	ON								
Day of 1974	249						1	ATAO	ON								
Da	248						١	ATAO	ON								
	5 247							ATAO									
	5 246					,		ATAO									
	245						,	ATAO	ON								
	244						,	ATAQ	ОИ								
Hour	of Day	0500-0600	0600-0700	0700-0800	0800-0080	0900-1000	1000-1100	1100-1200	1200-1300	1300-1400	1400-1500	1500-1600	1600-1700	1700-1800	1800-1900	1900-2000	Total

avalue includes some estimated hourly values.

September 1974. (continued)

Hour					Day o	Day of 1974					
of Day	255	256	257	258	259	260	261	262	263	264	265
0200-0600	ı	.01	ı	.01	.01	ı	ı	ı	ı	ı	ı
0020-0090	.03	.13	.03	.15	.13	.03	.11	.07	.03	90.	.03
0700-0800	60.	.35	.12	.37	.21	.20	.31	.27	60.	.21	. 23
0800-0080	.20	.68	.32	.67	69.	.55	.64	.43	.17	.40	. 65
0001-0060	.75	96	.79	.79	(.88) ^a	.59	98.	88.	.49	.8	88.
1000-1100	1.07	1.03	.84	(.55) ^a	1.05	1.04	1.03	.73	1.06	. 88	96.
1100-1200	1.12	-	.80	(.61) ^a	1.17	1.08	.84	1.08	1.14	92.	99.
1200-1300	1.13	1.11	.78	(.68) ^a	96.	.38	.78	1.04	1.14	.61	1.30
1300-1400	1.07	1.15	69.	(.62) ^a	1.00	.41	.62	66.	.98	.74	. 85
1400-1500	06.	1.07	.43	(.58) ^a	.62	.80	.84	.82	.80	.54	. 33
1500-1600	. 54	.67	. 33	. 53	09.	.54	.63	.62	.52	. 28	91.
1600-1700	.39	.43	.26	.20	.44	.30	.36	.38	.39	.13	. 23
1700-1800	.12	.10	.20	.10	90.	.15	60.	.13	.08	.00	80.
1800-1900	1	ı	.01	.00	.01	.01	.01	.01	.01	1	.01
1900-2000	•	1	1	1	1		•	•	-	ı	1
Total	444.6	528.0	336.0	352.2	469.8	364.8	427.2	447.0	414.0	325.8	382.2
n											

avalue includes some estimated hourly values.

September 1974. (continued)

Hour					Day	Day of 1974		
of Day	266	267	268	269	270	271	272	273
0200-0600	ı	Í	ı	ı	ı	ı	ı	1
0000-0090	.05	Immon	.03	60.	.10	.02	.07	11.
0700-0800	.30	.38	.20	∞.	.35	90.		.39
0800-0080	.67	69.	99.	.59	.57	.24		.67
0900-10060	5	. 92	.94	.89	.86	14		.89
1000-1100	1.09	1.09	90.1	.95	1.00	.04		1.04
1100-1200	1.20	Ξ.		1.04	1.09	.13		1.12
1200-1300	1.20	1.18	1.14	1.01	1.08	.51		1.11
1300-1400	1.14	1.09	1.01	.68	96.	.25		1.00
1400-1500	.71	06.	.85	.68	.59	90.		.81
1500-1600	.71	69.	. 58	.32	.51	Γ.	.56	.41
1600-1700	.41	.42	.31	.22	.26	.24	.22	.13
1700-1800	.11	.13	.07	.04	.05	.03	.05	. 02
1800-1900	.01	.01	ı	ı	ı	1	1	ı
1900-2000		•	-	•	1	e	1	
Total	510.6	527.4	480.0	401.4	445.2	109.8		462.0

Incident Total White Light Irradiance at Dock (map 2). Average Hourly Values (g cal/cm² hour) and Daily Totals (g cal/cm² day). October 1974. Table

Hour					Day of	of 1974					
of Day	274	275	276	277	278	279	280	281	282	283	284
0200-0600	1	ı	1	1	ı	ı	1	1	1	ı	1
0000-0090	(.10) ^a	ı	. 08	.10	.08	.08	.08	.08	.08	90.	80.
0700-0800	(.30) ^a	. 08	.36	.36	.30	.32	.30	.34	.30	. 28	.30
0800-0080	(.60) ^a	.64	99.	.64	. 58	09.	.64	.60	. 58	. 52	. 58
0000-10060	(.90) ^a	.06	06.	.88	.82	.82	09.	.86	. 58	.76	.76
1000-1100	1.06	1.06	1.00	1.04	. 98	. 93	1.02	1.02	. 56	. 92	.86
1100-1200	1.14	1.00	1.22	1.10	1.04	1.04	96.	1.06	.86	. 98	. 92
1209-1300	1.16	1.16	1.09	1.08	1.02	1.04	1.00	1.04	.98	. 94	06.
1300-1400	1.12	1.06	.72	. 98	. 92	. 92	06.	.92	.84	.85	.80
1400-1500	.36	.66	07.	.78	.74	.74	.62	.74	.70	.70	.62
1500-1600	.60	.74	.58	. 54	.50	.50	.30	. 52	.46	.46	.42
1600-1700	.30	.36	.30	. 28	.24	.26	.12	. 28	.22	.20	.18
1700-1800	90.	.04	.02	.02	.02	.02	.02	. 02	.02	.01	ı
1800-1900	1	ı	I	ı	ı	ı	ı	1	1	ı	1
1900-2000	1	1	1	1	1	•	1	1	1	-	1
Total	492.0	462.0	434.4	463.0	434.4	439.2	393.6	448.8	370.8	401.4	385.2

a value includes some estimated hourly values.

October 1974. (continued)

Hour					Day	Day of 1974					
of Day	285	286	287	288	289	290	291	292	293	294	295
0500-0600	ı	ı	ı	ı		•	ı	ı	ı	ı	ı
0000-0090	ı	ı	ı	ı	ı	.03	.02	.00	.02	.04	. 02
0700-0800	.13	.02	ı	.18	ı	. 28	.21	.21	.21	.26	.25
0800-0080	.37	.21	.08	.27	.04	.50	.56	.34	<u>.</u>	.54	. 52
0900-1000	. 59	.32	.12	.44	.15	92.	92.	.77	.72	92.	.74
1000-1100	.68	. 48	.17	.28	.12	.0	.95	16.	.84	.92	.91
1100-1200	.88	.85	.23	69.	.08	66.	1.10	. 98	. 88	66.	. 98
1200-1300	.64	.80	.65	.55	.15	86.	.80	.95	.49	. 97	.97
1300-1400	.45	.74	99.	.48	.19	.87	.64	98.	.70	.87	. 85
1400-1500	.25	.55	.44	.34	.10	.47	.53	.75	. 53	. 68	.67
1500-1600	.08	.23	.33	.17	.07	.23	.36	.32	8.	.44	. 44
1600-1700	. 02	ı	.14	.07	.04	.01	.12	.20	.08	.20	.16
1700-1800	ı	.01	•	ı	ı	ı	ı	ı	.00	.02	ı
1800-1900	ı	ı	ı	ı	ı	1	ı	1	1	ı	ı
1900-2000		•	-	-	-	-	1	•	1	-	•
Total	245.4	252.6	169.2	208.2	56.4	361.8	363.0	378.0	310.2	401.4	390.6

October 1974. (continued)

. 30
.83 .78 .73 .73 .21 .53 .97 .91 .91 .91 .91 .91 .91 .91 .91 .91 .91

Incident Total White Light Irradiance at Dock (map 2). Average Hourly Values (g cal/cm² hour) and Daily Totals (g cal/cm² day). November 1974.

Hour					Day	Day of 1974					
of Day	305	306	307	308	309	310	311	312	313	314	315
0200-0600	ı	ı	ı	ı	1	ı	1	1	1	ı	ı
0020-0090	ı	1	1	ı	1	ı	ı	1	1	.01	.01
0700-0800	.01	. 08	. 08	.10	.03	.16	.03	.18	.18	.15	60.
0800-0080	Ξ.	.18	.29	.33	.04	.35	90.	.41	.40	.34	.22
0000-10060	.31	. 55	. 55	. 59	.04	. 58	.37	.63	.63	.62	.40
1000-1100	.61	.70	.70	.64	60.	.80	.62	.78	.77	.76	. 59
1100-1200	.67	.80	.79	.80	.24	98.	.56	.84	.83	.84	.48
1200-1300	.77	.79	.67	.80	.27	.83	.44	.82	.80	.82	.71
1300-1400	.77	.62	.68	.73	. 52	.71	.24	.72	69.	69.	.71
1400-1500	09.	.37	. 55	.45	.48	.51	.33	. 53	.52	. 52	.52
1500-1600	.37	.27	.35	.28	. 24	.30	.20	.30	.29	.21	.29
1600-1700	.14	٦١.	.10	.08	90.	.04	90.	90.	.05	• 04	.05
1700-1800	.01	.01	.01	ı	.01	ı	1	1		ı	ı
1800-1900	•	1	1	I	ı	ı	1	ı		ı	1
1900-2000	1	1	1	1	1	1	1	1	1	-	•
Total	262.2	268.8	286.8	288.0	121.2	308.4	174.6	316.2	309.6	300.0	244.2

November 1974. (continued)

Hour					Dav	Dav of 1974					
of Day	316	317	318	319	320	321	322	323	324	325	326
0200-0600		1	1	1	1	1	 	1	1	ľ	1
0020-0090	ı	I	.00	ı	.00	ı	ı	ı	ı	ı	ı
0700-0800	.02	.12	.10	90.	.21	.02	.07	.04	.02	.04	۲.
1800-0900	.04	.39	.19	.33	.36	.08	.13	.10	.04	90.	.34
0000-10060	.07	. 59	.46	.60	.25	.10	.32	117	.07	.12	. 54
1000-1100	.08	.74	.74	.76	.64	.11	.41	.24	90.	.18	.70
1100-1200	.07	.84	.75	.80	.79	.19	.38	.43	. 08	.15	.78
1200-1300	· 04	.93	.83	.78	92.	.65	.34	.50	90.	.21	.77
1300-1400	.05	.57	.65	99.	.63	.62	. 28	.44	.05	.24	.67
1400-1500	.03	.39	.48	.49	.48	.47	.17	.46	.02	.13	.51
1500-1600	.01	.26	.22	.26	. 28	.26	60.	-	.03	.04	.29
1600-1700	•	90.	.03	90.	.07	.05	.03	.03	.01	.00	.08
1700-1800	•	ı	•	ı	ı	ı	ı	ı	ı	ı	ı
1800-1900	ı	ı	ı	ı	ı	•	ı	ı	ı	ı	ı
1900-2000	•		•	•			•	1	•	'	1
Total	24.6	293.4	267.6	288.0	268.8	153.0	133.2	151.2	26.4	8.07	287.4

334 ATAG ON 333 ATAG ON Day of 1974 332 ATAG ON 331 ATAG ON (.04)^a (.24)^a (.48)^a 30 .53 69. 9/. 92. .07 .67 330 272.4 .05 .20 .30 .39 43 .02 .04 .0 .0 93.6 329 60. .48 .64 .72 .63 .04 .27 .47 .27 .71 259.2 328 .48 .26 90. .37 .74 .72 .63 5 .67 274.2 327 0500-0600 0020-0090 0700-0800 0800-0000 0900-1000 1000-1100 1100-1200 1200-1300 1300-1400 1400-1500 1500-1600 1600-1700 1700-1800 1800-1900 1900-2000 Total Hour of Day

November 1974. (continued)

^avalue includes some estimated hourly values.

Incident Total White Light Irradiance at Dock (map 2). Average Hourly Values ($q \, cal/cm^2$ hour) and Daily Totals (q cal/cm² day). December 1974. Table

Hour					Day of	of 1974					
of Day	335	336	337	338	339	340	341	342	343	344	345
0200-0600	1	1	1	ı	ı	ı	I	ı	ı	ı	ı
0020-0090		ı	ı	ı	ı	ı	I	ı	ı	ı	ı
0080-0020		(.01) ^a	.05	.10	.10	Ξ.	.03	ı	. 08	.08	60.
0060-0080		(.03) ^a	.30	.32	.31	.33	Ξ.	I	.32	.32	.34
0900-1000		.04	.40	.52	.51	.51	.20	.10	67.	.50	.49
1000-1100		.04	.52	99.	٦.	.62	.27	.19	.61	.61	.57
1100-1200	ATAC	.05	.57	.70	.64	69.	.51	. 28	.64	.38	.64
1200-1300	l ON	Ξ.	99°	69.	.55	99.	.39	.43	.21	.40	.67
1300-1400		.10	.57	09.	.60	(.56) ^a	.26	.35	. 23	.26	.45
1400-1500		90.	.40	.41	.40	(.36) ^a	.18	.40	.14	.23	.29
1500-1600		.02	.17	.18	.21	(.18) ^a	.10	.15	۲.	.13	.10
1600-1700		ı	.02	.02	.03	.02	.01	.02	.02	.02	.00
1700-1800		ı	ı	•	ı	ı	ı	ı	ı	ı	ı
1800-1900		ı	ı	•	ı	i	1	ı	ı	ı	ı
1900-2000	1	•		•	•	•	-	1	1	•	•
Total		27.6	219.6	252.0	231.6	242.4	123.6	115.2	171.0	175.8	219.0


^avalue includes some estimated hourly values.

able December 1974. (continued)

Hour					Day	Day of 1974					
of Day	346	347	348	349	350	351	352	353	354	355	356
0200-0600	ı		1	ı	ı	I	ı	I	ı	ı	ı
0000-0090	ı	•	ı	ı	ı	ı	ı	ı	ı	1	š
0080-0020	.01	.07	.04	. 02		.07	.05	. 02	90.	.01	,01
0800-0080	60.	.26	.25	60.	1	.24	.25	.17	.16	.04	.22
0000-1000	.42	.30	.42	.22	.01	.29	.39	.42	.36	90°	.44
1000-1100	. 58	.26	.56	.29	.05	.59	.37	.63	.62	90.	.22
1100-1200	.61	.46	. 52	.27	80.	.63	.44	.62	09.	.12	.64
1200-1300	. 58	99.	. 63	. 28	.08	.62	.32	09.	.40	.14	.46
1300-1400	.46	.47	.20	.20	90.	.52	.56	.60	.31	.12	. 54
1400-1500	.26	.31	. 08	60.	90.	.11	.44	.38	91.	. 08	.38
1500-1600	.10	.12	.01	. 03	.02	.07	.15	.14	90.	.01	.16
1600-1700	ı	ı	I	ı	ı	ı	ı	.04	I	ı	1
1700-1800	•	ı	ı	I	ı	ı	ı	1	1	ı	1
1800-1900	ı	ı	1	I	1	ı	I	ı	ı	ı	1
1900-2000	-	-	-	-	1	1	-	1	1	1	1
Total	186.6	174.6	162.6	89.4	21.6	188.4	178.2	217.2	163.8	38.4	184.2

December 1974. (continued)

Hour					Day	Day of 1974				
of Day	357	358	359	360	361	362	363	364	365	ŀ
0200-0600	ı	ı	ı	ı	ı	ı	ı	ı	1	l
0020-0090	ı	I	ı	ı	į.	ı	ı	ı	1	
0700-0800	90.	.02	I	.04	ı	ı	ı	ı	.01	
0060-0080	.26	.10	. 02	.24	90.	.04	.02	.07	90.	
0000-10060	.44	.24	90.	.44	.16	.14	.04	.20	90.	
1000-1100	.56	.62	90.	.58	.16	.32	.14	. 54	90.	
1100-1200	.62	.26	90.	. 68	.12	.62	.18	.64	.14	
1200-1300	09.	.34	.39	.59	.14	.62	.12	.63	80.	
1300-1400	.52	.22	.50	.54	80.	.52	.10	.54	. 04	
1400-1500	.38	.14	.40	.40	.05	88.	60.	.36	.02	
1500-1600	.16	90.	.16	.16	.04	.16	.04	.16	1	
1600-1700	.00	.01	. 02	.02		.01	ı	.04	1	
1700-1800	1	ı	ı	ı	ı	ı	ı	ı	1	
1800-1900	ı	ı	ı	ı	ı	ı	ı	ı	ı	
1900-2000	•	•	•		•	•	•	•	1	1
Total	216.6	120.6	100.2	221.4	48.6	168.6	43.8	190.8	28.2	



Weather Station Data (map 2)

<u>% Relative Humidity and Air Temperature</u> - Measured using a Hygrothermograph - Belfort Instrument Company.

<u>Barometric Pressure</u> - Measured using an aneroid type barometer. Microbargraph - Belfort Instrument Company.

<u>Rainfall</u> - Measured using a weighing rain gauge - Belfort Instrument Company.

<u>Evaporation</u> - Measurements are taken of the amount of water evaporating from an open pan. Wind run adjacent to the pan and maximum/minimum temperatures of the water in the pan were also taken.

<u>Principal Investigator</u>: Daniel Higman, Smithsonian Institution.

<u>Research Funding</u>: Smithsonian Institution and U. S. Geological Survey.

Weather Station Data

90000	Relative	Relative Humidity	Air Tem	Air Temperature	Barometri	Barometric Pressure
1974	Max.	% Min.	Max.	c Min.	Max.	Min or Mercury
1	86	53	7.2	0	771	758
2	70	50	1.1	-3.3	776	772
က	94	54		9.0-	692	762
4	6	99	2.2	-2.8	191	762
5	92	62	0	-3,3	768	762
9	93	72	1.7	9.0-	762	757
7	86	26	6.7	-1.7	768	751
ω	74	39	9.0	-2.8	771	763
0	96	20	1.7	-2.8	771	760
10	66	84	1.1	9.0-	191	759
Ξ	66	78	5.0	-:-	760	754
12	86	42	2.2	-4.4	773	160
13	06	40	3,3	4.6-	777	773
14	92	46	9.0	-10.0	775	763
15	96	52	10.0	-4.4	762	753
16	86	48	16.0	-2.8	758	751

(Continued)	

400000000000000000000000000000000000000	Relative	Relative Humdity	Air Tem	Air Temperature	Barometri	Barometric Pressure
1974	Мах.	% Min.	Max.	ر Min.	Max.	Mercury Min.
17	85	20	13.3	1.1	770	754
18	82	26	2.2	-2.8	773	764
19	94	64	12.2	2.2	764	759
20	80	09	4.4	2.2	797	764
21	86	80	10.0	1.7	764	755
22	94	44	15.0	1.1	763	160
23	96	44	20.6	0	762	757
24	86	09	11.1	2.2	692	763
25	86	74	6.7	0	692	797
26	100	96	4.4	٦.٦	692	160
27	86	42	21.7	5.0	761	755
28	6	99	12.2	9.0	760	750
29	06	48	12.2	5.6	762	752
30	86	46	13.3	9.0	761	759
31	100	34	17.8	-1.7	760	751
32	9/	40	8.9	-2.8	764	757

(Continued) Weather Station Data

Day of 1974	Relative Max.	Relative Humidity % Max. Min.	Air Tem o Max.	Air Temperature o C Max. Min.	Barometri mm of Max.	Barometric Pressure mm of Mercury Max. Min.
33	96	89	6.1	0	759	751
34	96	84	9.0-	-2.2	757	755
35	98	52	1.7	-6.1	763	756
36	72	36	0	-7.8	768	760
37	97	45	0	-8.3	768	757
38	66	09	3.9	0	759	753
39	92	09	9.0-	-5.0	759	752
40	94	46	9.0-	-12.2	762	754
41	95	46	-:	-12.2	764	756
42	92	38		-5.6	760	754
43	95	37	8.9	-5.6	752	759
44	94	38	17.8	-1.1	759	753
45	86	48	9.4	1.1	764	758
46	95	48	1.7	-5.6	768	764
47	86	58	1.1	-8.9	768	750
48	86	40	6.7	-1.7	755	749

Weather Station Data

40,,,,		Relative Humidity	Air Tem O	Air Temperature	Barometri	Barometric Pressure
1974	Max.	// Min.	Max.	ر Min.	Max.	Min or Mercury
49		38	5.6	-6.7	761	755
90		9/	9.4	0	758	743
51	96	35	11.1	0	764	743
52		40	8.9	-5.0	770	762
53		40	20.6	6.1	762	740
54		34	10.0	-2.8	764	745
55		46	6.7	-6.7	99/	758
99	96	46	2.2	-3.3	763	759
22	76	36	2.8	-6.7	770	763
58	94	40	4.4	-10.0	772	768
59	94	34	15.0	-5.0	768	758
09	78	40	13.3	2.8	762	756
19	100	29	10.0	9.0-	764	758
62	101	62	15.6	2.2	762	757
63	84	40	25.0	10.0	759	753
64	80	46	18.9	10.0	759	752

(Continued)

Day of	Relative Humidity	Humidity	Air Tem	Air Temperature C	netr n of	Barometric Pressure nm of Mercury
+ 10-	ria A.	•	l'IdX.	•	l'Iax.	-11-11-1
65	86	20	12.2	2.2	764	759
99	100	52	23.9	3.3	761	758
29	86	40	16.7	7.8	764	760
89	86	64	7.2	4.4	992	160
69	86	32	15.6	2.8	768	757
70	26	36	7.8	-3.3	692	762
7.1	86	44	7.8	1.1	192	757
72	70	35	5.6	-4.4	092	757
73	80	34	10.6	-2.8	764	760
74	96	34	11.7	-5.6	797	160
75	86	54	13.3	4.4	756	749
9/	56	35	8.9	4.4	752	749
77	80	32	12.2	0	756	752
78	94	99	13.3	9.0-	754	749
79	36	20	10.0	2.2	260	754
80	100	48	14.4	5.6	759	743

Weather Station Data

9	Relative	ative Humidity	Air Tem	Air Temperature	Barometri	Barometric Pressure
1974	Max.	% Min.	Мах.	Min.	Max.	mm or Mercury
81	81 70	28	11.1	-1.7	764	757
82	6	49	15.6	-1.1	764	756
83	94	56	13.3	2.8	792	753
84	82	21	2.2	-4.4	774	191
85	88	21	14.4	7.9-	768	759
98	84	40	11.7	3.9	768	762
87	92	32	13.3	1.1	762	759
88	06	27	7.2	2.8	762	751
89	89	36	ı	ı	751	740
06	ı	ı	ı	ı	742	755
91	89	36	13.3	6.7	759	754
92	85	18	24.4	5.0	758	750
93	88	50	22.2	5.0	260	755
94	87	49	23.3	14.4	755	751
95	06	42	20.0	10.0	755	751
96	65	33	9.4	5.6	761	753

(Continued)

Day of 1974	Relative	Relative Humidity %	Air Tempo	Air Temperature o C	Barometri mm of	Barometric Pressure mm of Mercury
26	26	21	15.6	-3.3	764	759
86	91	38	13.9	10.0	759	753
66	06	09	berger 6 berger	2.8	756	749
100	85	14	12.2	9*0	792	757
101	06	26	15.6	-2.2	772	767
102	85	33	24.4	11.7	768	761
103	89	50	23.3	12.2	761	758
104	91	51	23.3	9.4	759	748
105	29	27	21.7	10.6	756	748
106	83	31	15.6	5.0	762	756
107	92	21	17.8		764	761
108	87	20	22.2	4.4	192	758
109	86	36	16.7	1.7	99/	758
110	86	24	15.6	-1.7	177	992
111	98	32	23.3	3.9	692	762
112	80	40	26.7	15.0	762	753

(Continued) Weather Station Data

90	Relative Humidity	idity	Air Temperature	ature	Barometric Pressure	ssure
1974	Max.	Min.	Max.	Min.	Max. Mercury	y Min.
113	94	24	20.0	6.7	756	750
114	70	50	12.2	6.7	762	756
115	66	28	20.0	7.2	765	762
116	88	24	22.2	8.9	764	761
117	86	22	20.2	4.4	768	763
118	86	36	22.2	5.6	692	762
119	94	24	32.8	14.4	762	758
120	96	32	30.0	12.8	759	.753
121	84	56	23.9	13.3	762	753
122	86	44	12.8	8.9	992	759
123	86	54	21.7	8.9	759	752
124	98	24	18.9	7.2	760	755
125	96	34	12.8	7.8	762	757
126	96	44	16.7	6.1	757	751
127	86	30	14.4	1.1	761	756
128	86	34	16.7	9.0-	763	160

Weather Station Data

Jay of	Relative Humidity	midity	Air Temperature	erature	Barometric Pressure	ressure
1974	Max.	Min.	Max.	Min.	Max. Min.	Min.
129	96	69	16.7	12.2	760	756
130	06	54	22.2	12.8	759	755
131	92	58	20.0	11.1	761	757
132	96	50	18.3	7.2	757	742
133	96	36	18.3	8.9	760	750
134	96	50	21.1	7.2	761	758
135	89	44	27.8	16.7	758	755
136	96	40	28.9	16.7	762	758
137	94	44	32.8	18.9	759	756
138	80	56	21.7	11.1	762	758
139	96	62	20.0	10.0	764	761
140	86	44	21.1	7.2	167	764
141	96	36	23.3	7.2	992	762
142	94	48	30.0	11.7	762	755
143	95	99	23.9	15.6	757	753
144	96	50	26.7	13.9	759	754

Day of	Relative Humidity	midity	Air Temperature	rature	Barometric Pressure	essure
1974	Max.	Min.	Max.	Min.	Max. Min.	Min.
145	26	36	21.1	11.11	759	757
146	06	36	21.1	10.6	759	758
147	94	50	17.8	11.11	759	756
148	86	28	22.2	7.8	762	759
149	93	52	26.7	16.7	759	751
150	95	09	24.4	17.8	758	751
151	94	72	22.2	16.7	760	756
152	93	72	23.9	17.2	760	757
153	94	36	16.7	14.4	761	759
154	92	50	22.2	14.4	764	761
155	96	42	25.0	10.0	766	76.4
156	96	42	25.6	10.6	767	763
157	96	46	31.7	9.4	764	762
158	94	74	19.4	15.6	763	762
159	95	63	25.0	17.8	764	160
160	95	59	27.8	14.4	760	756

(Continued)

90	Relative Humidity	idity	Air Temperature	ature	Barometric Pressure	ssure
ay oi 1974	Max.	Min.	Max.	Min.	Max. Min or Mercury	Min.
161	92	54	32.2	20.0	756	751
162	06	34	27.8	15.6	756	219
163	95	40	31.1	13.9	759	756
164	86	39	25.6	9.4	761	759
165	86	37	26.1	16.7	762	761
166	86	50	26.1	15.6	192	756
167	95	58	25.6	19.4	756	752
168	96	40	25.0	13.3	756	752
169	97	38	25.6	12.2	761	756
170	94	37	27.8	12.2	762	759
171	95	50	30.0	21.1	759	756
172	95	09	29.4	19.4	756	749
173	95	50	30.0	18.9	750	748
174	94	78	20.0	15.0	754	748
175	06	42	24.4	14.4	755	753
176	94	56	21.7	14.4	757	755

(Continued)

Day of	Relative	ative Humidity	Air Tem	Air Temperature	Barometri	Barometric Pressure
1974	Мах.	Min.	Max.	Min.	Max.	mer cur y Min.
177	96	55	21.7	14.4	761	757
178	96	62	21.1	14.4	762	761
179	96	78	17.2	13.3	762	759
180	96	26	23.3	12.8	762	160
181	96	40	28.3	12.8	761	755
182	92	44	30.0	20.6	759	755
183	94	36	30.0	15.0	762	759
184	94	44	33.3	18.9	762	160
185	94	44	31.7	21.1	192	758
186	92	58	30.0	22.2	760	758
187	94	99	26.7	20.0	762	760
188	94	38	30.6	18.3	763	761
189	94	36	34.4	17.8	761	759
190	92	36	35.0	18.9	759	756
191	92	44	33.9	20.0	756	753
192	89	38	31.7	14.4	760	754

(Continued) Weather Station Data

	Relative Humidity	midity	Air Temperature	ature	Barometric Pressure	ssure
ay 01 1974	Max.	Min.	Max.	Min.	Max. Max. M	Min.
193	86	30	27.8	11.1	762	160
194	96	34	27.8	12.8	763	092
195	94	34	33.3	14.4	758	755
196	89	46	32.2	22.2	755	753
197	94	40	28.9	17.8	762	755
198	96	34	27.8	12.8	992	762
199	92	52	31.1	16.1	992	760
200	94	45	31.7	21.7	757	755
201	06	34	26.7	13.9	160	757
202	26	32	26.7	11.7	761	760
203	26	34	27.8	12.2	761	760
204	94	50	24.4	13.9	762	761
205	92	63	23.9	17.2	761	760
206	86	09	23.3	15.6	762	260
207	06	99	25.6	20.6	762	092
208	94	20	29.4	18.9	760	758

Weather Station Data

Day of	Relative	Relative Humdiity	Air Tem	Air Temperature	Barometric Pressure	Pressure
1974	Max.	"Min.	Мах.	Min.	Max.	ercury Min.
209	94	50	30.0	17.2	759	756
210	92	50	29.4	18.9	755	753
211	94	54	27.8	17.2	759	754
212	94	40	30.0	17.2	761	759
213	96	36	30.0	13.9	761	760
214	94	09	30.0	18.3	761	160
215	92	09	29.4	21.1	762	160
216	94	56	30.0	21.1	762	758
217	93	38	27.8	17.2	761	759
218	92	42	25.6	16.7	764	761
219	94	09	23.9	16.7	765	763
220	96	70	24.4	15.6	765	763
221	96	09	26.7	17.8	762	760
222	92	56	24.4	18.3	765	760
223	96	40	25.6	12.2	992	764
224	97	40	25.6	10.0	765	761

(Continued)

Dav of	Relativ	lative Humidity	Air Tem	Temperature 0 c	Barometri	Barometric Pressure
1974	Max.	Min.	Max.	Min.	Max.	X. Min.
225	94	64	27.2	20.0	761	759
226	94	52	32.2	18.9	762	761
227	92	44	29.4	19.4	765	762
228	94	99	29.4	17.2	764	761
229	94	58	30.0	20.0	761	754
230	94	38	30.0	17.2	758	756
231	92	55	26.7	18.9	761	758
232	96	34	29.4	16.1	992	762
233	92	46	28.9	17.8	797	992
234	92	20	31.1	22.8	992	762
235	94	54	29.4	21.1	763	19/
236	94	52	30.6	25.6	762	160
237	94	50	28.9	20.0	763	761
238	96	62	28.3	21.1	762	160
239	94	09	30.0	20.0	761	758
240	92	54	32.2	21.7	758	756

Meather Station Data

4	Relative	ative Humidity	Air Tem	Air Temperature	Barometri	Barometric Pressure
1974	Мах.	"Min.	Max.	Min.	Max.	nm or Mercury (. Min.
241	94	50	33.3	20.6	758	756
242	92	46	32.2	22.2	758	756
243	92	09	28.9	21.1	758	756
244	92	50	29.4	18.9	759	755
245	92	50	26.7	18.9	759	754
246	93	54	30.0	15.6	756	752
247	93	50	26.1	12.2	763	756
248	94	99	20.6	10.0	191	763
249	92	98	18.3	16.1	797	763
250	94	80	18.9	14.4	763	762
251	93	48	24.4	15.6	764	762
252	94	44	26.1	15.0	764	763
253	92	20	26.7	16.1	763	192
254	35	99	26.7	18.9	762	761
255	94	20	31.1	18.3	761	758
256	95	46	30.6	19.4	759	757

Weather Station Data

9	Relative	Relative Humidity	Air Temr	Air Temperature	Barometri	Barometric Pressure
1974	Мах.	% Min.	Max.	C Min.	Max.	mm or Mercury IX. Min.
257	94	20	21.7	11.7	762	737
258	96	46	22.8	8.9	763	761
259	94	40	25.6	11.1	762	761
260	95	50	26.1	15.0	762	757
261	94	45	26.7	13.9	762	759
262	93	44	27.8	15.6	765	762
263	94	42	28.3	15.6	763	160
264	92	46	27.8	13.9	760	754
265	94	38	21.1	8.9	763	19/
592	94	36	15.0	3.9	770	762
267	96	36	20.0	2.2	771	768
268	96	36	22.2	3.9	992	757
269	96	34	24.4	8.3	757	756
270	96	45	25.6	8.3	197	758
271	94	84	23.3	15.0	760	756
272	92	44	28.3	15.6	756	750

Weather Station Data

02.0	Relative	Relative Humidity	Air Tem	Air Temperature	Barometric Pressure	Pressure
1974	Max.	Μin.	Max.	Min.	Max. Max. M	Min.
273	98	34	21.1	6.8	759	756
274	94	34	19.4	6.1	762	759
275	94	32	13.9	3.3	768	762
276	95	32	10.0	9.0-	763	768
277	94	24	16.1	-2.8	772	762
278	96	21	21.7	2.8	177	692
279	95	30	25.0	5.6	769	763
280	96	35	23.9	7.8	763	760
281	94	36	15.6		763	760
282	86	33	17.8	4.4	762	761
283	94	30	22.8	2.8	764	761
284	94	30	22.2	5.6	768	764
285	94	40	23.9	12.2	768	764
286	92	50	21.7	11.7	797	764
287	88	64	22.2	15.0	797	762
288	88	46	25.6	12.2	762	760

(Continued)

4	Relative	Relative Humidity	Air Tem O	Air Temperature	Barometri	Barometric Pressure
1974	Max.	% Min.	Мах.	Min.	Max.	min or Mercury
289	94	98	12.8	10.0	769	754
290	92	32	20.6	4.4	761	755
291	94	34	13.3	6.7	762	756
292	95	32	9,4	-1.7	764	761
293	95	34	8.3	-3.3	770	762
294	06	23	10.0	-2.2	775	770
295	96	16	18.9	-2.8	9//	770
296	96	27	21.1	-1.	764	762
297	86	56	12.8	2.2	763	99/
298	06	42	21.7	4.4	992	760
299	94	48	17.3	3.3	992	762
300	96	18	21.1	1.1	764	762
301	96	40	18.9	1.7	797	764
302	76	53	21.1	5.6	692	191
303	96	54	22.2	10.0	770	191
304	94	50	23.3	11.11	767	764

Weather Station Data

Day of	Relative	Relative Humidity	Air Tem	Air Temperature	Barometric Pressure	Pressure
1974	Max.	Min.	Max.	Min.	Max. Max.	ercury Min.
305	94	32	28.9	13.9	764	761
306	88	30	24.4	13.3	764	762
307	6	46	21.1	10.0	762	757
308	92	23	28.9	13.9	757	753
309	92	48	22.2	14.4	757	754
310	88	36	16.1	3.3	763	757
311	93	46	13.3	2.2	763	762
312	82	34	15.6	5.0	764	762
313	96	28	17.8	-:	992	763
314	86	24	15.6	-1.1	992	763
315	86	54	14.4	-2.2	763	753
316	1/6	98	14.4	4.4	758	748
317	06	32	11.7	2.8	760	749
318	06	34	18.3	3.9	760	757
319	94	30	7.8	-3.3	992	160
320	96	30	11.1	-6.1	770	167

(Continued)


Day of 1974	Relative Max.	Relative Humidity Max. Min.	Air Tem O Max.	Air Temperature O C Max. Min.	Barometric Pressure mm of Mercury Max. Min.	ic Pressure Mercury Min.
321	95	38	11.1	-1.7	99/	763
322	96	54	10.0	-2.2	992	192
323	98	89	11.11	1.1	762	757
324	92	40	13.3	8.3	757	745
325	48	40	8.3	5.6	750	744
326	06	36	10.0	-2.8	992	750
327	95	44	14.4	-5.6	770	992
328	06	30	19.4	2.2	992	757
329	96	48	13.3	0	760	757
330	88	32	2.8	-6.7	768	160
331	86	32	5.6	-3.3	169	761
332	94	28	4.4	-2.8	692	992
333	94	42	5.6	-3.9	169	992
334	86	46	3.3	-5.6	772	765
335	94	72	11.1	2.2	765	741
336	92	74	7.2	3.3	745	741


Weather Station Data

)	Relative	ative Humidity	Air Tem	Air Temperature	tri	Pressure
1974	Max.	% Min.	Max.	U. Min.	Max.	Mercury Min.
337	88	28	15.0	2.2	756	745
338	58	28	7.2	-1.1	797	756
339	95	30	6.1	-5.6	1	1
340	96	30	7.3	-4.4	1	1
341	96	63	10.0	-4.4	797	758
342	96	20	16.7	5.6	761	758
343	96	38	6.7	-1.	765	757
344	89	34	2.8	-5.0	757	750
345	94	36	8.9	-6.7	759	755
346	92	40	14.4	1.1	762	759
347	96	46	10.0	-2.2	764	761
348	94	46	8.3	-2.2	797	760
349	86	72	5.6	-4.4	768	761
350	96	74	11.1	9.0	761	748
351	92	42	14.4	-2.2	755	751
352	34	34	4.4	-3.3	762	753

(Continued) Weather Station Data

Day of	Relative Humidity	idity	Air Temperature	ature	Barometric Pressure	ssure
1974	Max.	Min.	Max.	Min.	Max.	Min.
353	06	38	11.7	-3.3	761	755
354	06	38	6.1	-1.7	763	759
355	94	78	4.4	2.2	759	756
356	66	40	7.2	-2.2	768	757
357	86	34	14.4	-5.0	768	762
358	06	40	₽·6	2.8	762	758
359	86	38	17.2	5.0	763	750
360	84	34	14.4	-1.1	771	763
361	06	36	5.6	-4.4	769	19/
362	94	44	6.7	4.4	766	19/
363	96	48	7.8	-3.3	765	759
364	06	73	10.0	4.4	768	759
365	06	38	15.0	9.0	770	758





Weather Station Data Centimeters of Water

Nav of 1974	South Central	Central	South West	South East	North West
_	1.07	1.30	ı	2.06	0.56
2	ı	ı	1	ı	ı
က	1.32	ı	, r	1.22	0.46
4	ı	1.40		ı	1.14
2	ı	I	ı	ı	ı
9	ı	ı	ı	ı	ı
7	ı	I	ı	ı	Trace
ထ	ι	ı	ı	ı	l
6	\ \ \	1.32	1.37	1.40	1.42
10	3.10	0.84	26.0	ı	1.14
_	0.53	1.19	1.17	2.29	0.89
12	ı	_	ı	1	ı
13	ı	0.02	ı	ı	ı
14	I		ı	ı	ı
15	ı	ı	ı	ı	ı
16	1	ı	ı	ı	1

Weather Station Data

Jay of 1974	South Central	Central	South West	South East	North West
17	ı	I	ı	ı	1
18	ı	ı	ı	ı	ı
19	ı	ı	0.13	ı	0.08
20	1	ı		1.19	ı
21	1.40	1.27	1.32	ı	1.17
22	ı	ı	ı	ı	ı
23	ı	ı	ı	ı	ı
24	1.32	ı	0.30	ı	0.38
25	ı	1.24	1.04	1	0.97
56	0.30	ı	0.25	1.63	0.20
27	ı	ı	ı	ı	0.08
28	ı	ı	0.51	0.15	0:30
29	ı	0.23	1	ı	ı
30	1	ı	ı	ı	ı
31	ı	ı	ı	ı	1
32	1	ı	ı	ı	ı

Weather Station Data Centimeters of Water

Day of	South		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4 - C	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
19/4	Central	central	South West	South East	Worth West
33	\leftarrow	I	ı	ı	ı
34		0.53	0.61	•	0.61
35		ı	I	•	ı
36	2.72	ı	I	ı	ı
37		0.05	ı	1.55	0.18
38		0.76	0.84	ı	0.71
39	nut til gå ng v	1.22	0.89	ı	0.71
40	→	0.13	ı	0.38	Trace
41	ı	0.08	0.05	1	ı
42	ı	I	ı	ı	Trace
43	ı	ı	ı	ı	ı
44	1	0.05	0.05	ı	ı
45	ı	0.10	l	ı	ı
46	1	Trace	ı	ı	ı
47	•	0.10	0.51	ı	0.38
48	ı	0.33	ı	ı	0.02

Weather Station Data

1974	Central	Central	South West	South East	North West
49	ı	ı	ı	ı	
50	ı	0.02	0.05	ı	ı
51	ı	1	1	ı	
52	ı	0.02	0.30	1	•
53	0.74	0.25	0.05	1	0.23
54	ı	1	ı	0.84	
55	ı	0.05	ı	ı	•
56	ı	0.20	ı	1	0.18
57	ı	ı	ı	ı	1
58	ı	0.05	ı	ı	ı
59	ı	0.02	ı	ı	ı
09	ı	1	1	ı	•
61	ı	0.30	0.43	ı	0.33
62	ı	ı	ı	ı	ı
63	ı	1	t	ı	1
64	ı	ı	1	1	ı

Weather Station Data

Jay of 1974	South	Central	South West	South East	North West
65	•	0.18	0.61	1	0.53
99	1.07	0.61	ı	•	0.03
29	1	0.10	ı	ı	, ,
89	ı	ı		•	Trace
69	ı	1	ı	1.09	
70	€	0.05	ı	ı	Trace
7.1		0.61	99.0	ı	0.53
72	3.56	ı	ı	1	ı
73	***************************************	ı	ı	ı	ı
74		0.05	ı	1	•
75	\rightarrow	2.29	2.87	ı	2.79
92	1	0.84	ı	3,45	0.18
77	ı	ı	1	1	ı
78	ı	0.18	0.08	1	•
79	ı	ı	1	ı	•
80	3,33	3.30	3.48	ı	3.35

Weather Station Data

, of)74	South Central	Central	South West	South East	North West
81	~	0.02	ı	3.43	•
82		ı	ı		Trace
83	-	0.10	ı		ı
84		ı		·····	ı
85	2.79	0.13	ı	5.59	I
98		0.05	ı		ı
87	_,	0.08	ı		I
88	\rightarrow	0.64	0.94		1.22
39	0.76	5.64	5.03	\rightarrow	4.70
06	ı	0.20	0.23	0.79	0.23
91	ı	ı	ı	ı	ı
92	ı	0.10	ı	1	0.10
93	ı	ı	ı	ı	l
94	0.69	0.05	0.15	0.28	0.13
95	1.68	1.98	1.88	ı	1.70
96	ı	ı	•	•	Trace

Weather Station Data

Centimeters of Water

North West	1	1.42	2.16	0.02	ı	ı	ı	0.89	1	ı	ı	ı	ı	ı	ı	ı
South East	4.83	-	1.30	ı	1	ı	0.76	ı	ı	ı	ı	ı	ı	ı	ı	ı
South West	ı	1.98	1.88	0.02	ı	ı	0.69	ı	ı	ı	ı	ı	ı	ı	ı	96.0
Central	0.05	0.81	2.69	0.02	Trace	0.05	0.69	Trace	ı	0.05	0.10	0.08	0.05	Trace	Trace	ı
South Central	ı	ı	3,45	←		4.11		\rightarrow	ı	ì	ı	ı	ı	1	ı	ı
Day of 1974	26	86	66	100	111	102	103	104	105	106	107	108	109	110	111	112

Weather Station Data

Day of 1974	South Central	Central	South West	South East	North West
113	0.89	1.04	1	0.89	0.89
114	ı	Trace	ı	ı	•
115	ı	0.02	ı	ı	ı
116	ı	0.05		1	1
117	ı	I	0.43	ı	•
118	ı	ı	ı	ı	•
119	ı	0.02	ı	ı	ı
120	ı	I	1	ı	•
121	ı	0.05	ı	ı	ı
122	ı	0.08	ı	I	ı
123	1.52	1.52	1.42	ı	1.78
124	ı	ı	ı	1.52	ı
125	ı	0.02	0.38	ı	ı
126	0.64	0.56	0.10	I	0.46
127	←	0.73	ı	0.50	Trace
128	0.79	ı	ı	ı	ı

Weather Station Data Centimeters of Water

Day of	South	+ 200	+0011 4+1103	+ 2 1 2 3	+ 2011 4+ 200N
+ /61	רפוונומו	רפוונומו	ממת וו אפינו	JOHEH EASE	אסג רוו שפאר
129	\rightarrow	0.64	1	1	0.58
130	I	0.10	0.08	0.66	0.02
131	ı	ı	ı	ı	ı
132	2.62	0.84	*	I	0.20
133	(1.65	ı	2.77	0.13
134		Trace	ı	l	I
135		ı	ı	ı	ı
136		ı	ı	ı	ı
137		0.05	ı	ı	ı
138	1.37	I	ı	I	0.05
139		Trace	2.57	l	1
140		ı	ı	ı	ı
141		ı	ı	ı	ı
142		I	ı	ı	ı
143		0.89	1.14	ı	0.79
144	 >	0.25	1	1.32	0.28

Weather Station Data

Centimeters of Water

lay of 1974	South Central	Central	South West	South East	North West
145	-	ı	1	1	
146		ı	1	1	
147	1.37	0.10	1	1	0.05
148		ı	1	ı	Trace
149		0.08	0.18	1	0.13
150	\rightarrow	1.50	1.90	1.52	2.01
151	ı	ı	ı	1.02	•
152		0.48	1.65	0.02	Trace
153	01.6 }	4.60	3.56)	6.30
154	←	0.30	0.25	4.00	1
155		Trace	ı	1	ı
156	3.07	Trace	ı	1	
157		ı	ı	ı	ı
158		0.05	ı	1	•
159		0.28	0.64	ı	0.33
160		1	ı	ı	ı

Weather Station Data

3
-
f.
+
J-C
_
v
ë
_
_
tare
-
٠.
a
~=
⊏
qui
٠,
'-
Pont
-
Œ
•
_

300	7+3				
1974	South Central	Central	South West	South East	North West
191		0.05	1	1	ı
162		0.08	ı	1	-
163		0.02	1	1	•
164		0.08	1	ı	1
165		ı	ı	ı	•
166	3.07	0.08	1	1	,
167		0.69	0.38	1	0.79
168		0.13	ı	0.43	0.15
169		0.02	ı	I	ı
170		0.05	ı	ı	ı
171		0.02	ı	ı	ı
172	>	0.05	3.43	ı	ı
173	ı	1.65	ı	2.13	0.18
174	2.21	1.98	ı	1.52	2.77
175	ı	0.05	1.52	0.25	0.05
176	ı	ı	1	1	,

Weather Station Data

Day of 1974	South Central	Central	South West	South East	North West
177	0.41	1	1.17	ı	1
178	ı	0.64	ı	0.64	0.48
179	1.78	1.70	1.37	ı	1.75
180	ı	0.33	0.08	2.13	Trace
181	ı	ı	ı	ı	ı
182	←	ı	0.02	0.02	ı
183		0.05	ı	ı	ı
184		0.08	1	l	ı
185		0.10	ı	l	ı
186		0.05	ı	ı	ı
187		0.05	1	ı	ı
188		0.02	ı	1	ı
189		0.05	ı	ı	ı
190		0.05	ı	ı	ı
191	• · · · · · ·	0.05	ı	ı	ı
192		0.08	0.08	1	ı

Weather Station Data Centimeters of Water

30 110	1+::=3				
1974	South	Central	South West	South East	North West
193	-	0.10	1	1	1
194	-	0.05	ı	1	1
195		0.05	1	ı	1
196		0.02		•	1
197		0.02	ı	1	ı
198		0.05	ı	1	ı
199		0.08	ı	1	ı
200	1.47	0.23	0.13	0.13	1
201		ı	ı	1	0.13
202	11/2	Trace	ı	1	1
203		Trace	ı	ı	ı
204	Madeler and a second	Trace	1	ı	ı
205		0.20	0.25	0.38	0.15
506		Trace	1 .	1	ı
207		0.10	0.13	0.23	0.05
208		ı	1	1	ı

Weather Station Data

Centimeters of Water

Weather Station Data

Day of 1974	South Central	Central	South West	South East	North West
225	0.69	0.51	1	ı	0.48
226	ı	0.02	1	1	ı
227	ı	0.02	0.10	0.18	1
228	ı	0.02	*	1	1
229	1	ı	ı	1	Trace
230	ı	ı	ı	. 1	ı
231	ı	Trace	0.08	ı	1
232	1	Trace	ı	ı	Trace
233	ı	ı	ı	1	ı
234	0.28	Trace	0.05	ı	ı
235	ı	1.52	1.22	0.33	1.47
236	ı	1	1	ı	1
237	ı	ı	ı	1	Trace
238	3.56	ı	2.39	ı	ı
239	ı	2.41	ı	2.64	ı
240	ı	Trace	1	1	ı

Weather Station Data

est South East North West	- 0.02	•	1.78	- Trace	- Trace	1.32	0.43 2.31	1	1.12	- 2.54	1	1	- Trace	0.46 0.53	1	
Central South West	0.08	0.02 2.03			1	1.35	2.77 2.29	0.02	0.97	3.05 2.36	Trace -	1	0.05	0.51 0.43	1	
South Central	1.38	1	ı	96.0	ı	2.62	1	1	1	3.91	ı	1	0.51	ı	ı	
Jay of 1974	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	i L

Weather Station Data

West South East North West		. Trace		- Trace		ı		ı	. 0.43 0.28						.14 - 3.73	
Central South West	1	0.02	0.08	ı	Trace -	Trace -	Trace 0.25	Trace -	0.28		0.08		- 0.05	0.02	3.66 4.14	
Day of South 1974 Central	,	1	ı	1	ı	ı	ı	ı	ı	ı	ı	1	ı	ı	3,48	

Meather Station Data

av of	South				
1974	Central	Central	South West	South East	North West
273	ı	Trace	0.38	ı	ı
274	1	0.05	I	ı	ı
275	ı	0.02	I	ı	Trace
276	1	0.05	1	I	ı
277	ı	0.02	I	ı	ı
278	1	0.05	ı	ı	ı
279	ı	0.02	I	ı	ı
280	ı	0.02	I	I	ı
281	1	0.05	3.12	ı	ı
282	ı	Trace	I	I	ı
283	ı	0.02	I	I	ı
284	ı	0.02	I	ı	ı
285	1	0.02	ı	ı	ı
236	ı	Trace	I	I	ı
287	1	Trace	I	I	ı
288	1	1	i	ı	ı

Weather Station Data

Day of 1974	South Central	Central	South West	South East	North West
289	2.79	3.94	ı		4.11
290	ı	0.10	ı	2.82	Trace
291	ı	0.02	ı	t	ı
292	ı	I	ı	ı	ı
293	ı	ı	ı	ı	ı
294	ı	ı	ı	ı	1
295	i	Trace	1	ı	ı
296	ı	0.02	ı	ı	I
297	ı	ı	ı	ı	I
293	ı	ı	ı	ı	I
299	t	Trace	ı	ı	ı
300	ı	0.02	ı	ı	ı
301	ı	0.02	ı	1	ı
302	ı	0.02	ı	ı	ı
303	ı	0.02	ı	ı	ı
304	ı	1	ı	ı	ı

Weather Station Data

Day of 1974	South Central	Central	South West	South East	North West
305	ı	ı	ı	1	•
306	•	ı	ı	I	•
307	ı	ı	ı	ı	,
308	•	ı	i	ı	1
309	0.74	0.71	0.76	I	ı
310	•	ı	I	I	0.76
311	•	ı	1	0.84	ı
312	•	ı	ı	I	ı
313	1	ı	ı	I	i
314	•	1	I	I	ı
315	ı	Trace	I	I	ı
316	ı	0.99	1.19	I	1.02
317	1.09	0.15	0.13	1.09	ı
318	ı	Trace	ı	I	ı
319	ı	0.28	I	0.23	0.41
320	ı	ı	ı	ı	I

Meather Station Data Centimeters of Water

c					
Day 07 1974	South Central	Central	South West	South East	North West
321		1	1	1	•
322	ı	0.05	ı	1	ı
323	ı	0.02	ı	ı	Trace
324	•	0.15	0.64	1	0.25
325	0.76	0.20	0.23	ı	0.23
326	•	I	ı	0.56	ı
327	ı	ı	ı	ı	ı
328	ı	ı	ı	ı	ı
329	•	0.58	1	1	0.43
330		ı	ı	0.89	0.20
331	ı	ı	ı	ı	ı
332	•	ı	ı	ı	ı
333	ı	ı	ı	1	ı
334	I	ı	ı	ı	ı
335	I	2.56	1.47	1.90	1.35
336	4.42	ı	2.64	1	1.42


Weather Station Data


Centimeters of Water


Day of	South	Central	South West	South East	North West
337	1	1	1	1	Trace
) (i		•	1	ı	ı
338	ı	1			
339	ı	ı	1	1	ı
340	1	\s		1	ı
341	1	2.87	2.84	1	1
342	3.02		1	4.52	3.10
343	•	1	ı	ı	ı
344	ı	ı	1	ı	ı
345	ı	ı	ı	ı	1
346	1	ı	I	ı	Trace
347	1	1	1	0.28	i
348	1	N.	0.23	1	0.28
349	ı	3.40	1	•	1
350	3.48		ı	1	3.26
351	1	ı	•	3.50	Trace
352	1	1	1	ı	ı


Weather Station Data


Day of 1974	South Central	Central	South West	South East	North West
353	ı	Trace	I	1	ı
354	ı	ı	ı	0.05	ı
355	1	1	3.40	1	ı
356	ı	ı	ı	1	1
357	ı	ı	ı	ı	1
358	ı	ı	1	1	ı
359	1	1	•	1	1
360	1	ı	1	1	0.28
361	ı	0.25	ı	1	Trace
362	ı	ı	0.25	1	ı
363	ı	ı	ı	ı	1
364	•	ı	ı	1	ı
365	ı	ı	0.94	1.27	0.69











Evaporation Data

Day of	Water Te	mperature	1144	Funnantian
Day of 1974	Max.	C Min.	Wind Km	Evaporation Cm
91	-	-	13.30	-
92	-	-	3.67	-
93	_	-	21.50	-
94	_	-	21.50	-
95	-	-	41.70	-
96	-	-	41.70	-
97	-	-	41.70	-
98	-		74.71	-
99	<u></u>	-	15.54	0.43
100	-	-	50.84	0.38
101	-	-	15.35	0.36
102	<u>.</u>	-	21.26	0.41
103	-	-	21.26	0.41
104	-	-	21.26	0.41
105	25.0	13.9	97.02	0.89
106	<u></u>	-	2.30	0.66
107	25.6	5.6	12.31	0.53
108	25.6	6.7	14.23	0.53
109	25.0	11.1	12.24	0.38
110	17.8	4.4	11.87	0.30
111		-	11.87	0.30
1.12	28.3	7.8	44.38	1.07

Day of 1974	Water Temperature O C		5 M2d	Fuanavation
	Max.	Min.	Wind Km	Evaporation Cm
113	26.7	16.1	29.40	0.58
114	25.6	7.8	32.50	0.46
115	23.9	4.7	24.49	0.36
116	25.6	8.9	18.02	0.56
117	-	-	18.02	0.56
118	-	-	18.02	0.56
119	32.2	11.1	44.25	1.52
120	33.3	17.2	7.71	0.53
121	32.8	17.8	34.93	0.89
122	28.3	10.6	12.37	0.58
123	23.9	10.6	1.18	0.08
124	-	-	1.18	0.08
125	-	-	1.18	0.08
126	26.1	9.4	54.07	1.47
127	23.3	7.8	13.36	0.53
128	24.4	5.6	14.17	0.43
129	24.4	12.2	22.93	0.30
130	26.1	15.0	31.08	0.10
131	-	-	31.08	0.10
132	-	-	31.08	0.10
133	28.9	12.2	50.96	1.22
134	31.1	12.2	10.56	0.36
135	33.3	16.7	24.86	0.64

Day of	Water Temperature O C		Wind	Evaporation
1974	Max.	Min.	Km	Cm
136	35.6	20.0	8.14	0.61
137	-	-	8.14	0.61
138	-	-	8.14	0.61
139	-	-	8.14	0.61
140	37.2	11.1	38.10	1.83
141	30.6	15.6	7.71	0.43
142	34.4	15.6	1.49	0.30
143	34.4	21.7	11.56	0.66
144	29.4	17.8	5.97	0.28
145	-	-	5.97	0.28
146	-	-	5.97	0.28
147	-	-	5.97	0.28
143	30.0	12.2	36.54	1.70
149	28.9	17.2	9.82	0.36
150	28.9	20.6	3.17	0.36
151	27.8	18.9	6.28	0.28
152	-	-	-	-
153	-	-	-	-
154	30.0	15.6	20.14	0.53
155	32.2	17.2	6.34	0.43
156	33.9	17.8	8.20	0.58
157	33.3	16.7	6.59	0.64
158	33.3	17.8	13.55	0.56

Day of	Water Temperature O C		Wind	Evaporation
1974	Max.	Min.	Km	Cm
159	33.3	17.8	13.55	0.56
160	33.3	17.8	13.55	0.56
161	38.9	18.9	24.11	1.02
162	38.3	22.2	16.03	0.89
163	30.0	17.2	12.93	0.46
164	31.7	16.1	8.08	0.58
165	32.2	19.4	9.51	0.56
166	32.2	19.4	9.51	0.56
167	32.2	19.4	9.51	0.56
168	33.9	18.8	44.00	1.70
169	32.2	16.7	6.46	0.53
170	32.8	17.8	10.81	0.61
171	34.4	21.7	15.54	0.61
172	34.4	22.2	13.92	0.51
173	34.4	22.2	13.92	0.51
174	34.4	22.2	13.92	1.29
175	33.3	16.7	43.13	0.15
176	29.4	18.3	11.44	0.43
177	26.7	17.8	11.75	0.36
178	27.2	18.3	8.51	0.23
179	25.6	16.7	33.56	0.23
180	25.6	16.7	33.56	0.23
181	25.6	16.7	33.56	0.23
180	25.6	16.7	33.56	C

Day of 1974	Water Temperature o C		Wind	Evaporation
	Max.	Min.	Km	Cm
182	33.9	14.4	34.84	0.96
183	-	-	34.84	0.96
184	38.9	20.0	15.40	1.22
185	38.9	23.9	4.35	0.64
186	38.9	23.3	11.49	0.66
187	-	-	11.49	0.66
188	-	-	11.49	0.66
189	39.4	21.1	13.48	1.42
190	39.4	23.9	4.16	0.86
191	38.9	25.0	7.45	0.61
192	37.8	22.8	16.27	0.76
193	33.3	16.7	11.68	0.71
194	-	-	11.68	0.71
195	-	-	11.68	0.71
196	37.2	17.8	24.10	1.78
197	36.7	22.2	7.64	0.56
198	35.0	19.4	6.40	0.64
199	34.4	21.1	5.03	0.53
200	35.0	24.4	7.58	0.53
201	-	-	7.58	0.53
202	-	-	7.58	0.53
203	34.4	17.8	4.03	2.06
204	33.3	19.4	10.31	0.48

Day of	Water Temperature O C		Wind	Evaporation
1974	Max.	Min.	Km	Cm
205	27.8	21.1	3.48	0.15
206	25.6	20.0	6.09	0.18
207	29.4	21.1	9.01	0.18
208	-	-	9.01	0.18
209	-	-	9.01	0.18
210	37.8	22.2	23.10	1.50
211	37.2	20.6	13.73	0.69
212	35.6	21.7	2.73	0.51
213	34.4	19.4	5.16	0.51
214	35.0	21.7	8.32	0.43
215	35.0	21.7	8.32	0.43
216	35.0	21.7	8.32	0.43
217	33.9	22.2	34.84	0.91
218	33.9	17.8	6.21	0.23
219	31.7	19.4	12.17	0.33
220	26.7	18.9	4.97	0.20
221	26.7	18.9	4.97	0.20
222	26.7	18.9	4.97	0.20
223	26.7	18.9	4.97	0.20
224	32.2	16.1	33.29	1.27
225	32.2	16.1	33.29	1.27
226	32.2	16.1	33.29	1.27
227	36.7	21.7	19.50	1.14

Day of	Water Temperature O C		Wind	Evaporation
1974	Max.	Min.	Km	Cm
228	35.6	21.1	6.52	0.48
229	35.6	21.1	6.52	0.48
230	35.6	21.1	6.52	0.48
231	-	-	12.36	1.04
232	35.6	20.0	4.04	0.33
233	34.4	19.4	12.36	0.48
234	32.8	21.1	12.98	0.43
235	36.7	23.3	3.79	0.48
236	35.6	23.9	3.79	0.48
237	-	-	3.79	0.48
238	35.0	22.8	23.66	1.37
239	33.3	21.7	3.54	0.15
240	35.0	23.9	4.47	0.30
241	36.7	23.9	5.96	0.33
242	36.7	24.4	10.31	0.51
243	-	-	-	-
244	35.6	23.3	-	-
245	35.6	23.3	34.41	0.51
246	35.6	23.3	34.41	0.51
247	33.3	17.8	19.19	2.13
248	33.3	15.6	8.63	0.33
249	33.3	15.6	8.63	0.33
250	33.3	15.6	8.63	0.33

Day of	Water Temperature O C		المام المام	Evanovation
Day of 1974	Max.	Min.	Wind Km	Evaporation
251	33.3	15.6	8.63	0.33
252	31.1	16.7	35.22	0.10
253	31.7	16.7	10.87	0.005
254	31.7	16.7	10.87	0.005
255	31.7	16.7	10.87	0.005
256	31.7	16.7	2.61	1.35
257	31.7	16.7	2.61	1.35
258	31.7	16.7	2.61	1.35
259	31.7	16.7	2.61	1.35
260	31.7	16.7	26.09	1.17
261	31.7	16.7	6.71	0.28
262	31.7	16.7	6.71	0.28
263	21.1	-	9.13	0.46
264	21.1	-	9.13	0.46
265	21.1	-	9.13	0.46
266	20.0	-	43.85	1.22
267	11.1	-	9.13	0.33
268	11.1	-	9.13	0.33
269	11.1	-	9.13	0.33
270	11.1	-	9.13	0.33
271	11.1	-	9.13	0.33
272	11.1	-	9.13	0.33
273	21.1	11.7	57.89	1.63

Day of	Water Temperature O C		112 4	Evanovation
Day of 1974	Max.	Min.	Wind Km	Evaporation Cm
274	24.4	10.0	14.53	0.38
275	22.2	10.0	17.70	0.38
276	19.4	3.3	22.98	0.38
277	19.4	3.3	22.98	0.38
278	19.4	3.3	22.98	0.38
279	19.4	3.3	22.98	0.38
280	19.4	3.3	22.98	0.38
281	19.4	3.3	22.98	0.38
282	26.1	2.2	40.93	1.68
283	_	-	40.93	1.68
284	24.4	7.8	9.63	0.48
285	24.4	7.8	9.63	0.48
286	24.4	7.8	9.63	0.48
287	24.4	7.8	9.63	0.48
288	24.4	15.0	32.55	0.79
289	24.4	15.0	32.55	0.79
290	24.4	15.0	32.55	0.79
291	24.4	9.4	33.73	0.99
292	24.4	9.4	33.73	-
293	24.4	9.4	33.73	-
294	17.2	1.1	35.59	0.76
295	17.2	2.2	4.53	0.20
296	17.2	4.4	6.15	0.20

(Continued)


Evaporation Data


Day of	Water Te	mperature c	ال الحاسم الم	Evanovation
Day of 1974	Max.	C Min.	Wind Km	Evaporation Cm
296	17.2	4.4	6.15	0.20
297	18.9	7.2	4.04	0.23
298	19.4	9.4	3.42	0.20
299	19.4	9.4	3.42	0.20
300	19.4	9.4	3.42	0.20
301	19.4	9.4	3.42	0.20
302	21.1	6.1	17.95	0.81
303	22.2	13.8	4.22	0.10
304	20.0	15.6	5.22	0.20
305	-	-	-	-
306	-	-	-	-
307	-	-	-	-
308	-	-	-	-
309	25.0	13.3	-	-
310		-	-	-
311	20.6	5.6	-	-
312	15.6	5.6	-	-
313	-	-	-	-
314	-	-	-	-
315	16.7	3.3	-	-
316	13.9	11.1	-	-
317	13.3	6.7	-	-
318	15.0	5.0	-	-


(Continued)

Evaporation Data

Dav of	Water Ter	mperature	Wind	d Evanoration		
1974	Max.	Min.	Km	Cm		
319 .	15.0	5.6	-	-		
320	-	-	-			
321	-	-	-	was		
322	10.6	1.1	-	-		
323	12.2	5.6	-	-		
324	12.2	10.0	-	-		
325	12.2	5.0	-	-		
326	11.7	2.8	-	-		
327	-	- -	-	-		
328	-	-	-	-		
329	-	-	-	-		
330	15.0	1.1	-	~		
331	5.6	0.6	-	-		
332	-	-	-			
333	-	-	-	-		
334	-	-	-	-		







Rainfall Composition

Technique - Rain was collected with large polyethylene funnels which drained into glass reservoirs. The collection apparatus was located on the roof of the laboratory building. Samples were analyzed for nitrate plus nitrite, organic nitrogen, total phosphorus, organic matter (by wet digestion), and pH. The procedures were the same as reported in section B of this report.

<u>Principal Investigator</u>: David L. Correll, Radiation Biology Laboratory, Smithsonian Institution.

Research Funding: Smithsonian's Environmental Sciences Program and Program for Research Applied to National Needs of the National Science Foundation.

Rainfall Data (taken at laboratory station)


Day of 1974	Rainfall (cm)	Nitrate + Nitrite (ug N/1)	Organic Nitrogen (ug N/1)	Total Phosphorus (ug P/1)
1	1.29	423	283	7
3	0.40	423	283	7
9	1.37	369	204	9
10-11	2.21	372 ^c	204	24°
12	0.10	372 ^c	204 ^c	24°
21	1.22	375	204	38
22	0.10	551 ^C	240 ^C	34 ^c
24	0.15	551 ^C	240 ^C	34 ^c
25	1.24	727	276	29
27	0.15	819 ^c	545 ^c	44 ^C
34	0.53	911	814	58
38-39	1.11	478	414	106
40	0.13	561 ^c	302°	71 ^c
45	0.10	561 ^C	302 ^C	71 ^c
47-48	0.43	644	189	36
53	0.25	568 ^C	473 ^c	45 ^C
56	0.20	568 ^C	473 ^C	45 ^C
61	0.30	568 ^c	473 ^C	45 ^C
65-66	0.79	492	756	45 ^C
67	0.10	517	774	45 ^C
71	0.61	541	792	53


,


Day of 1974	Rainfall (cm)	Nitrate + Nitrite (ug N/1)	Organic Nitrogen (ug N/l)	Total Phosphorus (ug P/l)
75-76	3.11	148	371	16
78	0.18	174 ^C	353 ^c	11 ^c
80	3.30	200	334	5
83	0.10	211 ^C	284 ^C	8 ^c
85	0.13	211 ^C	284 ^C	8c
88-90	6.46	223	233	11
92	0.10	217 ^C	400 ^C	21 ^C
95	1.98	211	567	31
98-99	3.50	268	356	18
103	0.68	-	-	-
107	0.10	-	-	-
113	1.04	670	2675	400
123	1.52	289	3017	290
126	0.55	-	-	-
127	0.18	-	-	-
129	0.63	417	-	63
130	0.10	2 9 6 ^c	342 ^c	76 ^C
32-133	2.48	175	342	88
43-144	1.14	223	313	47
147	0.10	468 ^C	680 ^C	63 ^C
150	1.49	712	1047	79
52-154	5.37	152	458	87
159	0.27	187 ^C	675 ^C	84 ^c


Day of 1974	Rainfall (cm)	Nitrate + Nitrite (ug N/l)	Organic Nitrogen (ug N/1)	Total Phosphorus (ug P/1)
167	0.68	222	891	30
168	0.12	220 ^c	849 ^C	92 ^C
173	1.65	439	807	104
174	1.98	596	720	84
178	0.63	1571	487	141
179-180	2.03	221	73	49
185	0.10	-	-	-
193	0.10	-	-	-
200	0.22	-	-	-
205	0.20	_	-	-
211	0.55	433	1330	34
216	0.10	554 ^C	818 ^c	34 ^C
217	0.20	554 ^C	818 ^c	34 ^c
219	1.65	554 ^C	818 ^c	34 ^C
221	0.68	675	305	33
222	0.15	622 ^C	215 ^c	36 ^C
225	0.50	568	124	39
235	1.52	299	553	64
239	2.41	150	153	30
243	2.13	121	138	20
246	1.34	402	211	31
247	2.76	201	174	16

Day of 1974	Rainfall (cm)	Nitrate + Nitrite (ug N/1)	Organic Nitrogen (ug N/1)	Total Phosphorus (ug P/1)
249-250	4.00	216	158	12
254	0.53	246	284	34
264	0.27	166 ^C	211 ^c	25 ^c
265	0.27	166 ^c	211 ^c	25 ^C
271	3.66	85	138	15
272	0.33	85	138	15
289	3.90	513	494	54
309	0.70	423	284	61
316	0.99	326	225	14
317	0.15	240	255	25
324	0.15	240	255	25
325	0.20	240	255	25
329	0.58	153	284	36
335	2.56	136	116	45
342	3.17	39	102	46
348	0.25	65	109	73
350	3.43	91	116	17
361	0.25	332	211	15










Rainfall Data (taken at laboratory station)

Day of 1974	рН	Organic Matter (ug/1)
65	6.5	-
75	5.1	-
80	5.1	-
90	4.9	-
95	4.9	12.2
98	4.7	10.5
113	6.1	42.8
123	6.1	66.6
132	6.1	49.6
143	6.1	59.8
149	4.2	62.6
152	4.6	25.2
167	3.6	59.2
172	4.1	54.7
174	3.7	33.7
177	3.8	42.2
179	4.5	10.9
211	4.5	-
220	3.9	-
225	5.2	-
234	5.2	23.1
238	4.7	30.9
242	5.2	18.7

Rainfall Data (taken at laboratory station)

Day of 1974	рН	Organic Matter (ug/l
245	4.3	21.8
246	4.2	9.2
249	4.0	9.2
254	-	36.4
271	5.1	18.0
289	4.7	25.1
309	5.4	-



	•		191			
,						
				÷		
			·			
						,
	•					
	•					
		A.				

